



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buildingcode

AWP, LLC
8130 NW 74th Avenue
Miami, FL 33166

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "La Francais" Outswing Aluminum French Door w/Sidelites

APPROVAL DOCUMENT: Drawing No. **W97-18**, titled "Series 'La Francais' Alum French Door w/Sidelites", sheets 1 through 8 of 8, dated 08/05/97 with revision H dated 02/23/09, prepared by Al-Farooq Corporation, signed and sealed by Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA revises NOA # **05-0426.03** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Fitz A. Harris, P.E.**

Fitz A. Harris
 4/09/09

NOA No. 09-0316.06
Expiration Date: July 22, 2011
Approval Date: May 6, 2009
 Page 1



AWP, LLC.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS


1. Manufacturer's die drawings and sections.
2. Drawing No **W97-18**, Sheets 1 through 8 of 8, titled "Series 'La Francais' Alum French Door w/Sidelites", dated 08/05/97 with revision H dated 02/23/09, prepared by Al-Farooq Corporation, signed and sealed by Humayoun Farooq, P.E.

B. TESTS

1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Forced Entry Test, per FBC 3603.2 (b) and TAS 202-94
along with marked-up drawings and installation diagram of an aluminum French door w/sidelites, OXXO configuration, prepared by Hurricane Engineering & Testing Inc., Test Report No. HETI 04-1402, dated 09/17/04 signed and sealed by Ivonne Ghia, P.E.
2. Test reports on: 1) Air Infiltration Test, per PA 202-94
2) Uniform Static Air Pressure Test, Loading per PA 202-94
3) Water Resistance Test, per PA 202-94
4) Forced Entry Test, per SFBC 3603.2 (b) and PA 202-94
along with installation diagram of an aluminum outswing French entrance door w/sidelites prepared by Fenestration Testing Laboratory, Inc, Test Report No. **FTL-1659**, dated June 18, 1997, reissued on 6/11/98, signed and sealed by Gilbert Diamond, P.E.
(Submitted under previous NOA #97-0815.09)

C. CALCULATIONS

1. Revised anchor calculations and structural analysis, prepared by Al-Farooq Corporation, dated 02/19/09, signed and sealed by Humayoun Farooq, P.E.
2. Anchor calculations and structural analysis, prepared by Al-Farooq Corporation, dated 12/20/04, signed and sealed by Humayoun Farooq, P.E.
3. Comparative Analysis and Anchor Calculations prepared by Al-Farooq Corporation, P.E dated 5/31/01, signed and sealed by Humayoun Farooq, P.E. *(Submitted under previous NOA #97-0815.09)*
Complies with ASTM E1300-98
No 1/3 stress increase used in mullion or anchors into masonry and steel substrate.


Fitz A. Harris, P.E.

Product Control Examiner

NOA No. 09-0316-06

Expiration Date: July 22, 2011

Approval Date: May 6, 2009

AWP,LLC

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS


1. None.

F. STATEMENTS

1. Statement letter of conformance, dated February 25, 2009, signed by Dr. Humayoun Farooq, P.E.
2. Letter of Compliance, dated February 19, 2009, signed by Dr. Humayoun Farooq, P.E.
3. Letter from AWP, LLC, dated 03/10/09, requesting a revision to update to the FBC2007 and company name, signed by Mr. Roberto Perez, AWP, LLC.

G. OTHERS

1. Notice of Acceptance No. **05-0426.03**, issued to Yale Ogron Manufacturing Co., Inc. for their Series "La Francais" Aluminum Outswing French Door with Sidelites, approved on 08/18/05 and expiring on 07/22/2011.





Fitz A. Harris, P.E.

Product Control Examiner

NOA No. 09-0316.06

Expiration Date: July 22, 2011

Approval Date: May 6, 2009



TYPICAL ELEVATIONS

SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES

APPROVAL APPLIES TO SINGLE (X) AND DOUBLE (XX) LEAF DOORS WITH OR WITHOUT SIDELITES. SIDE LITES CAN BE ON ONE OR BOTH SIDES OF DOOR. SEE SHEET 2 FOR DESIGN LOAD CAPACITIES.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004/2007 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).


WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004/2007 FLORIDA BLDG. CODE SECTION 2003.8.4.



GLAZING DETAIL

DOORSS NOT RATED FOR IMPACT. INSTALLATION OF THIS PRODUCT IN THE HVHZ AREA REQUIRES THE USE OF APPROVED SHUTTERS OR EXTERNAL PROTECTION DEVICES COMPLYING WITH HVHZ REQUIREMENTS. INSTALLATION OF THIS SYSTEM OUTSIDE THE HVHZ AREA SHALL MEET THE APPLICABLE REQUIREMENTS FOR WIND BORNE DEBRIS PROTECTION.

**MONOLITHIC GLASS
NON IMPACT**

Engr: DR. HUMAYGUN FAROOQ
STRUCTURES
FLA PE # 16557
C.A.N. 3538

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0316.06
Expiration Date 07-22-2011

By *Chris Harris*
Miami Dade Product Control
Division

MAR 04 2009

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W97-18AWP


SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309

revisions:	no	date	by	description
	D	06.16.98	H	LOCK NOTES REVISED
	E	05.31.01	H	ANCHORS REV.
	F	12.27.04	H	GENERAL REVISION
	G	07.21.05	H	UPDATED FOR 2004 FBC
	H	02.23.09	H	UPDATED FOR 2007 FBC


date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:

drawing no.
W97-18
sheet 1 of 8

DOORS WITHOUT SIDELITES				
DESIGN LOAD CAPACITY - PSF				
DOOR HEIGHT FT./IN.	NOMINAL DOOR WIDTH FT./IN.		3/16" TEMP. GLASS	
			EXT. (+)	INT. (-)
6/8	2/6 (X)	5/0 (XX)	70.0	100.9
	3/0 (X)	6/0 (XX)	70.0	84.0
7/0	2/6 (X)	5/0 (XX)	70.0	96.0
	3/0 (X)	6/0 (XX)	70.0	80.0
8/0	2/6 (X)	5/0 (XX)	70.0	84.0
	3/0 (X)	6/0 (XX)	70.0	70.0



(X)




(XX)

OVERALL DOOR DIMENSIONS:


NOMINAL WIDTH	FRAME WIDTH	NOMINAL HEIGHT	FRAME HEIGHT
2/6 (X)	31-1/2"	6/8	79-3/4"
3/0 (X)	37-1/2"	7/0	83-3/4"
5/0 (XX)	60"	8/0	95-3/4"
6/0 (XX)	72"		

STATIONARY PANEL (O) OR DOORS WITH SIDELITES				
DESIGN LOAD CAPACITY - PSF				
FRAME HEIGHT FT./IN.	DOOR WIDTH FT./IN.	SIDELITE WIDTH INCHES	1/4" TEMP. GLASS	
			EXT. (+)	INT. (-)
6/8	2/6 (X) 5/0 (XX)	30	70.0	100.9
		36	70.0	100.9
		42	70.0	94.7
	3/0 (X) 6/0 (XX)	48	70.0	89.2
		54	70.0	85.0
		30	70.0	84.0
7/0	2/6 (X) 5/0 (XX)	36	70.0	84.0
		42	70.0	84.0
		48	70.0	83.3
	3/0 (X) 6/0 (XX)	54	70.0	79.6
		30	70.0	96.0
		36	70.0	91.6
8/0	2/6 (X) 5/0 (XX)	42	70.0	85.2
		48	70.0	80.1
		54	70.0	76.1
	3/0 (X) 6/0 (XX)	30	70.0	80.0
		36	70.0	80.0
		42	70.0	79.2
	2/6 (X) 5/0 (XX)	48	70.0	74.8
		54	70.0	71.3
		30	70.0	73.7
	3/0 (X) 6/0 (XX)	36	67.6	67.6
		42	62.8	62.8
		48	58.9	58.9
	30	67.6	67.6	
	36	62.5	62.5	
	42	58.4	58.4	
		48	55.0	55.0


NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-02/04 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219




(O)




(XO)
(OX)




(OXO)




(OXX)
(XXO)



(OXXO)



(X)



(XX)

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

MAR 04 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 09-0316.06
Expiration Date 07-22-2011
By *[Signature]*
Miami Code Product Control
Division


afC
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP - ANL \ W97 - 18AWP

SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309


no	date	description
D	06.16.98	LOCK NOTES REVISED
E	05.31.01	ANCHORS REV.
F	12.27.04	GENERAL REVISION
G	07.21.05	NOTE ADDED
H	02.23.09	UPDATED FOR 2007 FBC

date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:


drawing no.
W97-18
sheet 2 of 8



STATIONARY UNITS



OPERABLE UNITS



WOOD BUCKS AND METAL STRUCTURE NOT BY AWP MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING
1/4" DIA. TAPCON BY 'ITW'
1/4" DIA. ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI)
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1-1/2" MIN. PENETRATION INTO WOOD
 THRU 1BY BUCKS INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 DIRECTLY INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
#14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS (MIN. THK. = .090")
 INTO METAL STRUCTURES
 STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

TYPICAL EDGE DISTANCE
 INTO CONCRETE AND MASONRY = 2-1/2" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

CONCRETE f'c = 3000 PSI MIN.
 MASONRY f'm = 1500 PSI MIN.

SEALANT:
 ALL JOINTS AND FRAME CONNECTIONS SEALED WITH WHITE/ALUMINUM COLORED SILICONE.

Engr: DR. HUMAYUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

MAR 04 2009

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 09-0316.06
 Expiration Date 07-22-2011

By *[Signature]*
 Miami Dade Product Control
 Division









af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP - ANL \ W97 - 18AWP

SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
 8130 N.W. 74TH AVE.
 MEDLEY, FL. 33166
 TEL. (305) 887-2646 FAX (305) 883-1309

revisions:	no	date	by	description
	C	07.21.05		NO CHANGE THIS SHEET
	H	02.23.09		UPDATED FOR 2007 FBC

date: 08-05-97
 scale: 3/8" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W97-18
 sheet 3 of 8



Engr: DR. HUMAYOON FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

MAR 04 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 09-0316.06
Expiration Date 07-22-2011

By *Dr. Hamid*
Miami Date Product Control
Division

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W97-18AWP


SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309

no	date	by	description
G	07.21.05		NO CHANGE THIS SHEET
H	02.23.09		UPDATED FOR 2007 FBC


date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:

drawing no.
W97-18


sheet 4 of 8




① SIDELITE HEAD/SILL/JAMB




①A ALT. SIDELITE HEAD/SILL/JAMB




② DOOR HEAD/JAMB




②A ALT. DOOR HEAD




②B ALT. DOOR JAMB




⑤ TOP/BOTTOM RAIL




⑤A ALT. TOP/BOTTOM RAIL




⑨ GLAZING STOP




⑨A ALT. GLAZING STOP




HINGES




④ SIDELITE JAMB




④A ALT. SIDELITE JAMB




⑥ HINGE STILE




⑥A ALT. HINGE STILE




⑦ LOCK STILE/KEEPER STILE




⑦A ALT. LOCK STILE/KEEPER STILE



⑧ WEATHERSTRIP ADAPTER



③ FRAME SILL



⑩ PRESSURE PLATE

af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W97-18AWP

SERIES LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
 AWP, LLC.
 8130 N.W. 74TH AVE.
 MEDLEY, FL. 33166
 TEL. (305) 887-2646 FAX (305) 883-1309

Revisions:	no	date	by	description
	G	07.21.05		NO CHANGE THIS SHEET
	H	02.23.09		UPDATED FOR 2007 FBC


Engr: DR. HUMAYOUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 09-0316-06
 Expiration Date 07.22.2011


[Signature]
 Miami Dade Product Control
 Division
 MAR 04 2009

By *[Signature]*
 Miami Dade Product Control
 Division


date: 08-05-97
 scale: 3/8" = 1"
 dr. by: HAMID
 ch. by:
 drawing no.
W97-18
 sheet 5 of 8



FRAME UPPER CORNER



DOOR LEAF CORNER



FRAME LOWER CORNER

Engr: DR. HUMAYOON FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:
MAR 04 2009


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 09-0316.06
Expiration Date 07-22-2011
By *Edy Harris*
Miami Door Product Control
Division

afc
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W97-18AWP

SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309


revisions:	
no	date by description
G	07.21.05 NO CHANGE THIS SHEET
H	02.23.09 UPDATED FOR 2007 FBC

date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:
drawing no.
W97-18
sheet 7 of 8




TOP FLUSHBOLT ASSEMBLY

STANDARD FLUSH BOLT GUIDE




TOP FLUSHBOLT ASSEMBLY

OPTIONAL FLUSH BOLT GUIDE AND ADJUSTMENT PLATE



BOTTOM FLUSHBOLT ASSEMBLY



BOTTOM FLUSHBOLT ASSEMBLY

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0316-06
Expiration Date 07.22.2011
By *Eric Harris*
Miami Dade Product Control
Division

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

MAR 04 2009

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
12335 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP - ANL \ W97 - 18AWP

SERIES 'LA FRANCAIS' ALUM FRENCH DOOR W/ SIDELITES (N.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309

revisions:	no	date	by	description
	G	07.21.05		NO CHANGE THIS SHEET
	H	02.23.09		UPDATED FOR 2007 FBC

date: 08-05-97
scale: 3/8" = 1"
dr. by: HAMID
chk. by:

drawing no.
W97-18
sheet 8 of 8