



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buildingcode

Overhead Door Corporation
2501 South State Hwy. 121, Suite 200
Lewisville, Texas 75067

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series 424/426 Steel Sectional Garage Door 14'-2" Wide

APPROVAL DOCUMENT: Drawing No. **D-408806**, Sheets 1 and 2, titled "Series 424/426 Commercial Steel Door, 50 Psf, Dade Co. 14'-2" Max Width," dated 08/25/94, with last revision H dated 03/06/09, prepared by Overhead Door Corporation, signed and sealed by LeRoy G. Krupke, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises NOA # 06-0331.04** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



[Handwritten Signature]
 5/21/09

NOA No. 09-0427.04
Expiration Date: March 22, 2012
Approval Date: June 17, 2009
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. **D-408806**, Sheets 1 and 2, titled "Series 424/426 Commercial Steel Door, 50 Psf, Dade Co. 14'-2" Max Width," dated 08/25/94, with last revision H dated 03/06/09, prepared by Overhead Door Corporation, signed and sealed by LeRoy G. Krupke, P.E.

B. TESTS

1. Test reports on Uniform Static Air Pressure Test, Loading per FBC TAS 202-94, along with marked-up drawings and installation diagram of "Series 424, 24 GA Commercial Steel Door, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI 06-4002**, dated 05/18/2006 (Revised March 30, 2009), signed and sealed by Rafael E. Droz-Seda, P.E.
2. Test reports on 1) Large Missile Impact Test per FBC, TAS 201-94
2) Cyclic Wind Pressure Loading per FBC, TAS 203-94
Along with marked-up drawings and installation diagram of "Series 424, 24 GA Commercial Steel Door, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI 06-4003**, dated 05/18/2006 (Revised March 30, 2009), signed and sealed by Rafael E. Droz-Seda, P.E.
3. Test report on Tensile Tests per FBC & ASTM E-8 of "Series 424, Sectional Commercial Steel Door Skin Materials, prepared by Hurricane Engineering & Testing, Inc., Test Reports No:
 - a) HETI 04-247, dated 11/10/04, signed and sealed by Rafael E. Droz-Seda, P.E.
 - b) HETI 04-T248, dated 11/10/04, signed and sealed by Rafael E. Droz-Seda, P.E.
 - c) HETI 05-T327, dated 08/03/05, signed and sealed by Rafael E. Droz-Seda, P.E.
 - d) HETI 06-T523, dated 01/30/06, signed and sealed by Arshad Viqar, P.E.
 - e) HETI 06-T529, dated 04/03/06, signed and sealed by Rafael E. Droz-Seda, P.E.
 - f) HETI 06-T528, dated 04/26/06, signed and sealed by Rafael E. Droz-Seda, P.E.
 - g) HETI 06-T602, dated 09/18/06, signed and sealed by Rafael E. Droz-Seda, P.E."
"Submitted under NOA # 06-0331.04"

C. CALCULATIONS

1. Calculations for method for attaching wood jambs to a masonry building, prepared by Overhead Door on 09/19/94, Sheets 1 & 2, signed by S. Boucher, P.E.
"Submitted under NOA # 06-0331.04"


5/21/09

Carlos M. Utrera, P.E.

Product Control Examiner

NOA No. 09-0427.04

Expiration Date: March 22, 2012

Approval Date: June 17, 2009

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO)

E. MATERIAL CERTIFICATIONS

1. Tensile Test Report No. Heti 01-T006 prepared by Hurricane Engineering & Testing, Inc. dated 01/30/01, signed and sealed by H.M. Medina, P.E.
2. Letter Report of Surface Burning Characteristics per ASTM E-84 dated 05/24/96, signed by J. G. Marzullo and reviewed by R. K. Laymon.
3. Test Report on Surface Burning Characteristics of Building Materials per ASTM E 84 dated 04/13/06, prepared by Intertek Testing Services NA, Inc. and signed by C. Anthony Peñaloza.
4. Test Report on Ignition Properties per ASTM D-1929 dated 04/13/06, prepared by Intertek Testing Services NA, Inc. and signed by C. Anthony Peñaloza.
5. Test Report on Salt Fog per ASTM B-117 dated 04/04/06, prepared by Environmental Testing Laboratory, Inc. and signed by Brady Richard.
"Submitted under NOA # 06-0331.04"

F. STATEMENTS

1. Florida Building Code changes not affecting this approval statement, issued by Overhead Door Corporation, dated 03/30/09, signed and sealed by LeRoy Krupke, P.E.
2. Statement of Independence in report "HETI 06-4003", prepared by Hurricane Engineering & Testing, Inc., dated 05/18/06, signed and sealed by Rafael E. Droz-Seda, P.E.
3. Letter of No financial interest prepared by Overhead Door Corporation, dated 09/19/94, signed and sealed by S. Boucher, PE.
"Submitted under NOA # 06-0331.04"

G. OTHER




1. Notice of Acceptance No. **06-0331.04**, issued to Overhead Door Corporation, approved on 03/22/07 and expiring on 03/22/12.





5/21/09

Carlos M. Utrera, P.E.
Product Control Examiner
NOA No. 09-0427.04
Expiration Date: March 22, 2012
Approval Date: June 17, 2009

NOTES









REVISIONS			
LETTER	DESCRIPTION	DATE	APPROVAL
F	REV PER EN 12018	11/2/06	MS
G	REV PER EN 12094	2/2/07	MS
H	REV PER ER 500012	3/6/08	SFT







P/N 404043-XXXX END HINGE (-0004 THRU -0010 SHOWN)

PART NUMBER	DIM."D" (REF)
404043-0004	1.34
404043-0005	1.59
404043-0006	1.84
404043-0007	2.09
404043-0008	2.34
404043-0009	2.59
404043-0010	2.84



PART NUMBER	DIMENSIONS "L"
405965-0001	3.000
405965-0002	4.250
405965-0003	5.000
405965-0004	5.750
405965-0005	6.500
405965-0006	7.250



THE DRAWING AND/OR TECHNICAL INFORMATION ON THIS SHEET IS THE PROPERTY OF OVERHEAD DOOR CORPORATION OR ITS SUBSIDIARY AND IS LOANED IN CONFIDENCE FOR ENGINEERING AND MUTUAL ASSISTANCE PURPOSES ONLY. AND MAY NOT BE REPRODUCED OR USED TO MANUFACTURE ANYTHING DISCLOSED HEREON WITHOUT THE EXPRESS PERMISSION OF OVERHEAD DOOR CORPORATION WHICH MAY RECALL THIS SHEET AT ANY TIME.

UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES-TOLERANCES ON DECIMAL DIMENSIONS	ANGLES & 1°-30'
1/16 - .001	1/8 - .002
.001 - .005	.005 - .010
.010 - .030	.010 - .030
.030 - .060	.030 - .060
.060 - .125	.060 - .125
.125 - .250	.125 - .250
.250 - .500	.250 - .500
.500 - 1.000	.500 - 1.000
1.000 - 2.000	1.000 - 2.000
2.000 - 4.000	2.000 - 4.000
4.000 - 8.000	4.000 - 8.000
8.000 - 16.000	8.000 - 16.000
16.000 - 32.000	16.000 - 32.000
32.000 - 64.000	32.000 - 64.000
64.000 - 128.000	64.000 - 128.000
128.000 - 256.000	128.000 - 256.000
256.000 - 512.000	256.000 - 512.000
512.000 - 1024.000	512.000 - 1024.000
1024.000 - 2048.000	1024.000 - 2048.000
2048.000 - 4096.000	2048.000 - 4096.000
4096.000 - 8192.000	4096.000 - 8192.000
8192.000 - 16384.000	8192.000 - 16384.000
16384.000 - 32768.000	16384.000 - 32768.000
32768.000 - 65536.000	32768.000 - 65536.000
65536.000 - 131072.000	65536.000 - 131072.000
131072.000 - 262144.000	131072.000 - 262144.000
262144.000 - 524288.000	262144.000 - 524288.000
524288.000 - 1048576.000	524288.000 - 1048576.000
1048576.000 - 2097152.000	1048576.000 - 2097152.000
2097152.000 - 4194304.000	2097152.000 - 4194304.000
4194304.000 - 8388608.000	4194304.000 - 8388608.000
8388608.000 - 16777216.000	8388608.000 - 16777216.000
16777216.000 - 33554432.000	16777216.000 - 33554432.000
33554432.000 - 67108864.000	33554432.000 - 67108864.000
67108864.000 - 134217728.000	67108864.000 - 134217728.000
134217728.000 - 268435456.000	134217728.000 - 268435456.000
268435456.000 - 536870912.000	268435456.000 - 536870912.000
536870912.000 - 1073741824.000	536870912.000 - 1073741824.000
1073741824.000 - 2147483648.000	1073741824.000 - 2147483648.000
2147483648.000 - 4294967296.000	2147483648.000 - 4294967296.000
4294967296.000 - 8589934592.000	4294967296.000 - 8589934592.000
8589934592.000 - 17179869184.000	8589934592.000 - 17179869184.000
17179869184.000 - 34359738368.000	17179869184.000 - 34359738368.000
34359738368.000 - 68719476736.000	34359738368.000 - 68719476736.000
68719476736.000 - 137438953472.000	68719476736.000 - 137438953472.000
137438953472.000 - 274877906944.000	137438953472.000 - 274877906944.000
274877906944.000 - 549755813888.000	274877906944.000 - 549755813888.000
549755813888.000 - 1099511627776.000	549755813888.000 - 1099511627776.000
1099511627776.000 - 2199023255552.000	1099511627776.000 - 2199023255552.000
2199023255552.000 - 4398046511104.000	2199023255552.000 - 4398046511104.000
4398046511104.000 - 8796093022208.000	4398046511104.000 - 8796093022208.000
8796093022208.000 - 17592186044416.000	8796093022208.000 - 17592186044416.000
17592186044416.000 - 35184372088832.000	17592186044416.000 - 35184372088832.000
35184372088832.000 - 70368744177664.000	35184372088832.000 - 70368744177664.000
70368744177664.000 - 140737488355328.000	70368744177664.000 - 140737488355328.000
140737488355328.000 - 281474976710656.000	140737488355328.000 - 281474976710656.000
281474976710656.000 - 562949953421312.000	281474976710656.000 - 562949953421312.000
562949953421312.000 - 1125899906842624.000	562949953421312.000 - 1125899906842624.000
1125899906842624.000 - 2251799813685248.000	1125899906842624.000 - 2251799813685248.000
2251799813685248.000 - 4503599627370496.000	2251799813685248.000 - 4503599627370496.000
4503599627370496.000 - 9007199254740992.000	4503599627370496.000 - 9007199254740992.000
9007199254740992.000 - 18014398509481984.000	9007199254740992.000 - 18014398509481984.000
18014398509481984.000 - 36028797018963968.000	18014398509481984.000 - 36028797018963968.000
36028797018963968.000 - 72057594037927936.000	36028797018963968.000 - 72057594037927936.000
72057594037927936.000 - 144115188075855872.000	72057594037927936.000 - 144115188075855872.000
144115188075855872.000 - 288230376151711744.000	144115188075855872.000 - 288230376151711744.000
288230376151711744.000 - 576460752303423488.000	288230376151711744.000 - 576460752303423488.000
576460752303423488.000 - 1152921504606846976.000	576460752303423488.000 - 1152921504606846976.000
1152921504606846976.000 - 2305843009213693952.000	1152921504606846976.000 - 2305843009213693952.000
2305843009213693952.000 - 4611686018427387904.000	2305843009213693952.000 - 4611686018427387904.000
4611686018427387904.000 - 9223372036854775808.000	4611686018427387904.000 - 9223372036854775808.000
9223372036854775808.000 - 18446744073709551616.000	9223372036854775808.000 - 18446744073709551616.000
18446744073709551616.000 - 36893488147419103232.000	18446744073709551616.000 - 36893488147419103232.000
36893488147419103232.000 - 73786976294838206464.000	36893488147419103232.000 - 73786976294838206464.000
73786976294838206464.000 - 147573952589676412928.000	73786976294838206464.000 - 147573952589676412928.000
147573952589676412928.000 - 295147905179352825856.000	147573952589676412928.000 - 295147905179352825856.000
295147905179352825856.000 - 590295810358705651712.000	295147905179352825856.000 - 590295810358705651712.000
590295810358705651712.000 - 1180591620717411303424.000	590295810358705651712.000 - 1180591620717411303424.000
1180591620717411303424.000 - 2361183241434822606848.000	1180591620717411303424.000 - 2361183241434822606848.000
2361183241434822606848.000 - 4722366482869645213696.000	2361183241434822606848.000 - 4722366482869645213696.000
4722366482869645213696.000 - 9444732965739290427392.000	4722366482869645213696.000 - 9444732965739290427392.000
9444732965739290427392.000 - 18889465931478580854784.000	9444732965739290427392.000 - 18889465931478580854784.000
18889465931478580854784.000 - 37778931862957161709568.000	18889465931478580854784.000 - 37778931862957161709568.000
37778931862957161709568.000 - 75557863725914323419136.000	37778931862957161709568.000 - 75557863725914323419136.000
75557863725914323419136.000 - 151115727451828646838272.000	75557863725914323419136.000 - 151115727451828646838272.000
151115727451828646838272.000 - 302231454903657293676544.000	151115727451828646838272.000 - 302231454903657293676544.000
302231454903657293676544.000 - 604462909807314587353088.000	302231454903657293676544.000 - 604462909807314587353088.000
604462909807314587353088.000 - 1208925819614629174706176.000	604462909807314587353088.000 - 1208925819614629174706176.000
1208925819614629174706176.000 - 2417851639229258349412352.000	1208925819614629174706176.000 - 2417851639229258349412352.000
2417851639229258349412352.000 - 4835703278458516698824704.000	2417851639229258349412352.000 - 4835703278458516698824704.000
4835703278458516698824704.000 - 9671406556917033397649408.000	4835703278458516698824704.000 - 9671406556917033397649408.000
9671406556917033397649408.000 - 19342813113834066795298816.000	9671406556917033397649408.000 - 19342813113834066795298816.000
19342813113834066795298816.000 - 38685626227668133590597632.000	19342813113834066795298816.000 - 38685626227668133590597632.000
38685626227668133590597632.000 - 77371252455336267181195264.000	38685626227668133590597632.000 - 77371252455336267181195264.000
77371252455336267181195264.000 - 154742504910672534362390528.000	77371252455336267181195264.000 - 154742504910672534362390528.000
154742504910672534362390528.000 - 309485009821345068724781056.000	154742504910672534362390528.000 - 309485009821345068724781056.000
309485009821345068724781056.000 - 618970019642690137449562112.000	309485009821345068724781056.000 - 618970019642690137449562112.000
618970019642690137449562112.000 - 1237940039285380274899124224.000	618970019642690137449562112.000 - 1237940039285380274899124224.000
1237940039285380274899124224.000 - 2475880078570760549798248448.000	1237940039285380274899124224.000 - 2475880078570760549798248448.000
2475880078570760549798248448.000 - 4951760157141521099596496896.000	2475880078570760549798248448.000 - 4951760157141521099596496896.000
4951760157141521099596496896.000 - 9903520314283042199192993792.000	4951760157141521099596496896.000 - 9903520314283042199192993792.000
9903520314283042199192993792.000 - 19807040628566084398385987584.000	9903520314283042199192993792.000 - 19807040628566084398385987584.000
19807040628566084398385987584.000 - 39614081257132168796771975168.000	