



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1107
MIAMI, FLORIDA 33130-1563
(305) 375-2902 FAX (305) 372-6339**

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.GOV/buildingcode

**Sunshine Windows Manufacturing, Inc.
1745 W. 33 rd Place
Hialeah, FL 33012**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "2009" Aluminum Sliding Glass Door – L.M.I.

APPROVAL DOCUMENT: Drawing No. **SGD09**, titled "Series 2009 Aluminum Sliding Glass Door large Missile Impact Resistant", sheets 1 through 14 of 14, dated 12/17/09 with the latest revision dated 09/10/10, prepared by manufacture, signed and sealed by Francisco Hernandez, P. E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and Approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA consists of this page 1, evidence page E-1, as well as approval document mentioned above. The submitted documentation was reviewed by **Jaime D. Gascon, P. E.**



*J. Gascon
10/6/10*

**NOA No. 10-0105.02
Expiration Date: October 06, 2015
Approval Date: October 06, 2010**

Sunshine Windows Manufacturing, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **SGD09**, titled "Series 2009 Aluminum Sliding Glass Door large Missile Impact Resistant", sheets 1 through 14 of 14, dated 12/17/09 with the latest revision dated 09/10/10, prepared by manufacture, signed and sealed by Francisco Hernandez, P. E.

B. TESTS

1. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94along with marked-up drawings and installation diagram of sliding glass door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-5856**, dated 11/04/09, signed and sealed by Julio E. Gonzalez, P. E.

C. CALCULATIONS

1. Anchor calculations and structural analysis, complying with FBC-2007, dated 12/17/09, signed, sealed, prepared and dated 09/01/10, by Francisco Hernandez, P. E.
Complies with ASTM E1300-04

D. QUALITY ASSURANCE

1. Miami-Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **09-0312.03** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Sentry Glass® Interlayer**" dated 05/13/09, expiring on 01/14/12.

F. STATEMENTS

1. Statement letters of conformance, no financial interest and compliance with the FBC 2007, dated 09/01/10, all signed and sealed by Francisco Hernandez, P. E.
2. Laboratory compliance letter for Test Report No. **FTL-5856**, issued by Fenestration Testing Laboratory, Inc., dated 11/04/09, signed and sealed Julio E. Gonzalez P. E.

G. OTHERS

1. None.




Jaime D. Gascon, P. E.
Chief, Product Control Division

NOA No. 10-0105.02

Expiration Date: October 06, 2015

Approval Date: October 06, 2010



ELEVATION

GENERAL NOTES

1. THIS PRODUCT MEETS THE REQUIREMENTS OF THE 2007 FLORIDA BUILDING CODE.
2. SHUTTERS ARE NOT REQUIRED.
3. REFERENCE TEST REPORT FTL - 5856 DATED ON NOV. 4TH, 2009.
4. USE PANEL DIMENSIONS IN DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART FOR ALL DOOR CONFIGURATIONS.
5. FOR NUMBER OF ANCHORS SEE DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART ON SHEET 1 OF 14.
6. FOR INSTALLATION SEE TYPICAL SECTIONS ON SHEETS 12, 13 AND 14 OF 14.
7. WOOD BUCKS BY OTHERS. MUST SUSTAIN IMPOSED LOADS BY GLAZING SYSTEM AND SHALL BE APPROVED BY BUILDING OFFICIAL PRIOR TO DOOR INSTALLATION.
8. ATTACHMENT INTO METAL STRUCTURE MEMBERS: FOR ALUMINUM MIN. THICKNESS OF 1/8" (6063-T5 MIN.), AND FOR STEEL 12 GA MIN. (Fy=36 KSI MIN.). SHALL WITHSTAND ANCHOR SHEAR FORCES AND SHALL BE APPROVED BY BUILDING OFFICIAL PRIOR TO DOOR INSTALLATION.
9. GROUT UNDER SILL MUST TRANSFER SHEAR LOADS IMPOSED BY GLAZING SYSTEM. MUST BE HIGH STRENGTH MIN. 3 KSI, NON-SHRINK, NON-METALLIC. (SEE SHEET 14 OF 14)
10. DOORS REQUIRING FULL USER PASSAGE SHALL COMPLY WITH EGRESS REQUIREMENTS PER 2007 F.B.C.
11. 33.3% STRESS INCREASE HAS NOT BEEN USED IN DESIGN OF ANCHORS.

DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART

PANEL DIMENSION IN INCHES		NUMBER OF ANCHORS				DESIGN PRESSURE (PSF)		
WIDTH	HEIGHT	JAMB	AT EACH CLUSTER	AT HEAD AND AT SILL (INCLUDES ANCHORS AT CLUSTERS)			EXT. (+)	INT. (-)
				OX / XX (1 CLUSTER)	OOX / OXO (2 CLUSTERS)	OXXO (3 CLUSTERS)		
3 3/4" SILL HEIGHT		12	6	24	10	18	93.3	125.0
				30	14	22		
				36	16	26		
				48	20	32		
5" SILL HEIGHT		12	6	24	10	18	110.0	125.0
				30	14	22		
				36	16	26		
				48	20	32		
3 3/4" SILL HEIGHT		14	8	24	14	22	93.3	125.0
				30	16	26		
				36	20	32		
				48	24	36		
5" SILL HEIGHT		14	8	24	14	22	110.0	125.0
				30	16	26		
				36	20	32		
				48	24	36		

ANCHOR INSTALLATION NOTES

1. ALL INSTALLATION SCREWS SHOWN ON ELEVATIONS ARE IN PAIRS (DOUBLE ROW).
2. FOR TYPICAL ANCHOR MAX. SPACING SEE DOOR ELEVATIONS ON SHEET 2 OF 14.
3. TYPES OF TYPICAL ANCHORS: FOR ATTACHMENTS INTO CONCRETE / MASONRY / 1" BY AND 2" BY WOOD BUCKS USE 5/16" DIA. ULTRACON PHILLIPS FLAT HEAD ANCHOR BY "ELCO" (Fy=155KSI, Fu=177KSI). FOR ATTACHMENT INTO METAL STRUCTURE USE 5/16" DIA. SHEET METAL SCREWS.
4. FOR ANCHORS REQUIRED EMBEDMENTS AND MIN. EDGE DISTANCES SEE TYPICAL SECTIONS ON SHEETS 12, 13 AND 14 OF 14.
5. CLUSTERS OF 6 ANCHORS AT CENTER OF EACH VERTICAL INTERLOCK STILE AT HEAD AND SILL FOR DOORS MADE OF PANELS UP TO 30" WIDE WITH ANY APPROVED CONFIGURATION.
6. CLUSTERS OF 8 ANCHORS AT CENTER OF EACH VERTICAL INTERLOCK STILE AT HEAD AND SILL FOR DOORS MADE OF PANELS FROM 31" UP TO 48" WIDE WITH ANY APPROVED CONFIGURATION.
7. SEE CLUSTERS DETAILS ON SHEET 10 OF 14.

Approved as complying with the Florida Building Code
 Date 10/05/2010
 NOA# 10-0105.02
 Miami Dade Product Control Division
 By Francisco Hernandez







FRANCISCO HERNANDEZ
 FLORIDA PE # 51393

Sunshine Windows Manufacturing, Inc.
 1745 W. 33rd Place
 Hialeah, Florida 33012
 Ph: (305)364-9952
 Fax: (305)828-5118

SERIES 2009
 ALUMINUM SLIDING GLASS DOOR
 LARGE MISSILE IMPACT RESISTANT

Drawn By: NM
 Date: 12-17-09
 Scale: N.T.S.
 Revision: 09-01-10

DRAWING NO. SGD09
 SHEET 1 OF 14



APPROVED CONFIGURATIONS

Sunshine Windows Manufacturing, Inc.
 1745 W. 33rd Place
 Hialeah, Florida 33012
 Ph: (305)384-9952
 Fax: (305)828-5118


**SERIES 2009
 ALUMINUM SLIDING GLASS DOOR
 LARGE MISSILE IMPACT RESISTANT**

Drawn By: NM
 Date: 12-17-09
 Scale: N.T.S.
 Revision: 09-01-10
 Revision:


DRAWING NO.
 SGD09
 SHEET
 2 OF 14

Approved as complying with the Florida Building Code
 Date 10/05/2010
 NOA# 10-0105.02
 Miami Dade Product Control Division
 By *[Signature]*

[Signature]
 9-1-10
 FRANCISCO HERNANDEZ
 FLORIDA PE # 51393



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118



SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT

A

B

C

D

E

OXXO (4 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09

SHEET
3 OF 14


Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT



OX OR XO (2 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09

SHEET
4 OF 14

Approved as complying with the
Florida Building Code
Date 10/03/2010
NCA# 10-0105.02
Miami Dade Product Control
Division
By: *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393




Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax: (305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT

Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09
SHEET
5 OF 14




XX (2 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393




Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT

Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09
SHEET
6 OF 14



A1

C

D


E

OXO (3 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS


Approved as complying with the
Florida Building Code
Date 10/05/2010
NGA# 10-0105.02
Miami Dade Product Control
Division
By [Signature]

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT



C3

D

B2

E1

XOO (3 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09


SHEET
7 OF 14

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By: *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax: (305)828-5118



A1

D1

B

C1

OOX (3 PANELS - 2 TRACKS)

HORIZONTAL SECTIONS

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10

Revision:
DRAWING NO.
SGD09

SHEET
8 OF 14

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By: *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393



5" HIGH SILL

3 3/4" HIGH SILL

VERTICAL SECTIONS

1 5/8" WEEP NOTCH AT EACH END OF SCREEN TRACK (TYPICAL)

1" X 1/4" WEEP HOLE AT EACH END OF EACH PANEL TRACK AND PANEL GUIDE (TYPICAL)

BILL OF MATERIALS				
ITEM	PART #	QTY.	DESCRIPTION	NOTES
1	SSW-001	1	FRAME HEAD	6063-T6 ALUM
2	SSW-002	1	FRAME SILL	6063-T6 ALUM
3	SSW-003	2	FRAME JAMB	6063-T6 ALUM
4	SSW-004	8	PANEL TOP & BOTTOM RAIL	6005-T6 ALUM
5	SSW-005	2	PANEL LOCK/FIXED STILE	6005-T6 ALUM
6	SSW-006	2	INTERLOCK STILE - INTERIOR	6005-T6 ALUM
7	SSW-007	2	INTERLOCK STILE - EXTERIOR	6005-T6 ALUM
8	SSW-008	1	ASTRAGAL STILE	6005-T6 ALUM
9	SSW-009	1	ASTRAGAL LOCK ADAPTER	6005-T6 ALUM
10	SSW-010	1	ASTRAGAL INTERNAL REINF. TUBE	6005-T6 ALUM
11	SSW-011	1	FIXED PANEL JAMB CLIP	6063-T6 ALUM
12	SSW-012	2	FXD. PANEL BOTTOM RAIL GUIDE	RIGID VINYL
13	SSW-013	AS REQUIRED	GLAZING BEAD - 7/16"	6063-T6 ALUM
14	SSW-014		NOT USED	
15	SSW-015		NOT USED	
16	SSW-016	1	SILL RISER	6063-T6 ALUM
17	08150B01	1	MORTISE LOCK	DELTA INDUSTRIAL SYSTEMS
18	3411	1	MORTISE LOCK KEEPER	DELTA INDUSTRIAL SYSTEMS
19	3182	1	LOCK EXTERIOR HANDLE /PULL	DELTA INDUSTRIAL SYSTEMS
20	3182	1	LOCK INTERIOR HANDLE /PULL	DELTA INDUSTRIAL SYSTEMS
21	2003	4	TANDEM ROLLER (STAINLESS STEEL)	DELTA INDUSTRIAL SYSTEMS
22		AS REQUIRED	SILICONE DOW CORNING 899	
23		AS REQUIRED	INTERLOCK WEATHERSTRIP	.229 X .220 FIN SEAL
24		AS REQUIRED	TOP/BOT. RAIL WEATHERSTRIP	.229 X .200 FIN SEAL
25		AS REQUIRED	FRAME JAMB WEATHERSTRIP	.229 X .220 FIN SEAL
26		AS REQUIRED	ASTRAGAL PILE PAD	.562" x 1.500" x 2.000"
27	S.M.S.	12	FRAME ASSEMBLY SCREWS	#8 X 1" P.H. PHILLIPS
28	S.M.S.	8/PANEL	PANEL ASSEMBLY SCREWS	#10 X 1" P.H. PHILLIPS
29	S.M.S.	AS REQUIRED	FXD. PANEL CLIP SCREWS	#10 X 1/2" P.H. PHILLIPS
30	S.M.S.	AS REQUIRED	ASTRAGAL ADAPTER SCREWS	#10 X 1" P.H. PHILLIPS
31	ANGLE	AS REQUIRED	FXD. PANEL RETAINING ANGLE (ALUM)	2 1/2" X 2 1/2" X 1/8"
32	S.M.S.	AS REQUIRED	FXD. PANEL RETAINING ANGLE SCREW	#10 X 1/2" P.H. PHILLIPS
33	S.M.S.	AS REQUIRED	FXD. PANEL RETAINING ANGLE SCREW	#10 X 1" P.H. PHILLIPS
34		AS REQUIRED	DOUBLE FACE FOAM GALZING TAPE	1/4" X 1/8"
35		AS REQUIRED	VINYL BULB 3008 - DUROMETER 78A	MELTPOINT
36		AS REQUIRED	VINYL BULB 3025 - DOROMETER 78A	MELTPOINT

Sunshine Windows Manufacturing, Inc.
 1745 W. 33rd Place
 Hialeah, Florida 33012
 Ph: (305)364-9952
 Fax: (305)828-5118


SERIES 2009
 ALUMINUM SLIDING GLASS DOOR
 LARGE MISSILE IMPACT RESISTANT

Drawn By: NM
 Date: 12-17-09
 Scale: 1/2"=1'
 Revision: 09-01-10


Approved as complying with the Florida Building Code
 Date 10-05-2010
 NOA# 10-0105.02
 Miami Dade Product Control
 Division
 By: *[Signature]*

[Signature]
 9-1-10
 FRANCISCO HERNANDEZ
 FLORIDA PE # 51393


DRAWING NO.
 SGD09
 SHEET
 9 OF 14




PANEL CORNERS
CONSTRUCTION DETAIL




FRAME UPPER CORNER
CONSTRUCTION DETAIL




FRAME BOTTOM CORNER
CONSTRUCTION DETAIL




GLAZING DETAIL



CLUSTER DETAIL (6 ANCHORS)
FOR DOORS WITH PANELS UP TO 30" WIDE.
USE FOR HEAD AND SILL AT ASTRAGAL AND / OR INTERLOCK.



CLUSTER DETAIL (8 ANCHORS)
FOR DOORS WITH PANELS FROM 31" UP TO 48" WIDE.
USE FOR HEAD AND SILL AT ASTRAGAL AND / OR INTERLOCK.



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10

DRAWING NO.
SGD09


SHEET
10 OF 14

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105.02
Miami Dade Product Control
Division
By Francisco Hernandez


9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393




①




⑤




⑨




⑫




②




⑥




⑩




⑬




③




⑦




⑪




⑯



④



⑧



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)384-9952
Fax: (305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT


Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10
Revision:

DRAWING NO.
SGD09

SHEET
11 OF 14

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By *Francisco Hernandez*


Francisco Hernandez
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393



5/16" ULTRACON WITH 1 1/4" MIN. EMBEDMENT INTO CONCRETE / MASONRY.
 FOR MAX. ANCHOR SPACING SEE ELEVATIONS ON SHEET 2 OF 14.
 FOR NUMBER OF ANCHORS REFER TO DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART ON SHEET 1 OF 14.


1" BY WOOD BUCK BY OTHERS. MUST BE PROPERLY SEALED AND ANCHORED TO TRANSFER LOADS TO THE STRUCTURE. SHOULD BE APPROVED BY BUILDING OFFICIAL PRIOR TO DOOR INSTALLATION.

ATTACHMENT TO CONCRETE / MASONRY USING 1" BY WOOD BUCK



5/16" ULTRACON WITH 1 3/4" MIN. EMBEDMENT INTO CONCRETE / MASONRY.
 FOR MAX. ANCHOR SPACING SEE ELEVATIONS ON SHEET 2 OF 14.
 FOR NUMBER OF ANCHORS REFER TO DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART ON SHEET 1 OF 14.


ATTACHMENT TO CONCRETE / MASONRY WITHOUT WOOD BUCKS



5/16" ULTRACON WITH 1 1/2" MIN. PENETRATION INTO WOOD.
 FOR MAX. ANCHOR SPACING SEE ELEVATIONS ON SHEET 2 OF 14.
 FOR NUMBER OF ANCHORS REFER TO DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART ON SHEET 1 OF 14.

2" BY WOOD BUCK BY OTHERS. MUST BE PROPERLY SEALED AND ANCHORED TO TRANSFER LOADS TO THE STRUCTURE. SHOULD BE APPROVED BY BUILDING OFFICIAL PRIOR TO DOOR INSTALLATION.

ATTACHMENT TO WOOD




5/16" SMS THROUGH METAL FOR MAX. ANCHOR SPACING AND NUMBER OF ANCHORS REFER TO DESIGN PRESSURE AND ANCHOR DISTRIBUTION CHART ON SHEET 1 OF 14

METAL STRUCTURAL MEMBER BY OTHERS. SHALL WITHSTAND ANCHOR SHEAR FORCES. MINIMUM THICKNESS = 1/8." SHOULD BE APPROVED BY BUILDING OFFICIAL PRIOR TO DOOR INSTALLATION.

ATTACHMENT TO METAL STRUCTURE

TYPICAL SECTIONS AT HEAD



Sunshine Windows Manufacturing, Inc.
 1745 W. 33rd Place
 Hialeah, Florida 33012
 Ph: (305)364-9952
 Fax:(305)828-5118

SERIES 2009
 ALUMINUM SLIDING GLASS DOOR
 LARGE MISSILE IMPACT RESISTANT


Drawn By: NM
 Date: 12-17-09
 Scale: 1/2"=1'
 Revision: 09-01-10

DRAWING NO. SGD09


SHEET 12 OF 14

Approved as complying with the Florida Building Code
 Date 10/05/2010
 NOA# 10-0105.02
 Miami Dade Product Control Division
 By Francisco Hernandez


Francisco Hernandez
 9-1-10
 FRANCISCO HERNANDEZ
 FLORIDA PE # 51393




ATTACHMENT TO CONCRETE / MASONRY USING 1" BY WOOD BUCK



ATTACHMENT TO WOOD



ATTACHMENT TO CONCRETE / MASONRY



ATTACHMENT TO METAL STRUCTURE

TYPICAL SECTIONS AT JAMBS

Sunshine Windows Manufacturing, Inc.
 1745 W. 33rd Place
 Hialeah, Florida 33012
 Ph: (305)384-9952
 Fax: (305)828-5118


SERIES 2009
 ALUMINUM SLIDING GLASS DOOR
 LARGE MISSILE IMPACT RESISTANT

Drawn By: NM
 Date: 12-17-09
 Scale: 1/2"=1'
 Revision: 09-01-10

DRAWING NO.
 SGD09
 SHEET
 13 OF 14



Approved as complying with the Florida Building Code
 Date 10/05/2010
 NOA# 10-0105.82
 Miami Dade Product Control
 Division
 By [Signature]

[Signature]
 9-1-10
 FRANCISCO HERNANDEZ
 FLORIDA PE # 51393



Sunshine Windows
Manufacturing, Inc.
1745 W. 33rd Place
Hialeah, Florida 33012
Ph: (305)364-9952
Fax:(305)828-5118

SERIES 2009
ALUMINUM SLIDING GLASS DOOR
LARGE MISSILE IMPACT RESISTANT



TYPICAL SECTIONS AT SILL

Drawn By: NM
Date: 12-17-09
Scale: 1/2"=1'
Revision: 09-01-10

Approved as complying with the
Florida Building Code
Date 10/05/2010
NOA# 10-0105-02
Miami Dade Product Control
Division
By: *[Signature]*

[Signature]
9-1-10
FRANCISCO HERNANDEZ
FLORIDA PE # 51393

DRAWING NO.
SGD09
SHEET
14 OF 14