



**MIAMI-DADE COUNTY**  
**BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT (BNC)**  
**BOARD AND CODE ADMINISTRATION DIVISION**

**MIAMI-DADE COUNTY, FLORIDA**  
**PRODUCT CONTROL SECTION**  
 11805 SW 26<sup>th</sup> Street, Room 208  
 Miami, Florida 33175-2474  
 T (786) 315-2590 F (786) 315-2599

**NOTICE OF ACCEPTANCE (NOA)**

[www.miamidade.gov/building](http://www.miamidade.gov/building)

**Jeld-Wen, Inc. (OR)**  
**3737 Lakeport Boulevard**  
**Klamath Falls, OR 97601**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County BNC-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BNC reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series "Premium Atlantic 6600" Aluminum Fixed Window – L.M.I.**

**APPROVAL DOCUMENT:** Drawing No. **JW005**, titled "PAA 6600 Fixed Window", sheets 1 through 7 of 7, dated 09/22/10 with the latest revision dated 06/10/11, prepared by CertWorks, LLC, signed and sealed by Alexis Spyrou, P. E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and Approval date by the Miami-Dade County Product Control Section.

**MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/ series and following statement: "Miami-Dade County Product Control Approved" unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA consists of this page 1, evidence page E-1, as well as approval document mentioned above. The submitted documentation was reviewed by **Jaime D. Gascon, P. E.**



*J. Gascon*  
*6/23/11*

**NOA No. 10-1015.02**  
**Expiration Date: June 30, 2016**  
**Approval Date: June 30, 2011**  
**Page 1**

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No **JW005**, titled "PAA 6600 Fixed Window", sheets 1 through 7 of 7, dated 09/22/10 with the latest revision dated 06/10/11, prepared by CertWorks, LLC, signed and sealed by Alexis Spyrou, P. E.

**B. TESTS**

1. Test reports on:
  - 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Large Missile Impact Test per FBC, TAS 201-94
  - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94along with marked-up drawings and installation diagram of 6600 Fixed Window, prepared by National Certified Testing Laboratories, Inc., Test Report No. **NCTL-210-3610-1**, dated 06/10/2010, signed and sealed by Gerard J. Ferrara, P. E.

**C. CALCULATIONS**

1. Anchor calculations and structural analysis, complying with FBC-2007, prepared by CertWorks, LLC, dated 10/11/2010, signed, sealed and dated 06/10/2011 by Alexis Spyrou, P. E.  
**Complies with ASTM E1300-04**

**D. QUALITY ASSURANCE**

1. Miami-Dade Building and Neighborhood Compliance Department (BNC).

**E. MATERIAL CERTIFICATIONS**


1. Notice of Acceptance No. **10-0413.04** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Sentry Glass® Interlayer**" dated 05/26/2010, expiring on 01/14/12.
2. Notice of Acceptance No. **10-0922.09** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Butacite® PVB, Interlayer**" dated 12/24/10, expiring on 12/11/11.

**F. STATEMENTS**

1. Statement letter of conformance, no financial interest and compliance with the FBC-2007, dated 05/15/2011, signed and sealed by Alexis Spyrou, P. E.
2. Laboratory compliance letter for Test Report No. **NCTL-210-3610-1**, issued by National Certified Testing Laboratories, Inc., dated 10/11/2010, signed and sealed by Gerard J. Ferrara, P. E.

**G. OTHERS**

1. None.



Jaime D. Gascon, P. E.  
Product Control Section Supervisor  
NOA No. 10-1015.02  
Expiration Date: June 30, 2016  
Approval Date: June 30, 2011


**INSTALLATION NOTES:**

- ONE (1) INSTALLATION ANCHOR IS REQUIRED AT EACH ANCHOR LOCATION SHOWN.
- THE NUMBER OF INSTALLATION ANCHORS DEPICTED IS THE MINIMUM NUMBER OF ANCHORS TO BE USED FOR PRODUCT INSTALLATION.
- INSTALL INDIVIDUAL INSTALLATION ANCHORS WITHIN A TOLERANCE OF ±1/2 INCH OF THE DEPICTED LOCATION IN THE ANCHOR LAYOUT DETAIL (I.E., WITHOUT CONSIDERATION OF TOLERANCES). TOLERANCES ARE NOT CUMULATIVE FROM ONE INSTALLATION ANCHOR TO THE NEXT.
- SHIM AS REQUIRED AT EACH INSTALLATION ANCHOR WITH LOAD BEARING SHIM(S). MAXIMUM ALLOWABLE SHIM STACK TO BE 1/4 INCH. SHIM WHERE SPACE OF 1/16 INCH OR GREATER OCCURS. SHIM(S) SHALL BE CONSTRUCTED OF HIGH DENSITY PLASTIC OR BETTER.
- THROUGH FRAME:** FOR INSTALLATION INTO WOOD FRAMING USE #14 WOOD SCREWS OF SUFFICIENT LENGTH TO ACHIEVE 1-1/2 INCH MINIMUM EMBEDMENT INTO WOOD SUBSTRATE.
- THROUGH FRAME:** FOR INSTALLATION THROUGH 1X BUCK TO CONCRETE/MASONRY, OR DIRECTLY INTO CONCRETE/MASONRY, USE 1/4 INCH DIAMETER ITW TAPCONS OF SUFFICIENT LENGTH TO ACHIEVE 1-1/4 INCH MINIMUM EMBEDMENT.
- THROUGH FRAME:** FOR INSTALLATION INTO STEEL STUD USE 1/4-14 TEK SCREWS OF SUFFICIENT LENGTH TO ACHIEVE 3 THREADS MIN. PENETRATION BEYOND METAL STRUCTURE.
- NAIL FIN:** FOR INSTALLATION INTO WOOD FRAMING USE #10 WOOD SCREWS OF SUFFICIENT LENGTH TO ACHIEVE 1-1/2 INCH MINIMUM EMBEDMENT INTO WOOD SUBSTRATE.
- NAIL FIN:** FOR INSTALLATION INTO STEEL STUD USE 1/4-14 TEK SCREWS OF SUFFICIENT LENGTH TO ACHIEVE 3 THREADS MIN. PENETRATION BEYOND METAL STRUCTURE.
- MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDE WALL FINISHES, INCLUDING BUT NOT LIMITED TO STUCCO, FOAM, BRICK VENEER, AND SIDING.
- INSTALLATION ANCHORS, ALUMINUM FRAMING, AND ASSOCIATED HARDWARE MUST BE MADE OF CORROSION RESISTANT MATERIAL OR HAVE A CORROSION RESISTANT COATING IN ACCORDANCE WITH 2007 FBC PROTECTION STANDARDS.
- ALL WOOD BUCKING MUST BE TREATED IN ACCORDANCE WITH WOOD PROTECTION AND CORROSION STANDARDS PER 2007 FBC.
- FOR GROUT FILLED BLOCK, DO NOT INSTALL INSTALLATION ANCHORS INTO MORTAR JOINTS. EDGE DISTANCE IS MEASURED FROM FREE EDGE OF BLOCK OR EDGE OF MORTAR JOINT INTO FACE SHELL OF BLOCK.
- INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS, AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BY THE ANCHOR MANUFACTURER.
- INSTALLATION ANCHOR CAPACITIES FOR PRODUCTS HEREIN ARE BASED ON SUBSTRATE MATERIALS WITH THE FOLLOWING PROPERTIES:
  - WOOD - MINIMUM SPECIFIC GRAVITY OF 0.55.
  - CONCRETE - MINIMUM COMPRESSIVE STRENGTH OF 2700 PSI.
  - MASONRY - STRENGTH CONFORMANCE TO ASTM C-90, (OR GREATER). MINIMUM COMPRESSIVE STRENGTH OF 1500 PSI.
  - STEEL - MINIMUM YIELD STRENGTH OF 33 KSI. MINIMUM WALL THICKNESS OF 20 GAUGE (0.033" OR 33 MILS)

**GENERAL NOTES:**

- THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH THE 2007 FLORIDA BUILDING CODE (FBC), INCLUDING HVHZ AND HAS BEEN EVALUATED ACCORDING TO THE FOLLOWING:
  - TAS 201-94
  - TAS 202-94
  - TAS 203-94
- ADEQUACY OF THE EXISTING STRUCTURAL CONCRETE/MASONRY AND 2X FRAMING AS A MAIN WIND FORCE RESISTING SYSTEM CAPABLE OF WITHSTANDING AND TRANSFERRING APPLIED PRODUCT LOADS TO THE FOUNDATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- 1X AND 2X BUCKS (WHEN USED) SHALL BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO THE STRUCTURE. BUCK DESIGN AND INSTALLATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD FOR THE PROJECT OF INSTALLATION.
- THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, A LICENSED ENGINEER OR ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT IN NON-HVHZ AREAS AND TO BE REVIEWED BY A.H.J (AUTHORITY HAVING JURISDICTION).
- DEVIATION FROM NOA WITHIN THE HVHZ REQUIRES ONE-TIME APPROVAL FROM MIAMI-DADE COUNTY (BNC).
- APPROVED IMPACT PROTECTIVE SYSTEM IS NOT REQUIRED ON THIS PRODUCT IN AREAS REQUIRING IMPACT RESISTANCE.
- WINDOW FRAME MATERIAL: ALUMINUM 6063-T6
- GLASS MEETS THE REQUIREMENTS OF ASTM E 1300-04 GLASS CHARTS. SEE SHEET 7 FOR GLAZING DETAILS.

ALUMINUM PHYSICAL PROPERTIES (PER ADM 2005):  
 ALUMINUM 6063-T5  
 TENSILE YIELD STRENGTH: 16 KSI  
 ULTIMATE TENSILE STRENGTH: 22 KSI  
 ULTIMATE SHEAR STRENGTH: 13 KSI  
 ALUMINUM 6063-T6:  
 TENSILE YIELD STRENGTH: 25 KSI  
 ULTIMATE TENSILE STRENGTH: 30 KSI  
 ULTIMATE SHEAR STRENGTH: 19 KSI



NOTE:  
 WINDOW WIDTH (W) AND HEIGHT (H) ARE INTERCHANGEABLE FOR ALL ELEVATIONS.

# JELD-WEN, inc.

## PREMIUM ATLANTIC ALUMINUM 6600 FIXED WINDOW

TABLE OF CONTENTS		
SHEET	REVISION	SHEET DESCRIPTION
1	-	INSTALLATION & GENERAL NOTES
2	-	ELEVATION & ANCHOR LAYOUT
3	-	ELEVATION & ANCHOR LAYOUT
4	-	QUALIFIED SHAPES
5	-	VERTICAL SECTIONS
6	-	HORIZONTAL SECTIONS & CORNER ASSEM.
7		COMPONENTS, BOM, CORNER ASSEM., & GLAZING DETAILS

UNIT DIMENSIONS: 73" X 71"		
GLAZE TYPE	DESIGN PRESSURE	MISSILE IMPACT RATING
A	+80.0 / -80.0 PSF	LARGE AND SMALL MISSILE IMPACT RATED

UNIT DIMENSIONS: 52" X 62"		
GLAZE TYPE	DESIGN PRESSURE	MISSILE IMPACT RATING
B	+80.0 / -80.0 PSF	LARGE AND SMALL MISSILE IMPACT RATED



JELD-WEN, Inc.  
 355 CENTER COURT  
 VENICE, FL 34285  
 PH: (800) 869-6699

TITLE: PAA 6600 FIXED WINDOW  
 INSTALLATION & GENERAL NOTES  
 PREPARED BY: CERTWORKS, LLC  
 127 W. FAIRBANKS AVE., STE. 438  
 WINTER PARK, FL 32789  
 PH: (407) 644-6957 FX: (407) 644-2366

NO.	DESCRIPTION	REVISIONS	
		BY	DATE




Approved as complying with the Florida Building Code  
 Date 06/30/2011  
 NOA# 10-1015.02  
 Miami-Dade Product Control  
 By: *[Signature]*


DATE: 09.22.10  
 DWN BY: JLA  
 CHK BY: KSD  
 SCALE: NTS  
 DWG #: JW005  
 SHEET: 1 OF 7

p:\projects\jeld-wen\p-10-0832-premium-atlantic-aluminum\dwg\jw005.dwg 6/8/2011 2:55 PM


JELD-WEN, Inc.  
355 CENTER COURT  
VENICE, FL 34285  
PH: (800) 869-6699




**ELEVATION**




**ANCHOR LAYOUT**  
THROUGH FRAME




**ANCHOR LAYOUT**



**ELEVATION**



**ANCHOR LAYOUT**  
THROUGH FRAME



**ANCHOR LAYOUT**  
NAIL FIN

TITLE: PAA 6600 FIXED WINDOW ELEVATION & ANCHOR LAYOUT  
PREPARED BY: CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366

NO.	DESCRIPTION	BY	DATE




Approved as complying with the Florida Building Code  
Date 06/30/2011  
NOA# 10-1015.02  
Miami Dade Product Control  
By [Signature]

DATE: 09.22.10  
DWN BY: JLA  
CHK BY: KSD  
SCALE: NTS  
DWG #: JW005  
SHEET: 2 OF 7


TITLE: PAA 6600 FIXED WINDOW  
ELEVATION &  
ANCHOR LAYOUT

PREPARED BY:  
CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366


NO.	DESCRIPTION	BY	DATE




DATE: 09.22.10	DWN BY: JLA	CHK BY: KSD	SCALE: NTS
DWG #: JW005			
SHEET: 3 OF 7			




**ELEVATION**




**ANCHOR LAYOUT  
THROUGH FRAME**




**ANCHOR LAYOUT  
NAIL FIN**



**ELEVATION**




**ANCHOR LAYOUT  
THROUGH FRAME**



**ANCHOR LAYOUT  
NAIL FIN**

Approved as complying with the  
Florida Building Code  
Date: 06/30/2011  
NOAH 10-1015.02  
Miami Dade Product Control  
By: *[Signature]*


QUALIFIED SHAPED UNITS




EXTENDED  
HALF ROUND




HALF ROUND




QUARTER  
ROUND




HEXAGON



OCTAGON




TRAPEZOID L/H




CIRCLE  
SEGMENT  
(FAN)




EXTENDED  
CIRCLE  
SEGMENT




HALF EXTENDED  
CIRCLE  
SEGMENT




EXTENDED  
QUARTER  
SEGMENT  
L/H



EXTENDED  
QUARTER  
SEGMENT  
R/H




TRAPEZOID R/H




ELLIPTICAL




HALF ELLIPTICAL




PENTAGON



EXTENDED  
QUARTER  
ROUND




LEFT TRIANGLE




RIGHT TRIANGLE



CLIPPED  
CORNER  
L/H



CLIPPED  
CORNER  
R/H




EXTENDED  
CIRCLE  
SEGMENT


- NOTE: 1. UNITS OF ANY SHAPE ARE ALLOWED PROVIDED CONSTRUCTION, GLAZING, & ANCHORAGE ARE PER DETAILS SHOWN HEREIN.  
2. ALL SHAPED UNITS SHALL FIT WITHIN THE RECTANGULAR AREA SHOWN IN SHEET 2.

TITLE: PAA 6600 FIXED WINDOW QUALIFIED SHAPES  
PREPARED BY: CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366


REVISIONS	
NO.	DESCRIPTION




DATE: 09.22.10	DWN BY: JLA	CHK BY: KSD	SCALE: NTS
Approved as complying with the Florida Building Code Date 06/30/2011 NOA# 10-1013.02 Miami Dade Product Control By: <i>[Signature]</i>			
DWG #: JW005			
SHEET: 4 OF 7			




**B**  
**5** VERTICAL SECTION  
HEAD - 2X WOOD BUCK  
NAIL FIN INSTALLATION



**C**  
**5** VERTICAL SECTION  
HEAD-STEEL STUD  
NAIL FIN INSTALLATION




**A**  
**5** VERTICAL SECTION  
SILL - CONCRETE/MASONRY  
THROUGH FRAME INSTALLATION



**G**  
**5** VERTICAL SECTION  
HEAD - 2X WOOD BUCK  
THROUGH FRAME INSTALLATION

TITLE: PAA 6600 FIXED WINDOW VERTICAL SECTIONS  
PREPARED BY: CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366


NO.	DESCRIPTION	BY	DATE




Approved as complying with the Florida Building Code  
Date 06/10/2011  
NOA# 10-1015.02  
Miami Dade Product Control  
By [Signature]

DATE: 09.22.10  
DWN BY: JLA  
CHK BY: KSD  
SCALE: NTS  
DWG #: JW005  
SHEET: 5 OF 7

JELD-WEN, Inc.  
355 CENTER COURT  
VENICE, FL 34285  
PH: (800) 869-6699




**D**  
**6** **HORIZONTAL SECTION**  
JAMB - 2X WOOD BUCK  
NAIL FIN INSTALLATION



**E**  
**6** **HORIZONTAL SECTION**  
JAMB - CONCRETE/MASONRY  
THROUGH FRAME INSTALLATION



**H**  
**6** **VERTICAL SECTION**  
JAMB-STEEL STUD  
THROUGH FRAME INSTALLATION




**I**  
**6** **CORNER DETAIL**  
TYPICAL-RADIUS TO STRAIGHT FRAME

TITLE: PAA 6600 FIXED WINDOW  
HORIZONTAL SECTIONS &  
CORNER ASSEM.

PREPARED BY:  
CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366

NO.	DESCRIPTION	REVISIONS	
		BY	DATE












Approved as complying with the  
Florida Building Code  
Date 06/30/2011  
NOA# 12-1013.02  
Miami Dade Product Control  
By [Signature]

DATE: 09.22.10  
DWN BY: JLA  
CHK BY: KSD  
SCALE: NTS

DWG #: **JW005**  
SHEET: **6 OF 7**

# BILL OF MATERIALS

ITEM NO.	DESCRIPTION	PART NUMBER	MATERIAL	MANUFACTURER
1	MAIN FRAME	00625	AL. 6063-T6	EXTRUDERS
2	GLAZING BEAD	00623	AL. 6063-T6	EXTRUDERS
3	SLIP ON NAIL FIN	00591	AL. 6063-T5	EXTRUDERS
4	FRAME GASKET	03291	POLYETHYLENE	FRANK LOWE
5	BULB GASKET	00889	VINYL	TEAM PLASTICS
6	1/4-14 TEK SCREW	-	-	ITW BUILDEX



**F**  
**7** CORNER DETAIL  
TYPICAL

**JELD-WEN**  
WINDOWS & DOORS

JELD-WEN, Inc.  
355 CENTER COURT  
VENICE, FL 34288  
PH: (800) 869-6699

TITLE: PAA 6600 FIXED WINDOW  
COMPONENTS: BOM, GLAZING  
DETAILS, & CORNER ASSEM.

PREPARED BY:  
CERTWORKS, LLC  
127 W. FAIRBANKS AVE., STE. 438  
WINTER PARK, FL 32789  
PH: (407) 644-6957 FX: (407) 644-2366

NO.	DESCRIPTION	BY	DATE

APPROVED BY: [Signature]

DATE: 09/22/10

DWN BY: JLA

CHK BY: KSD

SCALE: NTS

DWG #: JW005

SHEET: 7 OF 7

Approved as complying with the  
Florida Building Code  
Date 06/30/2011  
NOA# 10-1016.02  
Miami Dade Product Control  
By [Signature]