



BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT (BNC)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/building/

NOTICE OF ACCEPTANCE (NOA)

GAF Materials Corporation
1361 Alps Road.
Wayne, NJ 07470

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Section and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: GAF Timberline Lifetime Shingles

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises #08-1110.11 and consists of pages 1 through 5.
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 10-1122.08
Expiration Date: 04/22/13
Approval Date: 02/17/11
Page 1 of 5

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: Asphalt Shingles
Materials: Laminate
Deck Type: Wood

SCOPE

This approves **GAF Timberline Prestique Lifetime and GAF Tiberline Ultra HD Shingles** as manufactured by GAF Materials Corp. described in Section 2 of this Notice of Acceptance.

PRODUCT DESCRIPTION

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
GAF Timberline Prestique Lifetime	13 ¹ / ₄ " x 39 ³ / ₈ "	TAS 110	Fiberglas reinforced heavy weight asphalt roof shingle, with a laminate profile.
<i>Manufacturing Locations #1, 2, 3, 4, 5, 6</i>			
GAF Timberline Ultra HD	13 ¹ / ₄ " x 39 ³ / ₈ "	TAS 110	Fiberglas reinforced heavy weight asphalt roof shingle, with a laminate profile.
<i>Manufacturing Locations #1, 2, 3, 4, 5, 6</i>			

MANUFACTURING LOCATIONS

1. Tampa, FL
2. Michigan City, IN
3. Baltimore, MD
4. Ennis, TX
5. Myerstown, PA
6. Tuscaloosa, AL

EVIDENCE SUBMITTED

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
Center for Applied Engineering	PA 100		02/23/94
Underwriters Laboratories, Inc.	ASTM D 3462		09/13/06
PRI Asphalt Technologies, Inc.	ASTM D 3462	GAF-102-02-02	11/02/05
Underwriters Laboratories, Inc.	PA 107		04/13/94
Center for Applied Engineering	ASTM D3462		03/18/97
PRI Asphalt Technologies, Inc.	TAS 100	GAF-045-02-01	01/13/04
PRI Asphalt Technologies, Inc.	TAS 100	GAF-102-02-01	11/14/05
Underwriters Laboratories, Inc	TAS 107	04NK04273	02/20/04



NOA No.: 10-1122.08
 Expiration Date: 04/22/13
 Approval Date: 02/17/11
 Page 2 of 5

Underwriters Laboratories, Inc	TAS 107	05CA42840	11/11/05
PRI Asphalt Technologies, Inc.	TAS 100	ELK-083-02-01	10/16/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-084-02-01	10/15/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-085-02-01	10/14/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-086-02-01	10/24/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-087-02-01	10/21/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-088-02-01	10/16/02
PRI Asphalt Technologies, Inc.	TAS 100	ELK-107-02-01	10/09/03
PRI Asphalt Technologies, Inc.	TAS 100	ELK-108-02-01	10/09/03
PRI Asphalt Technologies, Inc.	TAS 100	ELK-109-02-01	10/09/03
Underwriters Laboratories, Inc	TAS 107	02NK41811	11/11/02
Underwriters Laboratories, Inc	ASTM D 3462	02NK41809	08/11/02
Underwriters Laboratories, Inc	TAS 107	03CA35209	10/17/03
Underwriters Laboratories, Inc	ASTM D 3462	03NK26444	10/17/03
Underwriters Laboratories, Inc	TAS 107	04CA13850	08/30/04
Underwriters Laboratories, Inc.	ASTM D 3462	05CA04091	02/07/05
Underwriters Laboratories, Inc.	ASTM D 3462	06NK17056	10/17/06

LIMITATIONS

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Shall not be installed on roof mean heights in excess of 33 ft.
3. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9B-72 of the Florida Administrative Code.

INSTALLATION

1. Shingles shall be installed in compliance with Roofing Application Standard RAS 115.
2. Flashing shall be in accordance with Roofing Application Standard RAS 115
3. The manufacturer shall provide clearly written application instructions.
4. Exposure and course layout shall be in compliance with Detail 'A', attached.
5. Nailing shall be in compliance with Detail 'B', attached.

LABELING

1. Shingles shall be labeled with the Miami-Dade Seal as seen below, or the wording "Miami-Dade County Product Control Approved".




BUILDING PERMIT REQUIREMENTS

1. Application for building permit shall be accompanied by copies of the following:
 - 1.1 This Notice of Acceptance.
 - 1.2 Any other documents required by the Building Official or the applicable code in order to properly evaluate the installation of this system.






NOA No.: 10-1122.08
 Expiration Date: 04/22/13
 Approval Date: 02/17/11
 Page 3 of 5

**DETAIL A
COURSE LAYOUT**



DETAIL B – 13-1/4" X 39-3/8"
OVERALL DIMENSIONS AND NAILING PATTERN



GAF TIMBERLINE PRESTIQUE LIFETIME AND GAF TIMBERLINE ULTRA HD

END OF THIS ACCEPTANCE



NOA No.: 10-1122.08
 Expiration Date: 04/22/13
 Approval Date: 02/17/11
 Page 5 of 5