



DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY
AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/pera

NOTICE OF ACCEPTANCE (NOA)

Eco Window Systems, LLC.
7955 NW 77th Avenue
Medley, FL 33166

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "550 ECO-Guard" Aluminum Fixed Window - L.M.I.

APPROVAL DOCUMENT: Drawing No. W11-10, titled "S-550 Aluminum Fixed Window (L.M.I.)", sheets 1 through 6 of 6, dated 02/28/11, with revision A dated 01/30/12, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 11-0309.07 and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**



MP
4/23/12

NOA No. 12-0223.28
Expiration Date: May 05, 2016
Approval Date: May 03, 2012
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **W11-10**, titled "S-550 Aluminum Fixed Window (L.M.I.)", sheets 1 through 6 of 6, dated 02/28/11, with revision A dated 01/30/12, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
along with marked-up drawings and installation diagram of an aluminum fixed window, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-10-3145**, dated 12/29/10, signed and sealed by Candido F. Font, P.E.
(Submitted under previous NOA#11-0309.07)
2. Test reports on: 1) Large Missile Impact Test per FBC, TAS 201-94
2) Cyclic Wind Pressure Loading per FBC, TAS 203-94
along with marked-up drawings and installation diagram of an aluminum fixed window, prepared by Hurricane Engineering and Testing, Inc., Test Reports No. **HETI-10-3146, HETI-10-3147 and HETI-10-3149** dated 12/29/10, all signed and sealed by Candido F. Font, P.E.
(Submitted under previous NOA#11-0309.07)
3. Test report on: 1) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
along with marked-up drawings and installation diagram of an aluminum fixed window, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-10-3148**, dated 12/29/10, signed and sealed by Candido F. Font, P.E.
(Submitted under previous NOA#11-0309.07)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC-2007, prepared by Al-Farooq Corporation, dated 03/01/11, signed and sealed by Javad Ahmad, P.E.
(Submitted under previous NOA#11-0309.07)
2. Glazing complies with ASTM E1300-04

D. QUALITY ASSURANCE

1. Miami-Dade Department of Permitting, Environment, and Regulatory Affairs (PERA)


Manuel Perez, P.E.
Product Control Examiner

NOA No. 12-0223.28

Expiration Date: May 05, 2016

Approval Date: May 03, 2012

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

E. MATERIAL CERTIFICATIONS


1. Notice of Acceptance No. **11-0624.01** issued to **E.I. DuPont DeNemours & Co., Inc.** for their "**DuPont Butacite® PVB Interlayer**" dated 09/08/11, expiring on 12/11/16.

F. STATEMENTS

1. Statement letter of conformance, complying with FBC-2010, and of no financial interest, dated January 30, 2012, signed and sealed by Javad Ahmad, P.E.
2. Laboratory compliance letter for Test Reports No. **HETI-10-3145, HETI-10-3146, HETI-10-3147, HETI-10-3148 and HETI-10-3149**, issued by Hurricane Engineering and Testing, Inc., dated 12/29/10, signed and sealed by Candido F. Font, P.E.
(Submitted under previous NOA#11-0309.07)


G. OTHER

1. Notice of Acceptance No. **11-0309.07**, issued to Eco Window Systems, LLC for their Series "550 ECO-Guard" Aluminum Fixed Window – L.M.I.", approved on 05/05/11 and expiring on 05/05/16.





Manuel Perez, P.E.
Product Control Examiner
NOA No. 12-0223.28

Expiration Date: May 05, 2016
Approval Date: May 03, 2012



TYPICAL ELEVATION



THESE WINDOWS ARE RATED FOR LARGE & SMALL MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

**ECO-GUARD SERIES-550
ALUMINUM FIXED WINDOW**

DESIGN LOAD RATINGS FOR THESE WINDOWS TO BE AS PER CHARTS SHOWN ON SHEETS 2.

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF FIX./FIX. OR FIXED WITH OTHER WINDOW TYPES IN MODULES OF TWO OR MORE WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN. LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BLDG. CODE SECTION 2003.8.4.

Engr: JAVAD 'AHNIAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

FEB 22 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 12-0223.28
Expiration Date MAY 5, 2016

By *Manuel Jese*
Miami Dade Product Control

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL W11-10ECO

S-550 ALUMINUM FIXED WINDOW (L.M.I.)
ECO WINDOW SYSTEMS, LLC.
7955 NW 77th. AVENUE
MEDLEY, FLORIDA, 33166
TEL. (305) 882-1144 FAX (305) 885-5902

no	date	description
A	01.30.12	UPDATED TO 2010 FBC


date: 02-28-11
scale: 1/2"=1'-0"
dr. by: HAMID
chk. by:

drawing no.
W11-10

sheet 1 of 6

DESIGN LOAD CAPACITY - PSF							
WINDOW DIMS.		GLASS TYPE 'A'		GLASS TYPE 'AA'		GLASS TYPE 'B'	
WIDTH (W)	LENGTH (L)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
30"	48"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		54.0	57.8	70.0	75.0	70.0	75.0
54"		54.0	57.8	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
30"	54"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		54.0	57.8	70.0	75.0	70.0	75.0
54"		-	-	68.9	73.8	68.9	73.8
60"		-	-	68.9	73.8	68.9	73.8
66"		-	-	68.9	73.8	68.9	73.8
30"	60"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
54"		-	-	68.9	73.8	68.9	73.8
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
30"	66"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
54"		-	-	68.9	73.8	68.9	73.8
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
30"	72"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
54"		-	-	68.9	73.8	68.9	73.8
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
30"	78"	70.0	75.0	70.0	75.0	70.0	75.0
36"		70.0	75.0	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
72"		-	-	62.0	66.4	62.0	66.4
30"	84"	70.0	75.0	70.0	75.0	70.0	75.0
36"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
72"		-	-	62.0	66.4	62.0	66.4
30"	90"	70.0	75.0	70.0	75.0	70.0	75.0
36"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
72"		-	-	62.0	66.4	62.0	66.4
30"	96"	-	-	70.0	75.0	70.0	75.0
36"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
60"		-	-	62.0	66.4	62.0	66.4
66"		-	-	62.0	66.4	62.0	66.4
72"		-	-	62.0	66.4	62.0	66.4
84"		-	-	62.0	66.4	62.0	66.4

DESIGN LOAD CAPACITY - PSF							
WINDOW DIMS.		GLASS TYPE 'A'		GLASS TYPE 'AA'		GLASS TYPE 'B'	
WIDTH (W)	LENGTH (L)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
26-1/2"	50-5/8"	70.0	75.0	70.0	75.0	70.0	75.0
32"		70.0	75.0	70.0	75.0	70.0	75.0
37"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		54.0	57.8	70.0	75.0	70.0	75.0
53-1/8"		51.2	54.8	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
26-1/2"	63"	70.0	75.0	70.0	75.0	70.0	75.0
32"		70.0	75.0	70.0	75.0	70.0	75.0
37"		70.0	75.0	70.0	75.0	70.0	75.0
42"		61.7	66.1	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	66.4	71.1	66.4	71.1
60"		-	-	62.0	66.4	62.0	66.4
63"		-	-	59.0	63.2	59.0	63.2
66"		-	-	59.0	63.2	59.0	63.2
26-1/2"	76"	70.0	75.0	70.0	75.0	70.0	75.0
32"		70.0	75.0	70.0	75.0	70.0	75.0
37"		70.0	75.0	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
26-1/2"	80"	70.0	75.0	70.0	75.0	70.0	75.0
32"		70.0	75.0	70.0	75.0	70.0	75.0
37"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
26-1/2"	84"	70.0	75.0	70.0	75.0	70.0	75.0
32"		70.0	75.0	70.0	75.0	70.0	75.0
37"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
26-1/2"	90"	70.0	75.0	70.0	75.0	70.0	75.0
32"		-	-	70.0	75.0	70.0	75.0
37"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0
26-1/2"	96"	70.0	75.0	70.0	75.0	70.0	75.0
32"		-	-	70.0	75.0	70.0	75.0
37"		-	-	70.0	75.0	70.0	75.0
42"		-	-	70.0	75.0	70.0	75.0
48"		-	-	70.0	75.0	70.0	75.0
53-1/8"		-	-	70.0	75.0	70.0	75.0
56"		-	-	70.0	75.0	70.0	75.0
60"		-	-	70.0	75.0	70.0	75.0
63"		-	-	70.0	75.0	70.0	75.0
66"		-	-	70.0	75.0	70.0	75.0



NOTE:
WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-04 (3 SEC. GUSTS).

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 170592
C.A.N. 3538

FEB 02 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 12-0223-28
Expiration Date MAY 5, 2016

By *Muhammad Faraz*
Miami/Dade Product Control




afC
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W11-10ECO

S-550 ALUMINUM FIXED WINDOW (L.M.I.)
ECO WINDOW SYSTEMS, LLC.
7955 NW 77th AVENUE
MEDLEY, FLORIDA, 33166
TEL. (305) 882-1144 FAX (305) 885-5902

no	date	description
A	01.30.12	NO CHANGE THIS SHEET

date: 02-28-11
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W11-10
sheet 2 of 6



Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

FEB 02 2012

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No 12-0223.28
 Expiration Date MAY 5, 2016

By *Manuel Perez*
 Miami Dade Product Control

afc


AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W11-10ECO

S-550 ALUMINUM FIXED WINDOW (L.M.I.)
ECO WINDOW SYSTEMS, LLC.
 7955 NW 77th. AVENUE
 MEDLEY, FLORIDA, 33166
 TEL. (305) 882-1144 FAX (305) 885-5902




revisions:	
no	by description
A	01.30.12 NO CHANGE THIS SHEET

date: 02-28-11
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:


drawing no.
W11-10
 sheet 4 of 6



A
ALT.



B
ALT.



C
ALT.

INSTALLATION DETAILS WITH FLUSH FRAME ADAPTER

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

FEB 02 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 12-0223.28
Expiration Date MAY 5, 2016
By *Manuel Perez*
Miami Dade Product Control

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1285 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W11-10ECO


S-550 ALUMINUM FIXED WINDOW (L.M.I.)
ECO WINDOW SYSTEMS, LLC.
7955 NW 77th, AVENUE
MEDLEY, FLORIDA, 33166
TEL. (305) 882-1144 FAX (305) 885-5902

revisions:


no	date	by	description
A	01.30.12		NO CHANGE THIS SHEET

date: 02-28-11
scale: 1/2" = 1"
dr. by: HAMID
chk. by:


drawing no.
W11-10
sheet 5 of 6




① FRAME HEAD/SILL/JAMB




② SNAP COVER




③ GLAZING BEAD (7/16" LAM. GLASS)




③A GLAZING BEAD (INSUL. LAM. GLASS)



③B GLAZING BEAD (5/16" LAM. GLASS)



⑧ FLUSH FRAME ADAPTER




⑥ CORNER KEY

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	E503	4	FRAME HEAD/SILL/JAMB	6063-T6	-
2	E504	4	SNAP COVER	6063-T6	-
3	FY109	AS REQD.	GLAZING BEAD (7/16" LAM. GLASS)	6063-T6	-
3A	E505	AS REQD.	GLAZING BEAD (INSUL. LAM. GLASS)	6063-T6	-
3B	FY108	AS REQD.	GLAZING BEAD (5/16" LAM. GLASS)	6063-T6	-
4	#10 X 1-1/4"	3/ CORNER	ASSEMBLY SCREWS	-	-
5	E203	AS REQD.	GLAZING BEAD BULB, DUROMETER 65	SANTOPRENE	ULTRAFAB
6	PSJ40-SS	2/ CORNER	FRAME CORNER KEY	ST. STEEL	-
7	FLB-50	-	GLASS SPACER - 1/8" HIGH	SILICONE	FRANK LOWE
8	FY120	AS REQD.	FLUSH FRAME ADAPTER	6063-T6	OPTIONAL
9	-	2/ LITE	SETTING BLOCK, 3/16" X 3/4" X 4" LONG	NEOPRENE	AT 6" FROM EACH END, DUROMETER 65

SEALANT:

ALL JOINTS AND FRAME CONNECTIONS SEALED WITH SCHNEE-MOREHEAD SM5504 SEAM SEALER.



Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
 FEB 02 2016

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No 12-0223.28
 Expiration Date MAY 5, 2016
 By Manuel Jerez
 Miami Dade Product Control

af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX (305) 262-6978
 COMP-ANL/W11-10ECO

S-550 ALUMINUM FIXED WINDOW (L.M.I.)
ECO WINDOW SYSTEMS, LLC.
 7955 NW 77th AVENUE
 MEDLEY, FLORIDA, 33166
 TEL. (305) 882-1144 FAX (305) 885-5902

revisions:	no	date	by	description
	A	01.30.12		NO CHANGE THIS SHEET

date: 02-28-11
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W11-10
 sheet 6 of 6