



DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/pera

NOTICE OF ACCEPTANCE (NOA)

Boral Roofing LLC.
7575 Irvine Center Drive, Suite 100
Irvine, CA. 92618

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Wakaflex Flashing

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This revises NOA# 08-1106.03 and consists of pages 1 through 2.
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 12-0308.08
Expiration Date: 09/02/14
Approval Date: 06/21/12
Page 1 of 2

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: Flashing
Materials: PIB

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
Wakaflex Flashing	11" x 33' 22 lbs/roll 22" x 16.4' 27lbs/roll	ASTM D5019	Lead free flashing material made of polyisobutylene membrane with aluminum webbing and butyl adhesive edges.

MANUFACTURING LOCATION:

1. Oberusel, Germany

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
PRI Construction Materials	ASTM G 155/G26	MLT-007-02-01	10/21/08
Fenestration Testing Laboratory	ASTM D 1970	09-1633	06/29/09
Fenestration Testing Laboratory	ASTM D 412	09-0622	06/29/09

APPLICATION SPECIFICATIONS:

Surfaces: Concrete Tile, Wood, Clay Tile, Stucco, Steel.

Preparations: The surface shall be clean, sound and dry prior to application. All surface preparation shall be in compliance with the manufacturer's published application instructions and current Miami-Dade County Product Control Notice of Acceptance.

Maximum Design Pressure: N/A

GENERAL LIMITATIONS:

1. Fire classification is not part of this acceptance.
2. All bonding surfaces shall be clean, dry and free from sharp or uneven edges.
3. All work shall be performed by a Dade County licensed roofing contractor. Contractor shall be familiar with the details and specifications published by the manufacturer.
4. All flashings must be in compliance with Roof Assembly current Product Control Notice of Acceptance and applicable Building Code.
5. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9N-3 of the Florida Administrative Code
6. All membranes or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



END OF THIS ACCEPTANCE



NOA No.: 12-0308.08
Expiration Date: 09/02/14
Approval Date: 06/21/12
Page 2 of 2