



DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY
AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY, FLORIDA
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room.208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/pera/

Sunshine Windows Manufacturing, Inc.
1745 W. 33 rd Place
Hialeah, FL 33012

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "SWMI 9000 French" 9-Ft. A/ E Outswing Aluminum Glazed Door - L.M.I.

APPROVAL DOCUMENT: Drawing No. **W08-91**, titled "Series - 9000 Alum. Outswing French Door (L.M.I.)", sheets 1 through 10 of 10, dated 11/11/08, prepared by Al-Farooq Corporation with the latest revision "A", dated 03/29/12, signed and sealed by Javad Ahmad, P. E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and Expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.

LIMITATIONS: The Single Door with Transom is limited to Maximum Design Pressure DP = + 90 PSF.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/ series and following statement: "Miami-Dade County Product Control Approved" unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA No. **09-0413.09** and consists of this page 1, evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P. E.**



J. Gascon
5/16/12

NOA No. 12-0314.14
Expiration Date: October 30, 2013
Approval Date: May 24, 2012
Page 1

Sunshine Windows Manufacturing, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
(Submitted under previous NOA's No. 's 08-0813.04 and 09-0413.09)
2. Drawing No. **W08-91**, titled "Series - 9000 Alum. Outswing French Door (L.M.I.)", sheets 1 through 10 of 10, dated 11/11/08, prepared by Al-Farooq Corporation with the latest revision "A", dated 03/29/12, signed and sealed by Javad Ahmad, P. E.

B. TESTS

1. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, Side-Hinged Door Systems, per FBC 2411 3.2.1, TAS 202-94 and per AAMA 1304-02

along with marked-up drawings and installation diagram of an Aluminum Outswing Glass Door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-5552**, dated 09/09/09, signed and sealed by Marlin D. Brinson, P. E.

(Submitted under previous NOA No. 09-0413.09)


2. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, Side-Hinged Door Systems, per FBC 2411 3.2.1, TAS 202-94 and per AAMA 1304-02

along with marked-up drawings and installation diagram of an Aluminum Outswing Glass Door, prepared by Fenestration Testing Laboratory, Inc., Test Reports No.'s **FTL-5554** and **FTL-5556**, dated 05/10/08 and 04/27/08, both signed and sealed by Carlos S. Rionda, P. E.

(Submitted under previous NOA No. 08-0813.04)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC, prepared by Al-Farooq Corporation, dated 06/09/08, with the latest revision dated 09/15/08, signed and sealed by Dr. Humayoun Farooq P. E.
(Submitted under previous NOA No. 08-0813.04)
2. **Glazing complies with ASTM E1300-02/ 04**



Jaime D. Gascon, P.E.
Product Control Section Supervisor
NOA No. 12-0314.14
Expiration Date: October 30, 2013
Approval Date: May 24, 2012

Sunshine Windows Manufacturing, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

D. QUALITY ASSURANCE

1. Miami-Dade Department of Permitting, Environment, and Regulatory Affairs (PERA).

E. MATERIAL CERTIFICATIONS


1. Notice of Acceptance No. **11-0624.02** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Sentry Glass® Interlayer**" dated 05/26/2010, expiring on 01/14/17.
2. Notice of Acceptance No. **11-0624.01** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Butacite® PVB Interlayer**" dated 09/08/2011, expiring on 12/11/2016.

F. STATEMENTS

1. Statement letter of no financial interest, conformance and compliance with the **FBC-2010**, prepared by Al-Farooq Corporation, dated 03/29/12, signed and sealed by Javad Ahmad, P. E.
2. Private Labeling Agreement document in conformance to BCCO guidelines dated 04/09/09 signed by Jose Nunez.
(Submitted under previous NOA No. 09-0413.09)
3. Laboratory compliance letter for the Test Report No. **FTL-5552**, dated 09/09/09, signed and sealed Marlin D. Brinson, P. E.
(Submitted under previous NOA No. 09-0413.09)
4. Proposal No. **09-0165** issued by Product Control, dated 04/02/09, signed by Ishaq Chanda, P. E.
(Submitted under previous NOA No. 09-0413.09)
5. Laboratory compliance letter for the Test Reports No.'s **FTL-5554** and **FTL-5556**, dated 05/10/08 and 04/27/08, both signed and sealed by Carlos S. Rionda, P. E.
(Submitted under previous NOA No. 08-0813.04)
6. Proposal No. **07-4070** issued by Product Control, dated 02/22/08, signed by Ishaq Chanda, P. E.
(Submitted under previous NOA No. 08-0813.04)

G. OTHERS

1. Notice of Acceptance No. **09-0413.09**, issued to Sunshine Windows Manufacturing, Inc. for their "Series SWMI 9000 9-Ft. A/ E Outswing Aluminum Glazed French Door - L.M.I.", approved on 07/01/09 and expiring on 10/30/13.



Jaime D. Gascon, B.E.
Product Control Section Supervisor
NOA No. 12-0314.14
Expiration Date: October 30, 2013
Approval Date: May 24, 2012

THESE DOORS ARE RATED FOR LARGE MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

**SERIES 9000
ALUMINUM OUTSWING ENTRANCE DOOR**

SEE CHARTS ON THIS SHEET FOR DESIGN LOAD CAPACITY OF SINGLE DOORS WITH OR WITHOUT TRANSOMS.

SEE CHARTS ON SHEET 2 FOR DESIGN LOAD CAPACITY OF DOUBLE DOORS WITH OR WITHOUT TRANSOMS.

DOORS CAN ALSO BE USED WITH SERIES 8000 OR SERIES 9500 STOREFRONT SYSTEM.
FOR DOORS WITH STOREFRONT SYSTEM SEE SEPARATE NOA FOR DOOR MULLION CAPACITY.

THE LOWEST VALUE RESULTING FROM DOOR CAPACITY CHARTS OR STOREFRONT NOA WILL APPLY TO ENTIRE SYSTEM.

DOORS NOT APPROVED FOR INSTALLATIONS WHERE WATER INFILTRATION RESISTANCE IS REQUIRED.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

1BY OR 2BY WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BLDG. CODE SECTION 2003.8.4.





TABLE #1 DOORS LOAD CAPACITY - PSF								
SINGLE DOORS WITHOUT TRANSOM (X) OR WITH TRANSOM (O/X)								
DOOR DIMS.		GLASS		LOCKS			HINGES	
FRAME WIDTH	FRAME HEIGHT	TYPE 'A'	TYPE 'B'	OPTION #1	OPTION #2	OPTION #3	OPTION #1	OPTION #2
		EXT. (+) INT. (-)						
47"	98-1/2"	80.0	120.0	80.0	90.0	120.0	80.0	120.0
47"	110-1/2"	80.0	120.0	80.0	90.0	120.0	80.0	120.0

SEE SHEET 2 FOR GLASS TYPES DESCRIPTION
SEE SHEET 9 FOR LOCKS AND HINGES DESCRIPTION

TABLE #2 ANCHORS LOAD CAPACITY - PSF												
SINGLE DOORS WITHOUT TRANSOM (X) OR WITH TRANSOM (O/X)												
DOOR DIMS.		1/4" SHIM SPACE						1/2" SHIM SPACE				
FRAME WIDTH	FRAME HEIGHT	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'	ANCHOR TYPE 'D'	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'
		EXT. (+) INT. (-)										
40"	110-1/2"	104.0	120.0	120.0	120.0	120.0	120.0	88.0	88.0	120.0	120.0	120.0
47"	110-1/2"	89.0	89.0	108.0	108.0	120.0	120.0	75.0	75.0	108.0	108.0	120.0

SEE SHEET 3 FOR ANCHOR DESCRIPTION

TYPICAL ELEVATION (X)

TYPICAL ELEVATION (O/X)

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-04 (3 SEC. GUSTS) AND FLORIDA BUILDING COMMISSION DECLARATORY STATEMENT DCA05-DEC-219

SINGLE DOORS WITH OR WITHOUT TRANSOMS USE CHARTS AS FOLLOWS FOR THE CORRESPONDING DOOR SIZE
1- FOR GLASS TYPE, LOCK AND HINGE OPTIONS OBTAIN LOAD CAPACITIES FROM TABLE 1.
2- FOR ANCHORS TYPE/SHIMSPACE OBTAIN LOAD CAPACITIES FROM TABLE 2.
3- TRANSOMS FOR SINGLE DOORS ARE LIMITED TO ±90.0 PSF THE LOWEST VALUES FROM STEPS 1, 2 AND 3 WILL GOVERN.

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538
APR 03 2012


PRODUCT REVISED as complying with the Florida Building Code Acceptance No. 12-0314.14 Expiration Date 10/30/2013
By: [Signature]
Miami Dade Product Control

afC
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL. (305) 364-9952 FAX. (305) 828-5118

no	date	description
A	03.29.12	UPDATED TO 2010 FBC

date: 11-11-08
scale: 1/2"=1'-0"
dr. by: HAMID
chk. by:
drawing no. W08-91
sheet 1 of 10



GLAZING OPTIONS

DOUBLE DOORS WITH OR WITHOUT TRANSOMS
 USE CHARTS AS FOLLOWS
 FOR THE CORRESPONDING DOOR SIZE
 1- FOR GLASS TYPE, LOCK AND HINGE OPTIONS
 OBTAIN LOAD CAPACITIES FROM TABLE 3.
 2- FOR JAMB ANCHORS, TYPE/SHIMSPACE OBTAIN
 LOAD CAPACITIES FROM TABLE 4.
 3- FOR HEAD ANCHORS, TYPE/SHIMSPACE OBTAIN
 LOAD CAPACITIES FROM TABLE 5.
 THE LOWEST VALUES FROM STEPS 1, 2 AND 3
 WILL GOVERN.

TABLE #3 DOORS LOAD CAPACITY - PSF DOUBLE DOOR WITHOUT TRANSOM (XX) OR WITH TRANSOM (O/XX)								
DOOR DIMS.		GLASS		LOCKS			HINGES	
FRAME WIDTH	FRAME HEIGHT	TYPE 'A'	TYPE 'B'	OPTION #1	OPTION #2	OPTION #3	OPTION #1	OPTION #2
89"	98-1/2"	EXT. (+) INT. (-)						
89"	110-1/2"	80.0	90.0	80.0	90.0	90.0	80.0	90.0


SEE SHEET 8 FOR LOCKS AND HINGES DESCRIPTION

TABLE #4 JAMB ANCHORS LOAD CAPACITY - PSF DOUBLE DOOR WITHOUT TRANSOM (XX) OR WITH TRANSOM (O/XX)												
DOOR DIMS.		1/4" SHIM SPACE					1/2" SHIM SPACE					
FRAME WIDTH	FRAME HEIGHT	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'	ANCHOR TYPE 'D'	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'
75"	110-1/2"	EXT. (+) INT. (-)										
89"	110-1/2"	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0

SEE SHEET 3 FOR ANCHOR DESCRIPTION

TABLE #5 HEAD ANCHORS LOAD CAPACITY - PSF DOUBLE DOOR WITHOUT TRANSOM (XX) OR WITH TRANSOM (O/XX)																
DOOR DIMS.		1/4" SHIM SPACE						1/2" SHIM SPACE								
FRAME WIDTH	FRAME HEIGHT	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'	ANCHOR TYPE 'D'	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'	ANCHOR TYPE 'BB'	ANCHOR TYPE 'C'	ANCHOR TYPE 'D'	ANCHOR TYPE 'A'	ANCHOR TYPE 'AA'	ANCHOR TYPE 'B'
75"	98-1/2"	EXT. (+) INT. (-)														
89"	110-1/2"	90.0	90.0	90.0	90.0	90.0	90.0	76.0	90.0	76.0	90.0	90.0	90.0	64.0	90.0	64.0

SEE SHEET 3 FOR ANCHOR DESCRIPTION



TYPICAL ELEVATION (XX)

SEE SHEET 3 FOR ELEVATION (O/XX)

NOTE:
 GLASS CAPACITIES ON THIS SHEET ARE
 BASED ON ASTM E1300-04 (3 SEC. GUSTS)
 AND FLORIDA BUILDING COMMISSION
 DECLARATORY STATEMENT DCA05-DEC-219

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
 APR 02 2012

PRODUCT REVISED
 as complying with the Florida
 Building Code 12-0314.14
 Acceptance No. 121301213
 Expiration Date
 By: *[Signature]*
 Miami Dade Product Control

afC
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
 1745 WEST 33RD PLACE
 HIALEAH, FL. 33012
 TEL. (305) 364-9952 FAX. (305) 828-5118

no.	date	description
A	03.29.12	SILICONE REV.

revisions:

date: 11-11-08
 scale: 1/2" = 1'-0"
 dr. by: HAMID
 chk. by:

drawing no. **W08-91**
 sheet 2 of 10

TYPICAL ANCHORS: SEE ELEV. FOR SPACING

TYPE 'A'

1/4" DIA ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI)

- A: INTO 2BY WOOD BUCKS OR WOOD STRUCTURES WITH 1-3/8" MIN. PENETRATION INTO WOOD
- THRU 1BY WOOD BUCKS INTO CONCRETE WITH 1-1/4" MIN. EMBED INTO CONCRETE
- DIRECTLY INTO C90 FILLED BLOCK WITH 1-1/4" MIN. EMBED INTO MASONRY

- AA: DIRECTLY INTO CONCRETE WITH 1-3/8" MIN. EMBED INTO CONC.

ANCHOR EDGE DISTANCES

INTO CONCRETE AND MASONRY = 2-1/2" MIN.
INTO WOOD STRUCTURE = 1" MIN.

TYPE 'B'

1/4" DIA HILTI KWIK CON III BY 'HILTI' (Fu=163 KSI, Fy=157 KSI)

- B: INTO 2BY WOOD BUCKS OR WOOD STRUCTURES WITH 1-3/8" MIN. PENETRATION INTO WOOD
- THRU 1BY WOOD BUCKS INTO CONCRETE WITH 1-1/4" MIN. EMBED INTO CONCRETE
- DIRECTLY INTO C90 FILLED BLOCK WITH 1-1/2" MIN. EMBED INTO MASONRY

- BB: DIRECTLY INTO CONCRETE WITH 1-3/8" MIN. EMBED INTO CONC.

ANCHOR EDGE DISTANCES

INTO CONCRETE AND MASONRY = 2-1/2" MIN.
INTO WOOD STRUCTURE = 1" MIN.

TYPE 'C'

5/16" DIA ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI)

- C: DIRECTLY INTO CONCRETE WITH 1-3/8" MIN. EMBED INTO CONC.

ANCHOR EDGE DISTANCES

INTO CONCRETE AND MASONRY = 2-1/2" MIN.
INTO WOOD STRUCTURE = 1" MIN.

TYPE 'D'

#14 SMS OR SELF DRILLING SCREWS (Fu=92 KSI, Fy=120 KSI)


- D: INTO METAL STRUCTURES
- STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)
- ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
- (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

ANCHOR EDGE DISTANCES

INTO METAL STRUCTURE = 1/2" MIN.

CONCRETE f'c = 3000 PSI MIN.
MASONRY f'm = 1500 PSI MIN.

WOOD BUCKS AND METAL STRUCTURES NOT BY SUNSHINE WDW. MUST SUPPORT LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.



SEE CHARTS ON SHEET 2 FOR DOOR AND TRANSOM LOAD CAPACITY

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

[Signature]

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 12-0314.14
Expiration Date 10/30/2013

By *[Signature]*
Miami Dade Product Control

APR 02 2012

afC

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W08-91SW



SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)

SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL. (305) 364-9952 FAX. (305) 828-5118





no	date	description
A	03.29.12	NO CHANGE THIS SHEET

date: 11-11-08
scale: 1/2"=1'-0"
dr. by: HAMID
chk. by:

drawing no. W08-91
sheet 3 of 10



DOOR CLOSERS OPTIONAL



DOOR HEAD
SERIES-8000 FRAME OPTION

DOORS SHOWN WITH SERIES-9500 FRAMES
CAN ALSO BE USED WITH SERIES-8000 FRAMES.

Engr: JAVAD AHMAD
CIVIL
FLA. PE. # 70592
C.A.N. 3538

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 12-0314.14
Expiration Date 10/30/2013

APR 02 2012

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W08-91SW


SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL (305) 364-9952 FAX (305) 828-5118

no	date	description
A	03.29.12	NO CHANGE THIS SHEET

date:	11-11-08
scale:	3/8" = 1"
dr. by:	HAMID
chk. by:	

drawing no.	W08-91
sheet	4 of 10

1/2" MAX.
LOAD BEARING SHIMS
SEE CHARTS
SHEETS 1 & 2




1/2" MAX.
LOAD BEARING SHIMS
SEE CHARTS
SHEETS 1 & 2

TYPICAL ANCHORS
SEE ELEV.
FOR SPACING

2BY WOOD BUCK
OR
WOOD STRUCTURE


1/4" MAX.
LOAD BEARING SHIMS
SEE CHARTS
SHEETS 1 & 2



1/2" MAX.
LOAD BEARING SHIMS
SEE CHARTS
SHEETS 1 & 2


ALTERNATE

TYPICAL ANCHORS
SEE ELEV.
FOR SPACING



DOORS SHOWN WITH SERIES-9500 FRAMES
CAN ALSO BE USED WITH SERIES-8000 FRAMES.

1/2" MAX.
LOAD BEARING SHIMS
SEE CHARTS
SHEETS 1 & 2



Engr. JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

APR 03 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 12-0314.14
Expiration Date 10/30/2014
By *[Signature]*
Miami Dade Product Control





af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL. (305) 364-9952 FAX. (305) 828-5118

revisions:	no.	date	by	description
	A	03.29.12		NO CHANGE THIS SHEET

date: 11-11-08
scale: 3/8" = 1"
dr. by: HAMID
chk. by:

drawing no.
W08-91
sheet 5 of 10



Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

[Signature]
1/APR 02 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 12-034-1A
Expiration Date 01/30/2013

By *[Signature]*
Miami Dade Product Control

af c


AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL (305) 364-9952 FAX (305) 828-5118


NO	date	by	description
A	03.29.12		NO CHANGE THIS SHEET

date: 11-11-08
scale: 3/8" = 1"
dr. by: HAMID
chk. by:


drawing no.
W08-91
sheet 6 of 10




(E1) DOOR HEADER




(E4) TOP RAIL




(E5) BOTTOM RAIL




(E2) THRESHOLD




(E3) DOOR JAMB




(E6) HINGE/LOCK STILE




(E7) MEETING STILE - INACTIVE LEAF




(E8) MEETING STILE - ACTIVE LEAF




(E15) JAMB FILLER




(E10) CORNER BLOCK




(E18) CLOSURE DOOR STOP




(E9) GLASS STOP




(E14) LOCK BACK UP PLATE




(T1) TRANSOM HEADER




(T4) HEAD COVER




(T2) TRANSOM ADAPTER




(T3) TRANSOM GLASS STOP




(E20) DOOR SWEEP




(E11) CORNER PLATE




(E21) DOOR STOP




(E22) DOOR STOP COVER




(T10) TRANSOM GLAZING ADAPTER




(T8) JAMB FILLER S-8000




(T7) TRANSOM JAMB S-8000




(T5) TRANSOM HEAD S-8000



(T6) HORIZONTAL AT DOOR S-8000



(T9) TRANSOM GLASS STOP S-8000



(E2A) ALTERNATE THRESHOLD

af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
 1745 WEST 33RD PLACE
 HIALEAH, FL. 33012
 TEL. (305) 364-9952 FAX. (305) 828-5118

no	date	by	description
A	03.29.12		NO CHANGE THIS SHEET

date: 11-11-08
 scale: 3/8" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W08-91
 sheet 7 of 10

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. **12-0314.14**
 Expiration Date **10/30/2013**
 By
 Miami Dade Product Control

1 APR 02 2012

ITEM #	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
E1	ES9012	1	DOOR HEADER	6063-T6	-
E2	ES9014	1	THRESHOLD	6063-T6	-
E2A	ES9015	1	ALTERNATE THRESHOLD	6063-T6	-
E3H	ES9013	2	DOOR JAMB - HINGE	6063-T6	-
E4	ES9001	2	TOP RAIL	6063-T5	-
E5	ES9002	2	BOTTOM RAIL	6063-T6	-
E6H	ES9003	2	HINGE/LOCK STILE	6063-T5	-
E7	ES9006	1	MEETING STILE - INACTIVE LEAF	6063-T5	-
E8	ES9007	1	MEETING STILE - ACTIVE LEAF	6063-T5	-
E9H	ES9004	4	HORIZONTAL GLASS STOP	6063-T5	-
E9V	ES9004	4	VERTICAL GLASS STOP	6063-T5	-
E10T	ES9008	4	CORNER BLOCK -TOP	6063-T5	-
E10B	ES9008	4	CORNER BLOCK - BOTTOM	6063-T5	-
E11T	ES9009	4	CORNER PLATE - TOP	6063-T5	-
E11B	ES9009	4	CORNER PLATE - BOTTOM	6063-T5	-
E12	ES9010	4	SUPPORT ANGLE	6063-T5	3/4" X 1" X 1/8" X 9" LONG
E13	ES9011	AS RQD.	HINGE BACKUP PLATE REINFORCEMENT	6063-T5	-
E14	ES9020	1	LOCK BACKUP PLATE REINFORCEMENT	6063-T5	-
E15	ES9016	AS RQD.	JAMB FILLER	6063-T5	-
E16	ES9017	AS RQD.	REINFORCEMENT	6063-T6	-
E17	ES9021	1/ CLOSER	CLOSER SUPPORT CLIPS (PAIR)	6063-T5	-
E18	ES9022	1	CLOSER DOOR STOP	6063-T5	-
E19	ES9023	1/ CLOSER	CLOSER COVER PLATE	6063-T5	-
E20	ES9005		DOOR SWEEP	-	-
E21	ES9051		DOOR STOP	-	-
E22	ES9052		DOOR STOP COVER	-	-
M1		28	#12 x 1" P.H. ST/ST SMS	-	-
M2		AS RQD.	#12 - 24 x 1/2" F.H. ST/ST MS	-	-
M3		18	#8 - 32 x 1/2" P.H. ST/ST MS	-	-
M4		16	3/8" - 16 x 1" HEX. BOLT	-	-
M5		AS RQD.	WEDGE GASKET	-	-
M6		AS RQD.	SPACER GASKET	-	-
M7		AS RQD.	BULB VINYL	-	-
M8		8	SETTING BLOCK	-	-
M9		AS RQD.	HINGE 4 1/2" x 4"	-	-
M12		1	3 POINT LOCK	-	-
M13		1	KEY CYLINDER	-	-
M14		1	THUMBTURN	-	-
M15		1	2 POINT LOCK	-	-
M16		1/ LEAF	DOOR CLOSURE	-	-
M17		2	PUSH - PULL	-	-
M19	W13273NK	AS RQD.	PILE - HEADER	-	-
M20	W23451NK	AS RQD.	PILE - MTG STILES	-	-
M22	-	1/ CLOSER	CHANNEL SPACER 5/8" X 1-3/4"	-	-
M23		2	THRESHOLD CLIP	-	-
M24		AS RQD.	STRUCTURAL SILICONE	-	-
M25		AS RQD.	SILICONE	-	-
M26		2/ CLOSER	1/4 - 20 x 2" HEX. BOLT	-	-
M27		3/ CLOSER	#10 x 1" P.H. ST/ST SMS	-	-
M28		6/ CLOSER	#10 x 3/4" F.H. ST/ST SMS	-	-
M29		3/ CLOSER	#10 x 1" F.H. ST/ST SMS	-	-
M30		AS RQD.	#8 x 1 1/2" F.H. ST/ST SMS	-	-
M31	W13351NK	AS RQD.	PILE - DOOR SWEEP	-	-
M32	W13275NK	AS RQD.	PILE - HEADER	-	-

ITEM #	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
T1	ES9506		TRANSOM HEADER	6063-T6	-
T2	ES9019		TRANSOM ADAPTER	6063-T5	-
T3	ES9018		TRANSOM GLASS STOP	6063-T5	-
T4	ES9502		HEAD COVER	6063-T5	-
MT1			#10 x 1/2" F.H. ST/ST SMS	-	-
MT2			TRIM GASKET	-	-
MT3			INTERIOR SPACER 1/4" x 1/4"	-	-
MT4			SETTING BLOCKS 1/16" x 3/4"	-	-
T5	ES8005	AS REQD.	TRANSOM HEAD S-8000	6005-T5	-
T6	ES8013	AS REQD.	HORIZONTAL AT DOOR S-8000	6005-T5	-
T7	ES8012	AS REQD.	TRANSOM JAMB S-8000	6005-T5	-
T8	ES8003	AS REQD.	JAMB FILLER S-8000	6005-T5	-
T9	ES8006	AS REQD.	TRANSOM GLASS STOP S-8000	6063-T5	-
T10	ES8014	AS REQD.	TRANSOM GLAZING ADAPTER	6063-T6	-


af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL. (305) 364-9952 FAX. (305) 828-5118

no.	date	by	description
A	03.29.12		NO CHANGE THIS SHEET

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

APR 02 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. **12-0314-14**
Expiration Date **10/30/2013**
By 
Miami Dade Product Control

date: 11-11-08
scale: 3/8" = 1"
dr. by: HAMID
chk. by:
drawing no.
W08-91
sheet 8 of 10

LOCKS:


OPTION #1:

CONCEALED VERTICAL ROD PANIC EXIT DEVICE BY 'JACKSON PANIC SYSTEM' #1285 LOCATED AT 41" FROM SILL AT EACH LEAF.

FASTENED WITH
 (1) #14 X 1" HH SELF DRILLING SCREW AT ONE END AND
 (2) #12-24 X 1/2" OH MACHINE SCREWS AT OTHER END
 OR

CONCEALED VERTICAL ROD PANIC EXIT DEVICE BY 'ADAMS RITE' LOCATED AT 40" FROM SILL AT EACH LEAF.

FASTENED WITH
 (2) #10-32 X 3/4" FH MACHINE SCREWS AT ONE END AND
 (2) #10-24 X 1/2" FH MACHINE SCREWS AT OTHER END



PANIC EXIT DEVICE
OPTION #1 OR #2

OPTION #2:

CONCEALED VERTICAL ROD PANIC EXIT DEVICE BY 'JACKSON PANIC SYSTEM' #2086 LOCATED AT 41" FROM SILL AT EACH LEAF.

FASTENED WITH
 (1) #14 X 1" HH SELF DRILLING SCREW AT ONE END AND
 (2) #12-24 X 1/2" OH MACHINE SCREWS AT OTHER END
 OR

CONCEALED VERTICAL ROD PANIC EXIT DEVICE BY 'DOR-O-MATIC' LOCATED AT 40" FROM SILL AT EACH LEAF.

FASTENED WITH
 (2) #12-24 X 1/2" FH MACHINE SCREWS AT ONE END

OPTION #3:

ACTIVE LEAF:


KEY OPERATED THREE POINT LOCK SYSTEM BY 'ADAMS RITE' WITH CONCEALED FLUSH BOLTS AT TOP & BOTTOM OF LOCK STILE AND A THUMB TURN ON THE INTERIOR, LOCATED AT 40" FROM BOTTOM OF PANEL FASTENED WITH

(2) #12-24 X 1/2" FH MACHINE SCREWS

INACTIVE LEAF:

MANUALLY OPERATED TWO POINT LOCK SYSTEM BY 'ADAMS RITE' WITH CONCEALED FLUSH BOLTS AT TOP & BOTTOM OF LOCK STILE AND A THUMB TURN ON THE INTERIOR, LOCATED AT 40" FROM BOTTOM OF PANEL FASTENED WITH


(2) #8-32 X 1/4" PH MACHINE SCREWS



HINGES:

OPTION #1:


OFFSET PIVOT HINGES
 ALUMINUM AT TOP AND BOTTOM
 FASTENED TO FRAME AND THRESHOLD WITH
 #10-24 X 1/2" FH THREAD CUTTING SCREWS
 (2) AT THRESHOLD, (2) AT JAMB BOTTOM
 (3) AT FRAME HEAD
 HEAVY DUTY BRASS OR BRONZE AT MIDSPAN
 FASTENED TO FRAME AND LEAF WITH
 (4) 1/4-20 X 5/8" MS



EXTERIOR

OPTION #2:

4 X 4-1/2" ST. STEEL BALL BEARING BUTT HINGES
 LOCATED AT
 11" FROM TOP & BOTTOM AND AT MIDSPAN
 FASTENED TO DOOR FRAME AND LEAF STILE WITH
 (4) #12-24 X 1/2" FH MACHINE SCREWS PER HASP



M9 EXTERIOR

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

J.A.
 APR 02 2012

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. **12-0314.14**
 Expiration Date **10/30/2013**
 By *Javad Ahmad*
 Miami Trade Product Contrab



af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
 1745 WEST 33RD PLACE
 HIALEAH, FL. 33012
 TEL. (305) 364-9952 FAX. (305) 828-5118


revisions:	no	date	by	description
	A	10.29.12		NO CHANGE THIS SHEET

date:	11-11-08
scale:	3/8" = 1"
dr. by:	HAMID
chk. by:	


drawing no.	W08-91
sheet	9 of 10




FRAME TOP CORNER



PIVOT THRESHOLD CORNER



THRESHOLD CORNER



THRESHOLD CORNER

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

Javad Ahmad

APR 02 2012

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No **12-0314.14**
Expiration Date **10/30/2013**
By *Javad Ahmad*
Miami Dade Product Control

afc
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W08-91SW

SERIES-9000 ALUM OUTSWING FRENCH DOOR (L.M.I.)
SUNSHINE WINDOWS MANUFACTURING INC.
1745 WEST 33RD PLACE
HIALEAH, FL. 33012
TEL (305) 364-9952 FAX (305) 828-5118

revisions:

no	date	by	description
A	03.29.12		NO CHANGE THIS SHEET

date: 11-11-08
scale: 3/8" = 1"
dr. by: HAMID
chk. by:

drawing no.
W08-91
sheet 10 of 10