



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
 BOARD AND CODE ADMINISTRATION DIVISION  
**NOTICE OF ACCEPTANCE (NOA)**

**Aldora Aluminum & Glass Product, Inc.**  
**11500 Miramar Parkway, Suite # 300**  
**Miramar, FL 33025**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ). This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series "SM-2/K-2 breeze" Single Outswing Aluminum Entrance Door w/wo SHW**

**APPROVAL DOCUMENT:** Drawing No. W03-62 Rev E, titled "Series SM-2/K-2 Breeze Alum Entrance Door (L.M.I.)", prepared by Al-Farooq Corporation, sheets 1 through 7 of 7, dated 08/07/03 and last revised on AUG 23, 2013, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**Limitations:**

1. See Design Pressure (DP) ratings doors w/wo SHW (Impact Single Hung Window, under separate NOA). Lower DP of SHW or Single door shall control.
2. ADA threshold and Alt ADA threshold in sheet 2 are not rated for water, unless covered by canopy or overhang complying w/ FBC requirements.
3. 1X or 2X to be secured properly to transfer load. CMU (Masonry) is applicable to Jamb only.
4. Alternate Alum clad glazing, not to exceed 25-3/4" x 33-1/4" DLO.
5. Private labelling is not part of this NOA.

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and series and following statement: "Miami-Dade County Product Control Approved", noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 13-0510.10 (#12-0501.09) (Former SMI Aluminum Systems, LLC) and consists of this page 1 and evidence pages E-1 & E-2, as well as approval document mentioned above. The submitted documentation was reviewed by Ishaq I. Chanda, P.E.



12/27/13

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**A. DRAWINGS**

1. Manufacturer's die drawings and sections (submitted under files #13-0510.10/#12-0501.09)
2. Drawing No. **W03-62 Rev E**, titled "Series SM-2/K-2 Breeze Alum Entrance Door (L.M.I.)", prepared by Al-Farooq Corporation, sheets 1 through 7 of 7, dated 08/07/03 and last revised on AUG 23, 2013, signed and sealed by Javad Ahmad, P.E.

Note: This revision consist of company name change only.

**B. TESTS (Submitted under files #13-0510.10/ #12-0501.09)**

1. Test reports on:
  - 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Large Missile Impact Test per FBC, TAS 201-94
  - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
  - 6) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of a terrace door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-5406**, dated 04/18/08, signed and sealed by Carlos Rionda P.E.

2. Test reports on:
  - 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Large Missile Impact Test per FBC, TAS 201-94
  - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
  - 6) Forced Entry Test, Per FBC 2411 3.2.1 and TAS 202-94

along with marked-up drawings and installation diagram of a terrace door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-3824**, dated 06/19/03, signed and sealed by Joseph Chan, P.E. (submitted under files # 09-0223.09 / #03-0925.02).

**C. CALCULATIONS (Submitted under files #13-0510.10/ #12-0501.09)**

1. Anchor Verification Calculations and structural analysis complying w/ FBC 2010, prepared by AL-Farooq Corporation, dated 04/15/11, signed and sealed by Javad Ahmad, P.E.
2. Glazing complies w/ ASTM E-1300-02 & -04.

**D. QUALITY ASSURANCE**

1. Miami Dade Department of Regulatory and Economic Resources (RER).

**E. MATERIAL CERTIFICATIONS**

1. Notice of Acceptance No. **12-1231.10** issued to Eastman chemical Company (MA) former Solutia Inc. for their "**Saflex Clear or colored interlayer**", expiring on 05/21/16.
2. Notice of Acceptance No. **12-0130.01**, issued to Cytec Industries Inc. for "**Uvekol S laminated glass interlayer**", expiring on 02/08/2014.



Ishaq I. Chanda, P.E.

Product Control Examiner

NOA No. 13-1021.10

Expiration Date: December 04, 2018

Approval Date: January 02, 2014

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**F. STATEMENTS**

1. Statement letter of conformance to FBC 2010 and letter of no financial interest, prepared by Al Farooq Corporation, dated 08/16/13, signed and sealed by Javad Ahmad, P.E
2. Statement letter of conformance to FBC 2010 and letter of no financial interest, prepared by Al-Farooq Corporation, dated SEP 05, 2012, signed and sealed by Javad Ahmad, P.E. (Submitted under files #13-0510.10/#12-0911.03)
3. Statement of Lab compliance, as part of the above referenced test reports.
4. Bill of Sale dated July 26, 2013 between SMI Aluminum Systems, LLC (Subsidiaries) and Holdco Aldora Holding LLC (Contributor, for benefits of Aldora Aluminum & Glass Product Inc) contribute, assigned and transferred to Holdco assets, signed by Scott Hauncher, VP Aldora Holding, Inc.
5. Assignment & Assumption agreement dated July 26, 2013 between SMI Aluminum System, LLC (Assignor), Architectural Glass Products, LLC (Assignor) and Aldora Holding Inc. (Assignee) signed by Leon Silverstein, manager Aldora Holding Inc. , Leon Silverstein , manager SMI Aluminum Systems, LLC, Leon Silverstein, manager Architectural Glass Products, LLC and Scott Hauncher, VP Aldora Holding, Inc. on behalf of their companies.
6. Statement letter dated 08/21/2013, issued by SMI Aluminum System, LLC of sales of asset and relinquishing of all rights of NOA #13-0510.10, signed by Manny Valladares, for and on behalf of SMI Aluminum Systems, LLC.
7. Statement letter dated 08/21/2013, issued by Aldora Aluminum & Glass products, Inc. of legally purchase of asset and rights of NOA #13-0510.10 from SMI Aluminum System, LLC and requesting that NOA be issued with their name, signed by Manny Valladares, for and on behalf of Aldora Aluminum & Glass Products, Inc.


**G. OTHER**

1. This NOA revises NOA # 12-0911.03 (Former SMI Aluminum Systems, LLC), expiring on DEC 04, 2018.
2. Previous reference NOA(s) NOA # 08-1202.14 (MK-2), #11-1219.13 (MK-2), # 10-0511.02 (K2LM), #11-1208.01 (K2LM) and #11-0316.05 (K2LM).
3. Test proposal # 07-3217 dated July 27, 2007 approved by BCCO.




Ishaq I. Chanda, P.E.  
Product Control Examiner  
NOA No. 13-1021.10


Expiration Date: December 04, 2018  
Approval Date: January 02, 2014



GLAZING OPTIONS




ALTERNATE GLAZING



TYPICAL ELEVATION

MAXIMUM DESIGN LOAD RATING = + 100.0 PSF  
(FOR SIZES SHOWN ABOVE OR SMALLER) - 120.0 PSF  
DOORS WITHOUT WINDOWS



TYPICAL ELEVATION

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF \*  
(FOR SIZES SHOWN ABOVE OR SMALLER) - 120.0 PSF  
DOORS WITH WINDOWS

\* LOWER RATING OF SINGLE HUNG WINDOW OR SINGLE DOOR SHALL CONTROL

**SERIES SMK-2/K-2 BREEZE ALUMINUM ENTRANCE DOOR**

APPROVAL APPLIES TO SINGLE LEAF (X) DOORS WITH OR WITHOUT WINDOW INSERT.

SEE SEPARATE NOA FOR WINDOW CAPACITY.  
LOWER DESIGN PRESSURES FROM DOOR OR SINGLE HUNG WINDOW APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BLDG. CODE SECTION 2003.8.4.

THESE DOORS ARE RATED FOR LARGE MISSILE IMPACT.  
SHUTTERS ARE NOT REQUIRED.

NOTE:  
GLASS CAPACITIES ON THIS SHEET ARE  
BASED ON ASTM E1300-04/09 (3 SEC. GUSTS).

Engr: JAVAD AHMAD  
CIVIL  
FLA. PE # 70592  
C.A.N. 3538

AUG 23 2013


**af c**  
**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
Aldora Aluminum And Glass Products Inc.  
11500 MIRAMAR PARKWAY SUITE 300  
MIRAMAR, FL. 33025  
TEL. (305) 888-6288 FAX. (305) 888-6289


no	date	description	by
A	03.05.08	UPDATED FOR 2004 FBC	
B	06.10.08	REV. PER BCCO COMMENTS	
C	02.10.09	ALT. GLAZING DETAIL ADDED	
D	10.21.11	MANUF. NAME REV.	
E	08.12.13	MANUF. NAME REV.	

date: 08-07-03  
scale: 1/2" = 1'-0"  
dr. by: HAMID  
chk. by:


drawing no.  
**W03-62**  
sheet 1 of 7




ADA BUMPER THRESHOLD



ALT. ADA BUMPER THRESHOLD



HI-RISE THRESHOLD



ALT. HI-RISE THRESHOLD

1BY OR 2BY WOOD BUCKS AND METAL STRUCTURE NOT BY 'ALDORA ALUMINUM AND GLASS PRODUCTS' MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

**TYPICAL ANCHORS:** SEE ELEV. FOR SPACING  
**1/4" DIA. ULTRACON BY 'ELCO'** ( $F_u=177$  KSI,  $F_y=155$  KSI)  
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES  
 1-3/8" MIN. PENETRATION INTO WOOD  
 THRU 1BY BUCKS INTO CONC. OR MASONRY  
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY  
 DIRECTLY INTO CONC. OR MASONRY  
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY  
**1/4" DIA. TEKS OR SELF DRILLING SCREWS** (GRADE 5 CRS)  
 INTO METAL STRUCTURES  
 STEEL : 1/8" THK. MIN. ( $F_y = 36$  KSI MIN.)  
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)  
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

**TYPICAL EDGE DISTANCE**  
 INTO CONCRETE AND MASONRY = 2" MIN.  
 INTO WOOD STRUCTURE = 1" MIN.  
 INTO METAL STRUCTURE = 3/4" MIN.

CONCRETE AT HEAD, SILL OR JAMBS  $f'_c = 3000$  PSI MIN.  
 C-90 HOLLOW/FILLED BLOCK AT JAMBS  $f'_m = 2000$  PSI MIN.

**PRODUCT REVISED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. 13-102110  
 Expiration Date 12/4/18  
 By: [Signature]  
 Metal Deck Product Control

Engr: JAVAD AHMAD  
 CIVIL  
 FLA. PE # 70592  
 C.A.N. 3538  
 AUG 23 2013

**af c**

**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 12395 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP -ANL\W03-62SM


SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
 Aldora Aluminum And Glass Products Inc.  
 11500 MIRAMAR PARKWAY SUITE 300  
 MIRAMAR, FL. 33025  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		NO CHANGE THIS SHEET
C	02.10.09		NO CHANGE THIS SHEET
D	10.21.11		MANUF. NAME REV.
E	08.12.13		MANUF. NAME REV.

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W03-62**


sheet 2 of 7



TYPICAL ANCHORS  
SEE ELEV. FOR SPACING

TYPICAL ANCHORS  
SEE ELEV. FOR SPACING

METAL  
STRUCTURE



1-1/2" X 1/4" X 7-1/2" LONG  
ALUM PLATES AT HINGE LOCATION

#12-24 X 1-1/2"  
FH THREAD CUTTING SCREWS  
4 PER PLATE

**PRODUCT REVISED**  
as complying with the Florida  
Building Code  
Acceptance No. 13-102610  
Expiration Date 12/31/18  
By Ishag I. Chaudhry  
Project No. 13-102610

Engr: JAVAD AHMAD  
CIVIL  
FLA. PE # 70592  
C.A.N. 3538  
  
AUG 23 2013

**afc**

**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

---



SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
Aldora Aluminum And Glass Products Inc.  
11500 MIRAMAR PARKWAY SUITE 300  
MIRAMAR, FL. 33025  
TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		REV. PER BCCO COMMENTS
C	02.10.09		DETAIL ADDED
D	10.21.11		MANUF. NAME REV.
E	08.12.13		MANUF. NAME REV.

date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:

drawing no.  
**W03-62**

sheet 3 of 7



Engr: JAVAD AHMAD  
 CIVIL  
 FLA. PE # 70592  
 C.A.N. 3538  
 AUG 23 2013

**PRODUCT REVISED**  
 to comply with the Florida  
 Building Code  
 Acceptance No. 13-1021.10  
 Expiration Date 12/14/18  
 By: *Ishtiaq Khan*  
 Miami Dade Product Council

**af c**  
**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 12335 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP -ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
 Adora Aluminum And Glass Products Inc.  
 11500 MIRAMAR PARKWAY SUITE 300  
 MIRAMAR, FL. 33025  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	description	by
A	05.05.08	UPDATED FOR 2004 FBC	
B	06.10.08	REV. PER BOCO COMMENTS	
C	02.10.09	NO CHANGE THIS SHEET	
D	10.21.11	MANUF. NAME REV.	
E	06.12.13	MANUF. NAME REV.	

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W03-62**  
 sheet 4 of 7


**SEALANTS:**

ALL FRAME AND LEAF CORNERS AND INSTALLATION SCREWS SEALED WITH SILICONE.  
PERIMETER OF WINDOW FRAME TO DOOR LEAF AT EXTERIOR AND INTERIOR SEALED WITH SILICONE.

**LOCKS:**




**OPTION 1:**

THREE POINT LOCK SYSTEM WITH 5 PLY HOOK LOCK BOLT REGENT 2222, KEY OPERATED ON EXTERIOR AND THUMB-TURN ON INTERIOR, LOCATED AT 34" FROM BOTTOM OF PANEL



**OPTION 2:**

THREE POINT LOCK SYSTEM WITH 4 PLY HOOK LOCK REGENT NO. 206-3P, KEY OPERATED ON EXTERIOR AND THUMB-TURN ON INTERIOR, LOCATED AT 36" FROM BOTTOM OF PANEL



ITEM #	PART #	REQD.	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	SMI-006	1	FRAME HEAD	6063-T6	-
2	SMI-005	2	FRAME JAMB	6063-T6	-
3	SMI-023	1	BUMPER THRESHOLD	6063-T6	-
3A	SMI-036	1	ALT. BUMPER THRESHOLD	6063-T6	-
4	SMI-024	1	ADA THRESHOLD COVER	6063-T6	-
4A	SMI-038	1	ALT. ADA THRESHOLD COVER	6063-T6	-
4B	SMI-037	1	ALT. ADA THRESHOLD COVER	6063-T6	-
5	SMI-012	1/ LEAF	TOP RAIL/MID RAIL	6063-T6	-
6	SMI-013	1/ LEAF	BOTTOM RAIL	6063-T6	-
7	SMI-011	1/ LEAF	DOOR STILE	6063-T6	-
8	SMI-008	4/ LEAF	EXTERIOR GLASS STOP (DOOR)	6063-T6	-
9	SMI-007	4/ LEAF	INTERIOR GLASS STOP (DOOR)	6063-T6	-
10	SMI-014	3/ DOOR	DOOR STOP BASE	6063-T6	-
11	SMI-015	3/ DOOR	DOOR STOP COVER	6063-T6	-
12	SMI-004	1/ ANCHOR	FLAT FILLER, 3" LONG	6063-T6	-
13	SMI-105	2	SHEAR BLOCK	6063-T6	-
14	SMI-G04	AS REQD.	GLAZING TAPE	FOAM	FRANK LOWE
14A	SMI-G05	AS REQD.	GLAZING TAPE	FOAM	FRANK LOWE
14B	SMI-G11	AS REQD.	ALT. GLAZING TAPE (3/16" X 5/16")	FOAM	FRANK LOWE
14C	SMI-G12	AS REQD.	ALT. GLAZING TAPE (1/8" X 5/16")	FOAM	FRANK LOWE
15	SMI-033	3	FALSE MUNTIN BASE	6063-T6	-
16	SMI-G03	AS REQD.	SETTING BLOCK (3/8" X 1/4" X 1/2" LONG)	EPDM	FRANK LOWE, (DUROMETER 85±5)
17	E20510K	AS REQD.	BULB W'STRIPPING	VINYL	ULTRAFAB, (DUROMETER 65±5)
18	E23610K	AS REQD.	BULB W'STRIPPING WITH FLAP	VINYL	ULTRAFAB, (DUROMETER 65±5)
19	-	2/ LEAF	3/8" THREADED ROD WITH NUT	STEEL	-
20	-	2/ LEAF	FLUSH BOLT GUIDE	ST. STEEL	-
21	-	AS REQD.	PUSH BAR	-	-
22	-	AS REQD.	PULL HANDLE	-	-
23	-	2	THRESHOLD CLIP	ALUMINUM	2" X 2" X 1/8" X 1" LONG
24	-	4/ LEAF	SUPPORT PLATE (1-1/4" X 2" X 1/8")	ALUMINUM	-
26	#12 X 1-1/2"	2/ CORNER	FRAME ASSEMBLY SCREWS	-	HEX H SELF DRILLING
27	#10 X 1"	AS REQD.	GLASS STOP SCREWS AT 4-1/2" O.C. MAX.	-	FH SMS
28	#10 X 1/2"	AS REQD.	THRESHOLD CLIP SCREWS	-	FH SELF DRILLING
29	#8 X 3/4"	AS REQD.	DOOR STOP SCREWS AT 8" O.C. MAX.	-	FH SMS
30	#10 X 5/16"	2/ GUIDE	GUIDE INSTALLATION SCREWS	-	FH MS
31	SMI-025	1	HI-RISE RHRESHOLD COVER	6063-T6	-
31A	SMI-039	1	ALT. HI-RISE RHRESHOLD COVER	6063-T6	-

PRODUCT REVISED as complying with the Florida Building Code  
Acceptance No. 13-1021-10  
Expiration Date 12/31/18  
By Isling L. Hamid  
Rising Stars Product Control

Engr: JAVAD AHMAD  
CIVIL  
FLA. PE # 70592  
C.A.N. 3538  
AUG 23 2013


**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
12395 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8400 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
Aldora Aluminum And Glass Products Inc.  
11500 MIRAMAR PARKWAY SUITE 300  
MIRAMAR, FL. 33025  
TEL. (305) 888-6288 FAX. (305) 888-6289


no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		REV. PER BCCO COMMENTS
C	02.10.09		ALT. GLAZING DETAIL ADDED
D	10.21.11		MANUF. NAME REV.
E	08.12.13		MANUF. NAME REV.

date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:


drawing no. W03-62  
sheet 5 of 7




1 FRAME HEAD




5 TOP RAIL/MID RAIL




15 FALSE MUNTIN BASE




13 SHEAR BLOCK




2 FRAME JAMB




6 BOTTOM RAIL




10 DOOR STOP BASE




11 DOOR STOP COVER




12 FLAT FILLER




3 BUMPER THRESHOLD




4 ADA THRESHOLD COVER




31 HI-RISE THRESHOLD COVER




8 EXTERIOR GLASS STOP (DOOR)




7 DOOR STILE




3A ALT. BUMPER THRESHOLD



4A ALT. ADA THRESHOLD COVERS



31A ALT. HI-RISE THRESHOLD COVER



9 INTERIOR GLASS STOP (DOOR)

Engr: JAVAD AHMAD  
 CIVIL  
 FLA. PE # 70592  
 C.A.N. 3538  
 AUG 23 2013

**af c**  
**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 1235 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP-ANL\W03-62SM


SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
 Aldora Aluminum And Glass Products Inc.  
 11500 MIRAMAR PARKWAY SUITE 300  
 MIRAMAR, FL. 33025  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	description	by
A	03.05.08	UPDATED FOR 2004 FBC	
B	06.10.08	NO CHANGE THIS SHEET	
C	02.10.09	NO CHANGE THIS SHEET	
D	10.21.11	MANUF. NAME REV.	
E	08.12.13	MANUF. NAME REV.	


PRODUCT REVISED  
 as complying with the Florida  
 Building Code  
 Acceptance No. 13702110  
 Expiration Date 12/14/18  
 By: *Ishtiaq Chaudhry*  
 Miami Based Product Control

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:


drawing no.  
**W03-62**  
 sheet 6 of 7




MID RAIL CORNER




DOOR LEAF CORNER



FRAME TOP CORNER



FRAME BOTTOM CORNER



PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 13-1021-12  
Expiration Date 06-04-2013  
By [Signature]  
Miramar Door Product Control

Engr: JAVAD AHMAD  
CIVIL  
FLA. PE # 70592  
C.A.N. 3538

AUG 23 2013



**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
Aldora Aluminum And Glass Products Inc.  
11500 MIRAMAR PARKWAY SUITE 300  
MIRAMAR, FL. 33025  
TEL. (305) 888-6288 FAX. (305) 888-6289

no.	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		REV. PER BCCO COMMENTS
C	02.10.09		NO CHANGE THIS SHEET
D	10.21.11		MANUF. NAME REV.
E	08.12.13		MANUF. NAME REV.

date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:

drawing no.  
**W03-62**  
sheet 7 of 7