



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

Eurotech Industries, Inc.
4201 NE 12 Terrace
Fort Lauderdale, FL 33334

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series " Tradewind" Single Outswing Aluminum Entrance Door w/ SHW-LMI

APPROVAL DOCUMENT: Drawing No. **W10-06 Rev B**, titled "Tradewind Alum. Outswing Ent. Door (L.M.I.)", sheets 1 through 6 of 6, dated 02/17/10 and last revised on APR 24, 2012, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and series and following statement: "Miami-Dade County Product Control Approved", noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # **12-0207.04** and consists of this page 1 and evidence pages E-1 & E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P. E.**



J. GASCON
6/10/14

NOA No. 14-0303.10
Expiration Date: June 10, 2019
Approval Date: May 15, 2014
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections (Submitted under files # **12-0207.04/10-0322.13**)
2. Drawing No. **W10-06 Rev B**, titled "Tradewind Alum. Outswing Ent. Door (L.M.I.)", sheets 1 through 6 of 6, dated 02/17/10 and last revised on APR 24, 2012, prepared by AL-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS (Submitted under files # **12-0207.04/10-0322.13)**

1. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test per FBC, TAS 202-94
 - 4) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94
 - 5) Large Missile Impact Test per FBC, TAS 201-94
 - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of aluminum outswing door, prepared by Hurricane Engineering & Testing, Inc., Test Reports No.'s **HETI-10-3004, HETI-10-3005, HETI-10-3006, HETI-10-3007** and **HETI-09-2563**, dated 02/11-12/10 and Test Reports No.'s **HETI-08-2021, HETI-08-2022, HETI-08-2023** and **HETI-08-2024**, all dated 03/15/08, all signed and sealed by Candido Font, P.E.

2. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test per FBC, TAS 202-94
 - 4) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94
 - 5) Large Missile Impact Test per FBC, TAS 201-94
 - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 7) Tensile Test, per FBC, ASTM E8-01


along with marked-up drawings and installation diagram of aluminum outswing door, prepared by Hurricane Engineering & Testing, Inc., Test Reports No.'s **HETI-03-1882, HETI-08-1889, HETI-08-1890, HETI-08-2024** and **HETI-04-T100**, all dated 01/15/04 through 02/09/04, all signed and sealed by Rafael E. Droz-Seda, P. E. (*Submitted under previous NOA No.04 - 0428.03*)

C. CALCULATIONS

1. Anchor verification calculations, complying with FBC 2007, prepared by Al Farooq Corporation, dated 05/05/10, signed and sealed by Javad Ahmad, P.E. (Submitted under files # **12-0207.04/ #10-0322.13**)
2. Glazing complies w/ ASTME-1300-02 & -04

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).


Jaime D. Gascon, P.E.
Chief, Product Control Section Supervisor
NOA No. 14-0303.10
Expiration Date: June 10, 2019
Approval Date: May 15, 2014

Eurotech Industries, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **11-0624.02** issued to E.I. DuPont DeNemours & Co., Inc. for their “**DuPont Sentry Glass ® Plus**”, expiring on 11/14/17.
2. Notice of Acceptance No. **11-0624.01** issued to E.I. DuPont DeNemours & Co., Inc. for their “**DuPont Butacite PVB interlayer**”, expiring on 12/11/16.
3. Notice of Acceptance No. **12-1231.09** issued to Eastman Chemical Company, (MA) (former Solutia Inc.) for their “**Saflex HP Clear or color glass interlayer**”, expiring on 04/14/18.

F. STATEMENTS


1. Statement letter of conformance to FBC 2010, prepared by Al Farooq Corporation, dated 02/21/2014, signed and sealed by Javad Ahmad, P.E
2. Statement letter of conformance to FBC 2010 & no financial interest, prepared by Al Farooq Corporation, dated 11/10/11, signed and sealed by Javad Ahmad, P.E.(Submitted under files # **12-0207.04**)
3. Statement letter of conformance to FBC 2007 & no financial interest, prepared by Al Farooq Corporation, dated May 04, 2010, signed and sealed by Javad Ahmad, P.E. (submitted under NOA # **10-0322.13**).
4. Statement letter dated 02/14/14, issued by Eurotech Industries, Inc. for renewal with “No Change”, signed by Angelo Petreccia.
5. Lab compliance as part of the above referenced test reports.

G. OTHER

1. This NOA renews NOA # **12-0207.04**, expiring on June 10, 2014



Jaime D. Gascon, P.E.
Chief, Product Control Section Supervisor
NOA No. 14-0303.10
Expiration Date: June 10, 2019
Approval Date: May 15, 2014



TYPICAL ELEVATION

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 14-0203.10
 Expiration Date June 10, 2019
 By [Signature]
 Miami Dade Product Council

THESE DOORS ARE RATED FOR LARGE & SMALL MISSILE IMPACT.
 SHUTTERS ARE NOT REQUIRED.

TRADEWIND ALUMINUM OUTSWING ENTRANCE DOOR

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF FRENCH DOOR/FRENCH DOOR OR FRENCH DOOR WITH OTHER DOOR TYPES IN MODULES OF TWO OR MORE DOORS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN. LOWER DESIGN PRESSURE FROM DOORS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BLDG. CODE SECTION 2003.8.4.

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 12-0207.04
 Expiration Date June 10, 2014
 By [Signature]
 Miami Dade Product Council

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

[Signature]
 APR 24 2012



afC
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)
EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL. 33334
 TEL. (954) 630-9967 FAX. (954) 630-0217

NO	DATE	BY	DESCRIPTION
A	05.03.10		NO CHANGE THIS SHEET
B	11.11.11		UPDATED TO 2010 FBC

date: 02-17-10
 scale: 3/4"=1'-0"
 dr. by: HAMID
 chk. by:

drawing no.
W10-06
 sheet 1 of 6



DESIGN LOAD CAPACITY - PSF			
DOOR SIZE		GLASS TYPES 'A', 'B' & 'C'	
WIDTH	HEIGHT	EXT. (+)	INT. (-)
2/8	6/8	75.0	85.0
3/0		75.0	85.0
3/3		75.0	85.0
2/8	7/0	75.0	85.0
3/0		75.0	85.0
3/3		75.0	85.0
2/8	8/0	75.0	85.0
3/0		75.0	85.0
3/3		75.0	85.0

DOORS APPROVED FOR INSTALLATIONS WHERE WATER INFILTRATION RESISTANCE IS REQUIRED.

DESIGN LOAD CAPACITY - PSF			
DOOR SIZE		GLASS TYPES 'A', 'B' & 'C'	
WIDTH	HEIGHT	EXT. (+)	INT. (-)
2/8	6/8	85.0	115.0
3/0		85.0	115.0
3/3		85.0	115.0
2/8	7/0	85.0	115.0
3/0		85.0	115.0
3/3		85.0	115.0
2/8	8/0	85.0	115.0
3/0		85.0	115.0
3/3		85.0	115.0

DOORS APPROVED FOR INSTALLATIONS WHERE WATER INFILTRATION RESISTANCE IS REQUIRED.




LOCKS:
 3 POINT LOCK SYSTEM AT ACTIVE LOCK STILE 36" FROM BOTTOM, KEY OPERATED ON EXTERIOR AND THUMB TURN ON INTERIOR.
 STRIKE PLATE
 1-1/4" X 1/4" X 16-1/4" LONG
 ATTACHED WITH (2) #8 X 3/4" SMS

HINGES:
 TWO-HANDED COMB HING
 EXTRUDED ALUMINUM BRIDGE 2
 BY 'GIESSE'
 (5) PER LEAF
 AT 6", 12", 35", 63-1/2" AND
 92-1/2" FROM TOP OF DOOR

LOCKS:
 MANUALLY OPERATED CONCEALED FLUSH BOLTS AT TOP AND BOTTOM OF LEAF PART #02181 ATTACHED WITH (4) #10 X 1-1/2" SMS.
 3 POINT LOCK SYSTEM AT LOCK STILE 36" FROM BOTTOM, KEY OPERATED ON EXTERIOR AND THUMB TURN ON INTERIOR.
 STRIKE PLATE
 1-1/4" X 1/4" X 16-1/4" LONG
 ATTACHED WITH (2) #8 X 3/4" SMS

HINGES:
 TWO-HANDED COMB HING
 EXTRUDED ALUMINUM BRIDGE 2
 BY 'GIESSE'
 (7) PER LEAF AT 7/0 AND 8/0 DOORS
 AT 3", 9" AND 26-3/8" FROM
 TOP AND BOTTOM, ONE AT MIDSPAN
 (6) PER LEAF AT 6/8 DOORS
 AT 3", 9" AND 26-3/8" FROM
 TOP AND BOTTOM

NOTE: TOP AND BOTTOM FLUSH BOLTS MUST BE ENGAGED DURING PERIODS OF HURRICANE WARNING.



GLAZING OPTIONS

NOTE:
 GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-04 (3 SEC. GUSTS) AND FLORIDA BUILDING COMMISSION DECLARATORY STATEMENT DCA05-DEC-219

PRODUCT REVISED
 as complying with the Florida Building Code
 Acceptance No. 12-0207-04
 Expiration Date 6/10/14
 By: [Signature]
 Miami Dade Product Control

PRODUCT RENEWED
 as complying with the Florida Building Code
 Acceptance No. 14-0303-10
 Expiration Date 6/10/14
 By: [Signature]
 Miami Dade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
 APR 24 2012






AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL \ W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)
EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL. 33334
 TEL. (954) 630-9967 FAX. (954) 630-0217

no	date	by	description
A	05.03.10		REV. PER BCCO COMMENTS
B	11.11.11		NO CHANGE THIS SHEET

date: 02-17-10
 scale: 3/8" = 1"
 dr. by: HAWID
 chk. by:

drawing no.
W10-06
 sheet 2 of 6



WOOD BUCKS AND METAL STRUCTURE NOT BY EUROTECH MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING
 1/4" DIA. ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI)
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1-3/8" MIN. PENETRATION INTO WOOD
 THRU 1BY BUCKS INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 DIRECTLY INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 1/4" DIA. TEKS/DRIL-FLEX SELF DRILLING SCREWS (GRADE 5 CRS)
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS
 INTO METAL STRUCTURES
 STEEL : 1/8" THK. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

TYPICAL EDGE DISTANCE
 INTO CONCRETE AND MASONRY = 2-1/2" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

CONCRETE f'c = 3000 PSI MIN.
 C-90 HOLLOW/FILLED BLOCK f'm = 2000 PSI MIN.

SEALANTS:
 ALL FRAME AND LEAF CORNERS AND JOINTS SEALED WITH
 ADSEL OR TEKNA 50729 SEALANTS.

WEEPHOLES:
 W1 = 3/16" X 1/2" WEEP HOLES AT 7" FROM EACH END
 3/16" X 1" WEEP HOLE AT CENTER

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 14-0203-10
 Expiration Date 6/10/19
 By [Signature]
 Miami Dade Product Council

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 12-0207-04
 Expiration Date 6/10/19
 By [Signature]
 Miami Dade Product Council

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
 APR 24 2012


AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)
EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL 33334
 TEL. (954) 630-9967 FAX. (954) 630-0217

revisions:	no.	date	description
	A	05.03.10	NO CHANGE THIS SHEET
	B	11.11.11	NO CHANGE THIS SHEET

date: 02-17-10	scale: 3/8" = 1"
dr. by: HAMID	chk. by:

drawing no.	W10-06
sheet	3 of 6



PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 14-0203-10
 Expiration Date 6/11/19
 By *[Signature]*
 Product Code Product Control

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 12-0207-04
 Expiration Date 6/11/14
 By *[Signature]*
 Product Code Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

[Signature]
 APR 24 2012

afcc

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL/W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)


EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL. 33334
 TEL. (954) 630-9967 FAX. (954) 630-0217

NO	DATE	DESCRIPTION
A	05.03.10	NO CHANGE THIS SHEET
B	11.11.11	NO CHANGE THIS SHEET


date: 02-17-10	scale: 3/8" = 1"
dr. by: HAMID	chk. by:

drawing no.
W10-06


sheet 4 of 6




① FRAME HEAD/JAMB




⑤ FIX. MTG. RAIL




② DOOR LEAF




⑥ VENT HANDLE




⑦ VENT TOP RAIL




③ WINDOW SILL




⑧ VENT BOTTOM RAIL



④ FRAME SILL



⑨ VENT STILE



⑩ GLAZING BEAD

ITEM #	PART #	REQD.	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	ER 006	3	FRAME HEAD/JAMB	6063-T6	-
2	HW 016	3	DOOR LEAF	6063-T6	-
3	HW 012	1	WINDOW SILL	6063-T6	-
4	VZ 1483	1	FRAME SILL	6063-T6	-
5	HW 009	1	FIXED MEETING RAIL	6063-T6	-
6	HW 008	1	VENT HANDLE	6063-T6	-
7	HW 004	1	VENT TOP RAIL	6063-T6	-
8	HW 007	1	VENT BOTTOM RAIL	6063-T6	-
9	HW 005	2	VENT STILE	6063-T6	-
10	HW 010	4/ LITE	GLAZING BEAD	6063-T6	-
11	-	-	-	-	-
12	COM 2800	4/ LITE	GLAZING GASKET (DUROMETER 75 SHORE A)	EPDM	-
13	58120	AS REQD.	BULB W'STRIPPING (DUROMETER 64 SHORE A)	SANTOPRENE	COMPLASTEX
14	W21225	AS REQD.	WOOL PILE WITH FIN	-	ULTRAFAB
15	-	-	-	-	-
16	1001/50	1/ CORNER	CORNER KEY	ALUMINUM	MONTICELLO
17	00600X	4/ LEAF	HINGES	ALUMINUM	GIESSE
18	#10 X 3/8"	4/ HINGE	HINGE INSTALLATION SCREWS	-	PH MACHINE SCREWS
19	#10 x 2"	AS REQD.	ASSEMBLY SCREWS	-	HH SELF DRILLING
20	#12 X 1-1/4"	-	FRAME ASSEMBLY SCREWS	-	SMS
21	#10 X 1-1/4"	2/ VENT	VENT HANDLE INSTALLATION SCREWS	-	PH SMS
22	-	1/ VENT	SWEEP LATCH	STEEL	-
23	#8 X 1"	2/ LATCH	SWEEP LATCH INSTALLATION SCREWS	-	FH SMS
24	F210	2/ VENT	BALANCES	-	SUPERBOOST
25	#8 X 1"	1/ BALANCE	BALANCE INSTALLTION SCREWS	-	FH SMS

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 14-0302.10
 Expiration Date 1-16-19
 By: *[Signature]*
 Manual Date Product Control

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 12-0207.04
 Expiration Date 6/10/19
 By: *[Signature]*
 Manual Date Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

 APR 24 2012


afC
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL: (305) 264-8100 FAX: (305) 262-6978
 COMP-ANL\W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)
EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL. 33334
 TEL: (954) 630-9967 FAX: (954) 630-0217


no	date	by	description
A	05.03.10	REV. PER BCCO COMMENTS	
B	11.11.11	NO CHANGE THIS SHEET	

date: 02-17-10
 scale: 3/8" = 1"
 dr. by: HAMID
 chk. by:


drawing no.
W10-06
 sheet 5 of 6




VENT TOP CORNER




VENT BOTTOM CORNER




FIX. RAIL CORNER



WINDOW SILL CORNER




DOOR LEAF CORNER



FRAME TOP CORNER

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 14-0303.10
 Expiration Date 10/10/2019
 By *[Signature]*
 Manufacture Product Control



FRAME BOTTOM CORNER

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 12-0207.04
 Expiration Date JUNE 19, 2014
 By *[Signature]*
 Manufacture Product Control

Engr: JAVAD AHMAD
 CML
 FLA. PE # 70592
 C.A.N. 3538
 APR 24 2012

afc
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W10-06EWD

TRADEWIND ALUM OUTSWING ENT. DOOR (L.M.I.)
EUROTECH INDUSTRIES INC.
 4201 N.E. 12TH TERRACE
 FT. LAUDERDALE, FL. 33334
 TEL. (954) 630-9967 FAX. (954) 630-0217

no	date	by	description
A	05.03.10		NO CHANGE THIS SHEET
B	11.11.11		NO CHANGE THIS SHEET

revisions:

date: 02-17-10
 scale: 3/8" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W10-06

sheet 6 of 6