



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

ES Windows, LLC
3550 NW 49th Street
Miami, FL 33142

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/ or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "1000/1050" Aluminum Single Hung Window – L. M. I.

APPROVAL DOCUMENT: Drawing No. W03-56, titled "Series-1000/1050 Alum. Single Hung Wdw. (L.M.I)", sheets 1 through 8 of 8, dated 07/31/03, with revision J, dated 07/14/15, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, BARRANQUILLA, COLOMBIA S.A., series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/ or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA No. 13-0617.27 and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by Manuel Perez, P.E.



MP
7/23/15

NOA No. 15-0129.03
Expiration Date: November 06, 2018
Approval Date: July 30, 2015

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
(Submitted under NOA No. 09-1008.05)
2. Drawing No. **W03-56**, titled "Series-1000/1050 Alum. Single Hung Wdw. (L.M.I)", sheets 1 through 8 of 8, dated 07/31/03, with revision **J**, dated 07/14/15, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

1. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per ASTM F 588-04/ 07 and per FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum single hung window, prepared by Fenestration Testing Laboratory, Inc., Test Reports No. **FTL-5815** and **FTL-5337**, dated 02/13/09 and 01/25/08 respectively, both signed and sealed by Michael R. Wenzel, P. E.

(Submitted under NOA's No. 09-1008.05 and 07-0928.14)

2. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per ASTM F 588-04/ 07 and per FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum single hung window, prepared by Hurricane Engineering & Testing, Inc., Test Reports No. **HETI-05-1448** and **HETI-05-1953**, dated 04/22/05 and 04/25/05 respectively, both signed and sealed by Ivonne Ghia, P.E.

(Submitted under NOA No. 05-0720.01)


Manuel Perez, P.E.
Product Control Examiner
NOA No. 15-0129.03

Expiration Date: November 06, 2018
Approval Date: July 30, 2015

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

B. TESTS (CONTINUED)

3. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per ASTM F 588-04/ 07 and per FBC 2411
3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum single hung window, prepared by Fenestration Testing Laboratory, Inc., Test Reports No. **FTL-3820** and **FTL-3806**, dated 06/09/03, signed and sealed by Joseph C. Chan, P.E. *(Submitted under NOA No. 03-0910.03)*

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with **FBC 5th Edition (2014)**, prepared by Al-Farooq Corporation, dated 10/23/14 and revised on 07/14/15, signed and sealed by Javad Ahmad, P.E.
2. Glazing complies with **ASTM E1300-09**

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **14-0916.11** issued to **Kuraray America, Inc.** for their "**SentryGlas® (Clear and White) Glass Interlayers**", dated 06/25/15, expiring on 07/04/18.
2. Notice of Acceptance No. **14-0916.10** issued to **Kuraray America, Inc.** for their "**Butacite® PVB Glass Interlayer**", dated 04/25/15, expiring on 12/11/16.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 15-0129.03
Expiration Date: November 06, 2018
Approval Date: July 30, 2015

ES Windows, LLC


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 5th Edition (2014)**, and of no financial interest, dated October 23, 2014, signed and sealed by Javad Ahmad, P.E.
2. Laboratory compliance letter for Test Reports No. **FTL-5815** and **FTL-5337**, issued by Fenestration Testing Laboratory, Inc., dated 02/13/09 and 01/25/08 respectively, both signed and sealed by Michael R. Wenzel, P. E.
(Submitted under NOA's No. 09-1008.05 and 07-0928.14)
3. Laboratory compliance letter for Test Reports No. **HETI-05-1448** & **HETI-05-1953**, issued by Hurricane Engineering & Testing, Inc., dated 04/22/05 and 04/25/05 respectively, both signed and sealed by Ivonne Ghia, P. E.
(Submitted under NOA No. 05-0720.01)
4. Laboratory compliance letter for Test Reports No. **FTL-3820** and **FTL-3806**, issued by Fenestration Testing Laboratory, Inc., dated 06/09/03, both signed and sealed by Joseph C. Chan, P.E.
(Submitted under NOA No. 03-0910.03)

G. OTHERS




1. Notice of Acceptance No. **13-0617.27**, issued to ES Windows, LLC, for their **Series "1000/1050" Aluminum Single Hung Window - L.M.I.**", approved on 09/19/13 and expiring on 11/06/18.


Manuel Perez, P.E.
Product Control Examiner


NOA No. 15-0129.03

Expiration Date: November 06, 2018


Approval Date: July 30, 2015



GLAZING OPTIONS



TYPICAL ELEVATION
SERIES 1000 (STD. SILL)



TYPICAL ELEVATION
SERIES 1000 (HI-RISE SILL)

SERIES-1000/1050 ALUMINUM SINGLE HUNG WINDOW

DESIGN LOAD RATINGS FOR THESE WINDOWS TO BE AS PER CHARTS SHOWN ON SHEET 2.

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF S.H./S.H. OR SINGLE HUNG WITH OTHER WINDOW TYPES IN MODULES OF TWO OR MORE WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN. LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BLDG. CODE.

THESE WINDOWS ARE RATED FOR LARGE & SMALL MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

PRODUCT REVISED as complying with the Florida Building Code
Acceptance No. 15-0129.03
Expiration Date 11/19/12 to 11/18/18
By *Manuel Perez*
Miami Dade Product Control

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538
JUL 16 2015




af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)
E.S. WINDOWS, LLC
3550 N.W. 49 STREET
MIAMI, FL. 33142
TEL. (305) 638-5151 FAX. (305) 638-5158


NO	DATE	DESCRIPTION
G	07.15.09	LATCH OPTION ADDED
H	12.07.11	ALT. GLAZING OPTION ADDED
I	10.24.14	UPDATED TO 2014 FBC
J	07.14.15	REV. PER PER COMMENTS

date: 07-31-03
scale: 1/2"=1'-0"
dr. by: HAMID
chk. by:
drawing no. **W03-56**
sheet 1 of 8


EQUAL LITES WINDOWS DESIGN LOAD CAPACITY - PSF (HI-RISE SILL)								
WINDOW DIMS.		STANDARD TOP RAIL				HEAVY DUTY TOP RAIL		
		GLASS TYPE 'A'		GLASS TYPES 'B', 'C', 'D' & 'E'		GLASS TYPES 'B', 'C', 'D' & 'E'		
WIDTH	HEIGHT	EXT.(+)	1NT.(-)	EXT.(+)	1NT.(-)	EXT.(+)	1NT.(-)	
19-1/8"	26"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		70.0	80.0	80.0	90.0	80.0	90.0	
37"		(3)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(3)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(3)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(3)	70.0	80.0	80.0	90.0	80.0	90.0
19-1/8"	38-3/8"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(4)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(4)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(4)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(4)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(4)	70.0	80.0	80.0	90.0	80.0	90.0
19-1/8"	50-5/8"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
19-1/8"	58"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
19-1/8"	63"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
19-1/8"	68"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(6)	-	-	-	-	80.0	90.0
19-1/8"	74-1/4"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(7)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(7)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(7)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(7)	-	-	-	-	80.0	90.0
53-1/8"		(7)	-	-	-	-	80.0	90.0
19-1/8"	80"	-	-	-	-	80.0	90.0	
26-1/2"		(7)	-	-	-	-	80.0	90.0
37"		(7)	-	-	-	-	80.0	90.0
42"		(7)	-	-	-	-	80.0	90.0
49"		(7)	-	-	-	-	80.0	90.0




STD. TOP RAIL
S-1000



HEAVY DUTY TOP RAIL
S-1000



STD. TOP RAIL
S-1050



HEAVY DUTY TOP RAIL
S-1050

UNEQUAL LITES (ORIEL TYPES) WINDOWS DESIGN LOAD CAPACITY - PSF (HI-RISE SILL)								
WINDOW DIMS.		STANDARD TOP RAIL				HEAVY DUTY TOP RAIL		
		GLASS TYPE 'A'		GLASS TYPES 'B', 'C', 'D' & 'E'		GLASS TYPES 'B', 'C', 'D' & 'E'		
WIDTH	HEIGHT	EXT.(+)	1NT.(-)	EXT.(+)	1NT.(-)	EXT.(+)	1NT.(-)	
19-1/8"	50-5/8"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
53-1/8"		(5)	70.0	74.0	80.0	90.0	80.0	90.0
19-1/8"	58"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(5)	70.0	80.0	80.0	90.0	80.0	90.0
49"		(5)	-	-	-	-	80.0	90.0
53-1/8"		(5)	-	-	-	-	80.0	90.0
19-1/8"	63"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
42"		(6)	-	-	-	-	80.0	90.0
19-1/8"	68"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(6)	70.0	80.0	80.0	90.0	80.0	90.0
37"		(6)	-	-	-	-	80.0	90.0
19-1/8"	74-1/4"	70.0	80.0	80.0	90.0	80.0	90.0	
26-1/2"		(7)	70.0	80.0	80.0	90.0	80.0	90.0

* NO. IN PARENTHESIS INDICATE NO. OF ANCHORS PER JAMB.
LIMIT EXTERIOR(+) LOADS TO 70.0 PSF FOR STD. SILL.

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. **15-0129.03**
Expiration Date **11/06/2018**
By *Mamad Jera*
Miami Made Product Control

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-09 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538
JAH 6 2015




af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)
E.S. WINDOWS, LLC
3550 N.W. 49 STREET
MIAMI, FL. 33142
TEL. (305) 638-5151 FAX. (305) 638-5158

no.	date	description
G	07.15.09	LATCH OPTION ADDED
H	12.07.11	NO CHANGE THIS SHEET
I	10.24.14	UPDATED TO 2014 FBC
J	07.14.15	REV. PER PER COMMENTS

date: 07-31-03
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no. **W03-56**
sheet 2 of 8



WOOD BUCKS AND METAL STRUCTURE NOT BY E.S. WINDOWS MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING
1/4" DIA. ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI)
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1-1/2" MIN. PENETRATION INTO WOOD
 THRU 1BY BUCKS INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 DIRECTLY INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY

#14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS (MIN. THK. = 1/8")
 INTO METAL STRUCTURES
 STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

Ed = ANCHOR EDGE DISTANCE
 INTO CONCRETE AND MASONRY = 2-1/2" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

WOOD AT HEAD, SILL OR JAMBS SG = 0.55 MIN.
 CONCRETE AT HEAD, SILL OR JAMBS f'c = 3000 PSI MIN.
 C-90 HOLLOW/FILLED BLOCK AT JAMBS f'm = 2000 PSI MIN.

SEALANT:
 ALL JOINTS AND FRAME CONNECTIONS SEALED WITH SCHNEE MOREHEAD SEAM SEALER SM5504.

WEEPHOLES:
 W1 = 1-1/2" X 3/16" WEEPHOLES AT 4" FROM EACH END
 W2 = 1-5/16" NOTCH AT EACH END

PRODUCT REVISED as complying with the Florida Building Code
 Acceptance No. **15-0129.03**
 Expiration Date **11/06/2018**
 By *Manuel Perez*
 Miami Dade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

JUL 16 2015

SERIES-1000
 VENT WITH SPRING LOADED LATCHES

af c

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W03-56ESW




SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)

E.S. WINDOWS, LLC
 3550 N.W. 49 STREET
 MIAMI, FL. 33142
 TEL. (305) 638-5151 FAX. (305) 638-5158

no	date	description	by
G	07.15.09	LATCH OPTION ADDED	
H	12.07.11	SILL W/STRIPPING REV.	
I	10.24.14	UPDATED TO 2014 FBC	
J	07.14.15	REV. PER RER COMMENTS	

date: 07-31-03
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no. **W03-56**
 sheet 3 of 8



1/4" MAX. SHIM

3 1/8" HI-RISE SILL LIMIT EXT.(+) LOAD TO 80 PSF

2 1/2" STD. SILL LIMIT EXT.(+) LOAD TO 70 PSF

PRODUCT REVISED as complying with the Florida Building Code Acceptance No. **15-0129.03** Expiration Date **11/06/2018**
 By *Manuel Perez*
 Miami Trade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

SERIES-1050
 VENT WITH SWEEP LATCHES

JUL 18 2015

af c

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)

E.S. WINDOWS, LLC
 3550 N.W. 49 STREET
 MIAMI, FL. 33142
 TEL. (305) 638-5151 FAX. (305) 638-5158



Revisions:

no	date	by	description
G	07.15.09		LATCH OPTION ADDED
H	12.07.11		SILL W/STRIPPING REV.
I	10.24.14		UPDATED TO 2014 FBC
J	07.14.15		REV. PER RER COMMENTS

date: 07-31-03
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W03-56

sheet 4 of 8



ITEM #	PART #	REQD.	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	ES1001	1	FRAME HEAD	6063-T6	-
2	ES1002	1	FRAME SILL (STD.)	6063-T6	-
2A	ES1101	1	FRAME SILL (HI-RISE)	6063-T6	-
3	ES1003	2	FRAME JAMB	6063-T6	-
4	ES1005	1	FIXED MTG. RAIL (FOR SPRING LATCH)	6063-T6	-
4A	ES1051	1	FIXED MTG. RAIL (FOR SWEEP LATCH)	6063-T6	-
5	ES1004	1	STD. VENT TOP RAIL (FOR SPRING LATCH)	6063-T6	-
5A	ES2004	1	HEAVY DUTY VENT TOP RAIL (FOR SPRING LATCHES)	6063-T6	-
5A.1	ES2004A	1	HEAVY DUTY VENT TOP RAIL (FOR SPRING LATCHES)	6063-T6	ALTERNATE TO 5A
5B	ES1052	1	STD. VENT TOP RAIL (FOR SWEEP LATCH)	6063-T6	-
5C	ES1053	1	HEAVY DUTY VENT TOP RAIL (FOR SWEEP LATCHES)	6063-T6	-
5C.1	ES1053A	1	HEAVY DUTY VENT TOP RAIL (FOR SWEEP LATCHES)	6063-T6	ALTERNATE TO 5C
6	ES1006	1	VENT BOTTOM RAIL	6063-T6	-
7	ES1007	2	VENT SIDE RAIL	6063-T5	-
8	ES1008	AS REQD.	GLAZING BEAD	6063-T6	-
8A	ES1103	AS REQD.	SQUARE GLAZING BEAD	6063-T5	-
9	ES1009	2/VENT	SPRING LOADED VENT LATCH	6063-T5	AT 6" FROM ENDS
9A	3032	2/VENT	SWEEP LATCH	ZAMAK	AT 11" FROM ENDS
9B	#8 X 1"	2/ LATCH	LATCH INSTALLATION SCREWS	-	FH SMS
10	ES1012	1/LATCH	LATCH SPRING	ST. STEEL	-
11	ES1010	AS REQD.	GLAZING WEDGE	SOFT PVC	DUROMETER 70±5 SHORE 'A'
11A	27-425	AS REQD.	GLAZING GASKET	EPDM	DUROMETER 60±5 SHORE 'A'
12	#8 X 1"	20	FRAME & VENT ASSEMBLY SCREWS	CRS	PH SMS
13	ES1011	2/VENT	SASH CAM	CELCON	-
14	43620-187	AS REQD.	PILE W'STRIPPING WITH PLASTIC FIN	-	AMESBURY OR EQUIV.
15	Q300X190	AS REQD.	FRAME SILL W'STRIPPING	-	Q-LON2
16	-	2/ VENT	BLOCK & TACKLE BALANCE	-	SERIES 120 BY BSI
17	-	2/ VENT	SPIRAL BALANCE	-	-
18	ES1013	2	SASH STOP	-	-
19	ES1505	-	FLUSH FRAME ADAPTER	6063-T5	OPTIONAL
20	-	1	5/16" BOX SCREEN	-	OPTIONAL
21	27-372	2/ LITE	SETTING BLOCK, 7/16" X 3/16" X 3-1/2" LONG	EPDM	DUROMETER 75±5 SHORE A

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. **15-0129.03**
 Expiration Date **11/06/2018**
 By *Manuel Perez*
 Miami Dade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538

 JUL 16 2015

SERIES-1000
 SERIES-1050






af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)
E.S. WINDOWS, LLC
 3550 N.W. 49 STREET
 MIAMI, FL. 33142
 TEL (305) 638-5151 FAX. (305) 638-5158

no	date	description
G	07.15.09	LATCH OPTION ADDED
H	12.07.11	ALT. GLAZING OPTION ADDED
I	10.24.14	UPDATED TO 2014 FBC
J	07.14.15	REV. PER PER COMMENTS

date: 07-31-03
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W03-56
 sheet 5 of 8



PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. **15-0129.03**
Expiration Date **11/06/2018**
By *Manuel Perez*
Miami-Dade Product Control

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

Javad Ahmad

JUL 16 2015

INSTALLATION DETAILS WITH FLUSH FRAME ADAPTER

afc

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)


E.S. WINDOWS, LLC
3550 N.W. 49 STREET
MIAMI, FL. 33142
TEL (305) 638-5151 FAX (305) 638-5158

no	date	by	description
G	07.15.09		LATCH OPTION ADDED
H	12.07.11		NO CHANGE THIS SHEET
I	10.24.14		NO CHANGE THIS SHEET
J	07.14.15		REV. PER RER COMMENTS


date: 07-31-03
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W03-56


sheet 6 of 8




① FRAME HEAD




⑱ FLUSH FRAME ADAPTER



⑤ STD. VENT TOP RAIL SERIES-1000




⑤B STD. VENT TOP RAIL SERIES-1050




⑪ GLAZING WEDGE SCALE 1:1


BASE POLYMER = EPDM RUBBER
 DENSITY = 10.26 Lbs/Gal
 HARDNESS = 70±5
 TENSILE STRENGTH = 905 PSI
 ELONGATION AT BREAK = 273%
 TEAR STRENGTH = 1.343 Kip/ft
 BRITTLENESS TEMPERATURE = -40° F
 COMPRESSION SET = 27% (22h@158°F)




③ FRAME JAMB




⑨ VENT LATCH




⑤A H.D. VENT TOP RAIL SERIES-1000




⑤C H.D. VENT TOP RAIL SERIES-1050




⑧ GLAZING BEAD




⑧A SQUARE GLAZING STOP




⑤A.1 H.D. VENT TOP RAIL SERIES-1000




⑤C.1 H.D. VENT TOP RAIL SERIES-1050




⑥ VENT BOTTOM RAIL




⑦ VENT SIDE RAIL




④ MEETING RAIL SERIES-1000



④A MEETING RAIL SERIES-1050



② FRAME SILL (STD.)



②A FRAME SILL (HI-RISE)

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 15-0129.03
 Expiration Date 11/06/2018
 By *Manuel Perez*
 Miami Dade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
JUL 16 2015


af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL (305) 264-8100 FAX (305) 262-6978
 COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)
E.S. WINDOWS, LLC
 3550 N.W. 49 STREET
 MIAMI, FL. 33142
 TEL. (305) 638-5151 FAX. (305) 638-5158


no	date	description
G	07.15.09	LATCH OPTION ADDED
H	12.07.11	ALT. GLAZING OPTION ADDED
I	10.24.14	UPDATED TO 2014 FBC
J	07.14.15	REV. PER RER COMMENTS

date: 07-31-03
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W03-56
 sheet 7 of 8



VENT CORNER DETAIL



FRAME CORNERS DETAIL

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. **15-0129.03**
 Expiration Date **11/16/2018**
 By *Manuel Lopez*
 Miami Dade Product Control

Engr: JAVAD AHMAD
 CIVIL
 FLA. PE # 70592
 C.A.N. 3538
J.A.
 JUL 16 2015

afc
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W03-56ESW

SERIES-1000/1050 ALUM SINGLE HUNG WDW. (L.M.I.)
E.S. WINDOWS, LLC
 3550 N.W. 49 STREET
 MIAMI, FL. 33142
 TEL. (305) 638-5151 FAX. (305) 638-5158

no	date	by	description
G	07.15.09		LATCH OPTION ADDED
H	12.07.11		NO CHANGE THIS SHEET
I	10.24.14		NO CHANGE THIS SHEET
J	07.14.15		REV. PER RER COMMENTS

date: 07-31-03
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W03-56
 sheet 8 of 8