



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

**NOTICE OF ACCEPTANCE (NOA)**

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION  
11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786) 315-2590 F (786) 315-2599  
[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

**Royal Window and Door Profiles, Plant 13**  
**1 Contact Place 326 Pittsburgh St.**  
**Delmont, PA 15626**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Performance Core Rigid PVC Exterior Extrusions for Windows and Doors**

<u>Property</u>	<u>Test</u>	<u>Performance</u>
Self-Ignition Temperature	ASTM D1929	730°F > 650°F
Rate of Burning	ASTM D635	Class C1
Average Smoke Density Rating	ASTM D2843	41.3% < 75%

**MISSILE IMPACT RATING: None**

**LIMITATIONS:**

1. This approval does not include an evaluation of structural performance of this component. Test reports and other required documents shall be submitted to Miami-Dade County Product Control showing that the systems using this PVC Extrusion will resist the loads according to Chapter 16 of the Florida Building Code, in order to issue a specific product approval for the system.
2. Performance Core Rigid PVC cannot be used in exposed to weather (UV) condition.



NOA No: 15-0826.25  
Expiration Date: April 16, 2020  
Approval Date: November 12, 2015  
Page 1



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
 BOARD AND CODE ADMINISTRATION DIVISION  
**NOTICE OF ACCEPTANCE (NOA)**

MIAMI-DADE COUNTY  
 PRODUCT CONTROL SECTION  
 11805 SW 26 Street, Room 208  
 Miami, Florida 33175-2474  
 T (786) 315-2590 F (786) 315-2599  
[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

Royal Window and Door Profiles, Plant 13  
 1 Contact Place 326 Pittsburgh St.  
 Delmont, PA 15626

**LABELING:** Each carton containing certified extrusions shall be labeled with the extruder name, city, state and "MDCA". In addition, each extrusion shall be labeled every 4 ft or less on the underside or each window/door assembly shall be labeled with a permanent label identifying the extruder.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 14-0529.14 and consists of pages 1 and 2, as well as evidence page E-1, E-2, E-3.

The submitted documentation was reviewed by Carlos M. Utrera, P.E.

*[Handwritten Signature]*  
 11/02/2015



NOA No: 15-0826.25  
 Expiration Date: April 16, 2020  
 Approval Date: November 12, 2015  
 Page 2

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

**A. DRAWINGS**

1. See sheets E-2 and E-3.

**B. TESTS "Submitted under NOA # 14-0529.14"**

	<u>Report No.</u>	<u>Test Standard</u>	<u>Date</u>	<u>Signature</u>
1.	HETI-14-F302	ASTM D1929	04/04/2014	Rafael E. Droz-Seda, P.E.
2.	HETI-14-F302	ASTM D635	04/04/2014	Rafael E. Droz-Seda, P.E.
3.	HETI-14-F302	ASTM D2843	04/04/2014	Rafael E. Droz-Seda, P.E.

**C. CALCULATION**

1. None

**D. QUALITY ASSURANCE**


1. Miami-Dade Department of Regulatory and Economic Resources (RER)

**E. MATERIAL CERTIFICATION**

1. Notice of Acceptance No. **14-0529.12** issued to Royal Window and Door Profiles, Plant 13 for its '**Tan 3040 and lighter shades (Non-White) Rigid PVC Exterior Extrusions**'.
2. Notice of Acceptance No. **15-0826.24** issued to Royal Window and Door Profiles, Plant 13 for its '**Bronze and Lighter Shades of Cap Coated Rigid PVC Exterior Extrusions**', approved on 11/12/2015 and expiring on 04/16/2020.
3. Notice of Acceptance No. **15-0728.07** issued to Royal Window and Door Profiles, Plant 13 for its '**White Rigid PVC Exterior Extrusions**', approved on 10/21/2015 and expiring on 02/28/2018.



**F. STATEMENTS**

1. Statement letter of code conformance to the 5<sup>th</sup> edition (2014) FBC and of no financial interest issued by ENGCO Inc., dated 08/10/2015, signed and sealed by Pedro De Figueiredo, P.E.



Carlos M. Utrera, P.E.  
Product Control Examiner  
NOA No 15-0826.25  
Expiration Date: April 16, 2020  
Approval Date: November 12, 2015

**Royal Window and Door Profiles, Plant 13**




**Sample Profiles**

Note: By complex controls, multiple compounds are simultaneously extruded and combined to create a wide variety of custom engineered profiles.

*[Signature]*  
11/02/2015

Carlos M. Utrera, P.E.  
Product Control Examiner  
NOA No 15-0826.25  
Expiration Date: April 16, 2020  
Approval Date: November 12, 2015

Royal Window and Door Profiles, Plant 13



**Sample Profile**

**END OF THIS ACCEPTANCE**

*Carlos M. Utrera*  
11/02/2015

---

**Carlos M. Utrera, P.E.**  
**Product Control Examiner**  
**NOA No 15-0826.25**  
**Expiration Date: April 16, 2020**  
**Approval Date: November 12, 2015**