



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
 BOARD AND CODE ADMINISTRATION DIVISION
NOTICE OF ACCEPTANCE (NOA)

Stanley Security Solutions, Inc.
6161 E 75th Street
Indianapolis, IN 46250

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "ARM-A-DOR" Panic Exit Device-Component Approval

APPROVAL DOCUMENT: Drawing No. **A100-INS Rev B**, Sheets 1 through 2 of 2, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 02-06-14 and last revised on OCT 03, 2016, signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact

Limitations:

1. Max Design Pressure = +/- **85 PSF**, Single Steel Door application (48" x 86" max panel, Approved Single Steel Door under separate approval)
2. Electrical installation (under separate approval) and egress requirement to be reviewed by appropriate Building official, having jurisdiction.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and series and following statement: "Miami-Dade County Product Control Approved", noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises NOA # 14-0421.04** and consists of this page 1 and evidence pages E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



X
 11/11/16

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- A. DRAWINGS** (Submitted under files below)
1. Manufacturer's die drawings and sections (Submitted under files below).
 2. Drawing No. **A100-INS Rev B**, Sheets 1 through 2 of 2, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 02-06-14 and last revised on OCT 03, 2016, signed and sealed by Warren W. Schaefer, P.E.
- B. TESTS** (Submitted under files #14-0421.04 /#11-1116.02/# 07-1219.12)
1. Test reports on
 - 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 2) Water infiltration test per FBC, TAS 202-94 (Not performed)
 - 3) Large Missile Impact Test per FBC, TAS 201-94
 - 4) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 5) Forced Entry Test, per FBC 2411.3.2.1 and TAS 202-94
- Along with installation diagrams of a Panic exit devices, prepared by Hurricane Testing Laboratory, Test Report No(s). T116-0601-07, dated 06/27/07, signed and sealed by Vinu J. Abraham, P.E.
- Along with installation diagrams of a Panic exit devices, prepared by Hurricane Testing Laboratory, Test Report No(s).HTL 96097(HTL-0116-1205-96) per SFBC 202, 201/203, dated 12/10/96, signed and sealed by Timothy S. Marshall, P.E.
- C. CALCULATIONS**
1. Statement letter of compliance to FBC 2014 (5th Edition), prepared by W. W. Schaefer Engineering & Consulting, P.A., dated OCT 03, 2016, signed and sealed by Warren W. Schaefer, P.E.
 2. Structural calculation of door components performed by W. W. Schaefer Engineering & Consulting, P.A., dated 1/27/97, signed and sealed by Warren W. Schaefer, P.E. (Submittal under files # 07-1219.12 / 07-0618.20)
- D. QUALITY ASSURANCE**
1. Miami-Dade Department of Regulatory and Economic Resources (RER).
- E. MATERIAL CERTIFICATIONS**
1. None
- F. STATEMENTS** (Items # 3 & #4 submitted under file #14-0421.04)
1. Statement letter of compliance to FBC 2014 (5th Edition), prepared by W. W. Schaefer Engineering & Consulting, P.A., dated OCT 03, 2016, signed and sealed by Warren W. Schaefer, P.E.
 2. Lab compliance statements as a part of the above test reports.
 3. Statement letter dated 01/21/14 from Sargent & Greenleaf, Inc., stating that they have transferred all assets to Stanley Security Solutions, Inc, and they no longer manufacture the product and relinquish their rights to the current NOA, signed by Ed Miller of Sargent & Greenleaf, Inc.
 4. Statement letter dated Jan 01, 2014 issued by Assistant secretary of Sargent & Greenleaf, Inc., that the company is the wholly owned subsidiary of Stanley Security Solutions, Inc., signed by Kara J. Dean, Assistant secretary of Sargent & Greenleaf, Inc.
- G. OTHER**
1. This NOA **renews** NOA # **14-0421.04**, expiring on March 09, 2022.


Ishaq I. Chanda, P.E.
Product Control Examiner
NOA No. 16-1013.06
Expiration Date: March 09, 2022
Approval Date: November 10, 2016



Security Solutions



Sargent and Greenleaf, Inc.
A wholly-owned subsidiary of
**Stanley Security Solutions,
Inc.**

One Security Drive
Nicholasville, KY 40356
Phone 859-885-9411
FAX 859-887-2057

www.sargentandgreenleaf.com
www.stanleysecuritysolutions.com

January 21, 2014

Miami-Dade County
Product Control Section
11805 SW 26 Street
Room 208
Miami, Florida 33175-2474

To Who May Concern:

Sargent and Greenleaf, Inc. (A wholly owned subsidiary of Stanley Security Solutions), Nicholasville, KY is inter-company transferring the Arm-A-Dor (AAD) to Stanley Security Solutions, Indianapolis Distribution Center, Greenfield, IN.

Sargent and Greenleaf, Inc. wishes to rescind the Miami-Dade County Notice of Acceptance Control No. 11.1116.02. Sargent and Greenleaf, Inc. is giving up the rights to the NOA 11.1116.02.

The AAD will no longer be manufactured at the Nicholasville, KY facility approved under the NOA 11.1116.02. All AAD product know-how, tooling, test equipment and parts inventory associated with the fabrication and testing are being transferred to the Stanley Security Solutions, Greenfield, IN facility.


Sincerely,

Ed Miller
Product Engineer
Sargent and Greenleaf, Inc

cc: Brian Callihan
Tom Lowe
Bob Strong, Stanley Security Solutions

REVISIONS △ = CHANGED IN THIS REVISION				
REV.	ECN/EA#	BY	DATE	APR. BY
A	RELEASE	BDH	2/6/2014	RAS

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No 16-1013-06
 Expiration Date MAR 09, 2022
 By Ishag T. Ullah
 Miami Dade Product Control




OCT 03 2016

WARREN W. SCHAEFER, P.E.
 STRUCTURAL ENGINEER
 FLORIDA REG. #PE0044135

W.W. SCHAEFER ENGINEERING
 & CONSULTING, P.A. (CA #6809)
 7480 150th COURT NORTH
 PALM BEACH GARDENS, FL 33418

ITEM	QTY	DESCRIPTION
NA	2	9-VOLT ALKALINE BATTERY
1	1	LOCK ASSEMBLY
2	1	TAILPIECE
3	1	EXTENSION ROD (AUTO UNITS ONLY)
4	8	THREAD-FORMING SCREW (#6-3/8" LG)
5	1	END CAP (FOR TAILPIECE)
6	4	DOOR BRACKET (3 1/2" X 2")
7	2	HEX HEAD BOLT (3/8" X 2 1/2" LG)
8	8	FLAT WASHER (3/8")
9	4	STAR LOCK WASHER (3/8")
10	6	HEX NUT (3/8"-16)
11	2	SUPPORT SLEEVE (1 1/4" LG)
12	4	CARRIAGE BOLT (3/8" X 2 1/2" LG)
13	4	SUPPORT TUBE (1 5/8" LG)
14	4	BOLT WASHER
15	1	STRIKE PLATE
18	1	RELEASE BRACKET (AUTO UNITS ONLY)
17	5	SELF-TAPPING SCREW (#10 X 3/4" LG)
NA	1	DRILL TEMPLATE
19	2	END CAP (FOR PUSH BAR)
20	8	SCREW (#6 X 3/4" LG)
21	1	EMERGENCY LABEL
22	1	EXTENSION COLLAR
23	2	SPLIT LOCK WASHER (3/8")
24	5	STAR LOCK WASHER (#10)
25	4	DOOR SPACER
26	4	DOOR BRACKET (1 1/2" X 2")
27	4	CARRIAGE BOLT (3/8" X 3 1/2" LG)
28	4	CAP (GRAY)





MODEL NUMBER	DESCRIPTION
A101-001	AUTOMATIC LOCK ASSEMBLY
A102-001	MANUAL LOCK ASSEMBLY
A101-002	AUTOMATIC LOCK ASSEMBLY WITH ALARM
A102-002	MANUAL LOCK ASSEMBLY WITH ALARM



48.00 WIDTH UNIT SHOWN

	ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED XXX = BASIC DIMENSION DUAL DIMENSIONS TO BE SHOWN AS: INCH (Millimeter) CTO'S TO BE INTREPRETED ACCORDING TO SPO2.3.BAS (O)	SPECIFICATIONS ARE TO BE INTERPRETED ACCORDING TO ASME Y14.5M-1994.	STANLEY Security STANLEY SECURITY 6161 E. 75TH STREET INDIANAPOLIS, IN 46250
	MATERIAL: SEE CHART FINISH: HARDNESS:	*CONFIDENTIAL - This document and all information contained herein is the sole property of Stanley Security Solutions, Inc. and may not be disclosed to unauthorized persons or reproduced by any means or used for any purpose other than that submitted without the express written permission from Stanley Security Solutions, Inc.* *Export of this document to countries outside the United States is subject to U.S. export administration regulations.* Copyright © 2014 Stanley Security Solutions, Inc. All Rights Reserved.	PROJECT: PHI SHEET: 1 OF 2 TITLE: ARM-A-DOR PANIC DEVICE INSTALLATION DRAWING DRAWING: A100-INS

REVISIONS				
REV.	ECN/EAF	BY	DATE	APR. BY
A	RELEASE	BDH	2/6/2014	RAS




FOR DOOR JAMB WIDTH ABOVE 40.00, USE EXTENSION COLLAR AS SHOWN

ELEVATION (FRONT) VIEW

CROSS SECTION (TOP) VIEW

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 16-1013-06
 Expiration Date MARCH 2022
 By Warren W. Schaefer
 Miami Dade Product Council



OCT 03 2016

WARREN W. SCHAEFER, P.E.
 STRUCTURAL ENGINEER
 FLORIDA REG. #PE0044135

W.W. SCHAEFER ENGINEERING & CONSULTING, P.A. (CA #6809)
 7480 150th COURT NORTH
 PALM BEACH GARDENS, FL 33418

THIRD ANGLE PROJECTION 	ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED [XXX] = BASIC DIMENSION DUAL DIMENSIONS TO BE SHOWN AS: INCR (Millimeter)		SPECIFICATIONS ARE TO BE INTERPRETED ACCORDING TO ASME Y14.5M-1994.	STANLEY Security STANLEY SECURITY 6161 E. 75TH STREET INDIANAPOLIS, IN 46250
	CTO'S TO BE INTERPRETED ACCORDING TO SP02.3.BAS ()		*CONFIDENTIAL - This document and all information contained herein is the sole property of Stanley Security Solutions, Inc. and may not be disclosed to unauthorized persons or reproduced by any means or used for any purpose other than that submitted without the express written permission from Stanley Security Solutions, Inc.* *Export of this document to countries outside the United States is subject to U.S. export administration regulations.* *Copyright © 2014 Stanley Security Solutions, Inc. All Rights Reserved.*	BRAND: PHI PROJECT: PH1 PRODUCT FAMILY: EXITS SHEET: 2 OF 2
MATERIAL: SEE CHART FINISH: HARDNESS:				TITLE: ARM-A-DOR PANIC DEVICE INSTALLATION DRAWING DRAWING: A100-INS SCALE: NTS SIZE: B