



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786)315-2590 F (786) 31525-99

www.miamidade.gov/economy

GAF

1 Campus Drive
Parsippany, NJ, 07054

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (in Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: GAF EverGuard® PVC Roofing Membranes and Accessories.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5.

The submitted documentation was reviewed by Jorge L. Acebo.



NOA No.: 20-0810.06
Expiration Date: 08/17/28
Approval Date: 08/17/23
Page 1 of 5

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Roofing Membranes and Accessories
Material: PVC

SCOPE:

This approves GAF EverGuard® PVC Roofing Membranes as roofing components, as described in this Notice of Acceptance, designed to comply with the Florida Building Code and the High Velocity Hurricanes Zone. Please refer to “Limitations” herein for limits of use.

PRODUCT DESCRIPTION:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
EverGuard® PVC <i>Manufacturing Location</i> #1, 2	Various	ASTM D4434	Thermoplastic, reinforced PVC single-ply membrane.
EverGuard® PVC Smooth <i>Manufacturing Location</i> # 2	Various	ASTM D4434	Polyester single-ply PVC membrane.
EverGuard® PVC Fleeceback <i>Manufacturing Location</i> #1, 2	Various	ASTM D4434	Polyester fleece backed thermoplastic PVC single-ply membrane.
EverGuard® PVC KEE <i>Manufacturing Location</i> #1, 2	Various	ASTM D4434	Thermoplastic, reinforced PVC KEE based single-ply membrane.
EverGuard® PVC KEE Fleeceback <i>Manufacturing Location</i> #1, 2	Various	ASTM D4434	Polyester fleece backed thermoplastic PVC KEE single-ply membrane.
EverGuard® PVC XK <i>Manufacturing Location</i> #2	Various	ASTM D4434	Thermoplastic, reinforced PVC KEE based single-ply membrane.
EverGuard® PVC XK Fleeceback <i>Manufacturing Location</i> #2	Various	ASTM D4434	Polyester fleece backed thermoplastic PVC KEE single-ply membrane.
EverGuard® PVC Split Pipe Boot <i>Manufacturing Location</i> #4	Various	Proprietary	Reinforced GAF PVC membrane split to accommodate most common pipes and conduits.



<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
EverGuard® PVC Corner Curb Flashing <i>Manufacturing Location # 4</i>	Various	Proprietary	Corners are fabricated from non-reinforced PVC membrane.
EverGuard® PVC Square Tube Wrap <i>Manufacturing Location # 4</i>	Various	Proprietary	PVC membrane molded to wrap around square roof structures.
EverGuard® PVC Inside Corner <i>Manufacturing Location # 3, 4</i>	6" x 6" x 5 ¼"	Proprietary	Inside corner manufactured from non-reinforced GAF PVC.
EverGuard® PVC Coated Metal <i>Manufacturing Location # 5</i>	Various	Proprietary	Unreinforced membrane laminated to galvanized sheet metal.
EverGuard® PVC Fluted Corner <i>Manufacturing Location # 3</i>	8" diameters nominal 0.5" non-reinforced	Proprietary	Flashing for outside corners of base and curb flashing manufactured from non-reinforced GAF PVC.
EverGuard® PVC T-Joint Cover Patch <i>Manufacturing Location # 3</i>	100 patches per box	Proprietary	T-Joint path manufactured from unreinforced GAF PVC.
EverGuard® PVC Scuppers <i>Manufacturing Location # 6, 7, 8, 9, 10</i>	4" x 6" x 12" 8" x 10" x 12"	Proprietary	Scupper manufactured from coated metal and unreinforced GAF PVC.
EverGuard® PVC Conical Pipe Boot <i>Manufacturing Location # 6, 7, 8, 9, 10</i>	Various	Proprietary	Prefabricated accessory to flash round penetrations from 1" - 6".
EverGuard® PVC Vent <i>Manufacturing Location # 6, 7, 8, 9, 10</i>	2 vents per carton	Proprietary	Vent manufactured from reinforced GAF PVC membrane and galvanized steel.
EverGuard® PVC XK Fluted Corner <i>Manufacturing Location #3</i>	8" diameters nominal 0.5" non-reinforced	Proprietary	Flashing for outside corners of base and curb flashing manufactured from non-reinforced GAF PVC XK.

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
EverGuard® PVC XK Inside Corner <i>Manufacturing Location</i> # 3	6" x 6" x 5 ¼"	Proprietary	Inside corner manufactured from non-reinforced GAF PVC XK.
EverGuard® PVC XK T-Joint Cover Patch <i>Manufacturing Location</i> # 3	100 patches per box	Proprietary	T-Joint patch manufactured from unreinforced GAF PVC XK.
EverGuard® PVC XK Corner Curb Flashing <i>Manufacturing Location</i> # 3	8" diameters nominal 0.5" non-reinforced	Proprietary	Corners are fabricated from non-reinforced PVC XK membrane.
EverGuard® PVC Flashing Strip <i>Manufacturing Location</i> # 2	Various	Proprietary	Reinforced flashing membrane manufactured from GAF PVC.
EverGuard® PVC Walkway Roll <i>Manufacturing Location</i> # 2	Rolls 1/8" x 30" x 50'	Proprietary	Standard duty PVC walkway rolls.
EverGuard® PVC Detailing Membrane <i>Manufacturing Location</i> # 2, 3	24" x 50'	Proprietary	Unreinforced flashing material manufactured from GAF PVC.

MANUFACTURING LOCATIONS:

1. Cedar City, UT
2. Hillside, NJ
3. Gainesville, TX
4. Freemont, OH
5. Franklin Park, IL
6. Downey, CA
7. Santa Rosa, CA
8. Woodland, WA
9. Mount Prospect, IL
10. Piedmont, SC



EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
NEMO etc.	NEMO 4S-GAF-18-003.12.18-1	ASTM D4434	12/04/18
	NEMO 4S GAF-18-003.12.18-2	ASTM D4434	12/04/18
	GAF-SC10365.10.16-2-R1	ASTM D4434	12/01/16
	GAF-SC10365.01.17	ASTM D4434	01/16/17
	GAF-SC10365.03.17	ASTM D4434	03/17/17
	4r-FMI-20-SSTHP-01.A	ASTM D4434	10/10/21
	4r-FMI-20-SSTHP-01.B	ASTM D4434	08/01/22

LABELING:

All membranes and accessories or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city and state of manufacturing facility, and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. EverGuard PVC products are designed for use as specified within approved roofing system NOA assemblies.
3. This acceptance establishes the required physical properties testing and traceability of roofing membrane and accessory components listed in approved roofing applications. Minimum deck requirements shall be in compliance with applicable building code. EverGuard PVC products shall be installed in strict compliance with applicable Building Codes, Product Approvals and Manufacturers' specifications and guidelines.
4. Change in materials or manufacturing process or location of any of the products listed herein shall be cause for termination of this Notice of Acceptance.
5. EverGuard PVC products may be used with any approved Roof Assembly Notice of Acceptance listing xxx as a component part of an assembly in the Notice of Acceptance. If EverGuard PVC products is not listed; a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.
6. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

END OF THIS ACCEPTANCE



NOA No.: 20-0810.06
Expiration Date: 08/17/28
Approval Date: 08/17/23
Page 5 of 5