



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION
NOTICE OF ACCEPTANCE (NOA)

Universal Impact Windows & Doors, Inc.
1675 W. 31ST Place
Hialeah, FL 33012

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "Rebecca" Aluminum Outswing French Door w/wo Sidelites – L.M.I.

APPROVAL DOCUMENT: Drawing No. **W04-81, Rev I** titled "Series Rebecca Alum. Outswing French Door (L.M.I.)", sheets 1, 2, 3, 4, 4.1 & 4.2 through 11 of 11, dated 09/13/04 and last revised on JAN 07, 2021, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P. E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and Expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

Limitations:

1. See sheets **2, 3 & 4** for applicable Design Pressure (DP) ratings. Lower DP ratings shall apply for entire assembly, when doors are mulled w/ Sidelites. See sheet **4.2** for approved configurations w/ Sidelites.
2. Two (2) manually operated Flush Bolts item #22 (top/bottom) are required at Single (active leaf) and Double doors (both active and in-active leaves). Steel substrate structural capacity to be reviewed by AHJ.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and series and following statement: "Miami-Dade County Product Control Approved", noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises NOA # 20-0519.01** and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



Ishaq I. Chanda

NOA No. 21-0114.06
Expiration Date: May 19, 2025
Approval Date: March 18, 2021
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. Evidence submitted under previous approvals

A. DRAWINGS

1. Manufacturer's die drawings and sections (Submitted under file # **see below**)
2. Drawing No. **W04-81, Rev G** titled "Series Rebecca Alum. Outswing French Door (L.M.I.)", sheets 1, 2, 3, 4, 4.1 & 4.2 through 11 of 11, dated 09/13/04 and last revised on OCT 14, 2015, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS (Submitted under files #12-0524.09/ #11-0308.01/ #10-0518.06/ #08-0418.02)

1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum French door w/ sidelites, issued by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-6240**, dated 10/13/10, signed and sealed by Jorge A. Causo, P. E.

2. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94
5) Large Missile Impact Test per FBC, TAS 201-94
6) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of an outswing double French doors, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-4145**, dated 09/14/04, signed and sealed by Edmundo Largaespada, P. E.

C. CALCULATIONS

1. Anchor verification calculations & structural analysis, complying with FBC-2014 (**5th Edition**), prepared by Al Farooq Corporation, dated 02/11/15, signed and sealed by Javad Ahmad, P.E.
2. Glazing complies w/ ASTM E-1300-02, -04 & -09.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **14-0916.11** issued to **Kuraray America, Inc.** (Former E.I. DuPont De Nemours & Co., Inc. for the "**Sentry Glass® (Clear and White) Glass Interlayers**", expiring on 07/04/18.
2. Notice of Acceptance No. **12-1231.10** issued to **Eastman Chemical Company (MA)** (former Solutia, Inc.) for the "**Saflex: Saflex Clear & Color glass interlayer**", expiring on 05/21/16.

F. STATEMENTS

1. Statement letter of conformance to FBC 2014 and letter of no financial interest, prepared by Al Farooq Corporation, dated 01/13/15, signed and sealed by Javad Ahmad, P.E.
2. Lab compliance as part of the above referenced test report.

G. OTHER

1. This NOA **revises & renews** NOA # **12-0524.09**, expired on 05/19/15.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 21-0114.06
Expiration Date: May 19, 2025
Approval Date: March 18, 2021

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. Evidence submitted under previous approval.

A. DRAWINGS

1. Drawing No. **W04-81, Rev H** titled “Series Rebecca Alum. Outswing French Door (L.M.I.)”, sheets 1, 2, 3, 4, 4.1 & 4.2 through 11 of 11, dated 09/13/04 and last revised on NOV 09, 2017, prepared by Al-Farooq Corporation, signed and sealed by Java Ahmad, P. E.

B. TESTS

1. None.

C. CALCULATIONS

1. Sidelite mullion verification calculations complying with FBC2017 (6th Edition), prepared by Al Farooq Corporation, dated NOV 09, 2017, signed and sealed by Javad Ahmad, P.E.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **17-0808.02** issued to **Kuraray America, Inc.** (Former E.I. DuPont DE Nemours & Co., Inc. for the “**Sentry Glass ® (Clear and White) Glass Interlayers**”, expiring on 07/04/23.
2. Notice of Acceptance No. **15-1201.11** issued to **Eastman Chemical Company (MA)** (former Solutia, Inc.) for the “Saflex: Saflex Clear & Color glass interlayer”, expiring on 05/21/21.
3. Notice of Acceptance No. **16-1117.01** issued to **Kuraray America, Inc.** (Former E.I. DuPont DE Nemours & Co., Inc. for the “**Trofosil ® (Clear & color PVB) Glass Interlayers**”, expiring on 07/08/19.

F. STATEMENTS

1. Letter of conformance to FBC 2017 (6th edition) and No Financial interest dated OCT 26, 2017, prepared by Al Farooq Corporation, signed and sealed by Java Ahmad, P.E.

G. OTHER

1. This NOA revises **NOA # 15-0512.22**, expiring 05/19/2020.

3. Evidence submitted under previous approval.

A. DRAWINGS

1. Drawing No. **W04-81, Rev H** titled “Series Rebecca Alum. Outswing French Door (L.M.I.)”, sheets 1, 2, 3, 4, 4.1 & 4.2 through 11 of 11, dated 09/13/04 and last revised on NOV 09, 2017, prepared by Al-Farooq Corporation, signed and sealed by Java Ahmad, P. E.

B. TESTS

1. None.

C. CALCULATIONS (Submitted under file #18-0312.01)

1. None.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **17-0808.02** issued to **Kuraray America, Inc.** (Former E.I. DuPont DE Nemours & Co., Inc. for the “**Sentry Glass ® (Clear and White) Glass Interlayers**”, expiring on 07/04/23.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.

Product Control Unit Supervisor

NOA No. 21-0114.06

Expiration Date: May 19, 2025

Approval Date: March 18, 2021

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

E. MATERIAL CERTIFICATIONS (continue):

2. Notice of Acceptance No. **15-1201.11** issued to **Eastman Chemical Company (MA)** (former Solutia, Inc.) for the “Saflex: Saflex Clear & Color glass interlayer”, expiring on 05/21/21.
3. Notice of Acceptance No. **19-0305.02** issued to **Kuraray America, Inc.** for their “**Trosifol® Ultraclear, Clear, and Color PVB Glass Interlayers**”, expiring on 07/08/24.

F. STATEMENTS

1. Letter of conformance to FBC 2017 (6th edition) and No Financial interest dated 02/20/20, prepared by Al Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

G. OTHER

1. This NOA renews NOA # **18-0312.01**, expiring 05/19/2025.

4. New Evidence submitted.

A. DRAWINGS

1. Drawing No. **W04-81, Rev L** titled “Series Rebecca Alum. Outswing French Door (L.M.I.)”, sheets 1, 2, 3, 4, 4.1 & 4.2 through 11 of 11, dated 09/13/04 and last revised on JAN 07, 2021, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P. E.

B. TESTS

1. None.

C. CALCULATIONS

1. Anchor verification calculations & structural analysis, complying with FBC2020 (7th Edition), prepared by Al Farooq Corporation, dated 01/07/21, signed and sealed by Jalal Farooq, P.E.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **17-0808.02** issued to **Kuraray America, Inc.** (Former E.I. DuPont DE Nemours & Co., Inc. for the “**Sentry Glass ® (Clear and White) Glass Interlayers**”, expiring on 07/04/23.
2. Notice of Acceptance No. **15-1201.11** issued to **Eastman Chemical Company (MA)** (former Solutia, Inc.) for the “Saflex: Saflex Clear & Color glass interlayer”, expiring on 05/21/21.
3. Notice of Acceptance No. **19-0305.02** issued to **Kuraray America, Inc.** for their “**Trosifol® Ultraclear, Clear, and Color PVB Glass Interlayers**”, expiring on 07/08/24.

F. STATEMENTS

1. Letter of conformance to FBC 2020 (7th edition) and No Financial interest dated 01/07/21, prepared by Al Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

G. OTHER

1. This NOA revises NOA # **20-0519.01**, expiring 05/19/2025.

Ishaq I. Chanda
Ishaq I. Chanda, P.E.

Product Control Unit Supervisor
NOA No. 21-0114.06

Expiration Date: May 19, 2025
Approval Date: March 18, 2021

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06

Expiration Date 05/19/2025

By Ishag I. Chande
Miami-Dade Product Control

THESE DOORS ARE RATED FOR LARGE & SMALL MISSILE IMPACT.
SHUTTERS ARE NOT REQUIRED.

SERIES REBECCA
ALUMINUM OUTSWING FRENCH DOOR

SINGLE (X) AND DOUBLE (XX) LEAF DOORS WITH GLASS TYPES
CAPACITIES SEE SHEET 2.

SINGLE AND DOUBLE LEAF DOORS WITH SIDELITES SEE SHEETS 3 & 4.
LOWER VALUES FROM SIDELITE (NARROW/WIDE STILE) CAPACITY CHART
OR DOOR CAPACITY CHART WILL APPLY TO ENTIRE SYSTEM.

DOORS APPROVED FOR INSTALLATIONS WHERE WATER INFILTRATION
RESISTANCE IS REQUIRED.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE
REQUIREMENTS OF THE 2020 (7TH EDITION) FLORIDA BUILDING CODE
INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

1BY OR 2BY WOOD BUCKS & BUCK FASTENERS BY OTHERS, MUST BE
DESIGNED AND INSTALLED ADEQUATELY TO TRANSFER APPLIED PRODUCT LOADS
TO THE BUILDING STRUCTURE.


ANCHORS SHALL BE CORROSION RESISTANT, SPACED AS SHOWN ON DETAILS
AND INSTALLED PER MANUF'S INSTRUCTIONS. SPECIFIED EMBEDMENT TO BASE
MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.
ALL SHIMS TO BE HIGH IMPACT, NON-METALLIC AND NON-COMPRESSIBLE.


MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT
COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE
REQUIREMENTS OF THE 2020 FLORIDA BLDG. CODE & ADOPTED STANDARDS.

THIS PRODUCT APPROVAL IS GENERIC AND DOES NOT PROVIDE INFORMATION
FOR A SITE SPECIFIC PROJECT, i.e. LIFE SAFETY OF THIS PRODUCT, ADEQUACY
OF STRUCTURE RECEIVING THIS PRODUCT AND SEALING AROUND OPENING FOR
WATER INFILTRATION RESISTANCE ETC.
CONDITIONS NOT SHOWN IN THIS DRAWING ARE TO BE ANALYZED SEPARATELY,
AND TO BE REVIEWED BY BUILDING OFFICIAL.


DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.



GLASS TYPE 'A'
7/16" OVERALL LAM. GLASS




GLASS TYPE 'B'
7/16" OVERALL LAM. GLASS



GLASS TYPE 'C'
7/16" OVERALL LAM. GLASS

GLAZING OPTIONS

JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978

Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:	
no	date
E	02.14.12
F	01.09.15
G	10.15.15
H	11.08.17
I	01.08.21

by	description
	UPDATED TO 2010 FBC
	UPDATED TO 2014 FBC
	REV. PER RER COMMENTS
	UPDATED TO 2017 FBC
	UPDATED TO 2020 FBC

date:	09-13-04
scale:	3/8" = 1"
dr. by:	TARIQ
chk. by:	


drawing no.	W04-81
sheet	1 of 11

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978


Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978


Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805



(X)



(XX)



NOTE:
TOP & BOTTOM FLUSH BOLTS OF ACTIVE AND INACTIVE LEAF
TO BE ENGAGED DURING PERIODS OF HURRICANE WARNING.

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06

Expiration Date 05/19/2025

By Ishaq I. Chank
Miami-Dade Product Control

DOORS LOAD CAPACITY - PSF SINGLE DOORS (X)							
DOOR DIMS.		GLASS TYPE 'A'		GLASS TYPE 'B'		GLASS TYPE 'C'	
FRAME WIDTH	FRAME HEIGHT	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
37-1/2"	95-3/4"	85.0	85.0	85.0	85.0	65.0	75.0
39-1/2"	95-3/4"	65.0	75.0	65.0	75.0	65.0	75.0


DOORS LOAD CAPACITY - PSF DOUBLE DOORS (XX)							
DOOR DIMS.		GLASS TYPE 'A'		GLASS TYPE 'B'		GLASS TYPE 'C'	
FRAME WIDTH	FRAME HEIGHT	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
71-7/8"	95-3/4"	85.0	85.0	85.0	85.0	65.0	75.0
75-7/8"	95-3/4"	65.0	75.0	65.0	75.0	65.0	75.0

GLASS D.L.O. DIMS.

D.L.O. HEIGHT = FRAME HEIGHT - 12.562"
D.L.O. WIDTH (X DOORS) = FRAME WIDTH - 13.312"
D.L.O. WIDTH (XX DOORS) = (FRAME WIDTH - 23.5")/2
LEAF HEIGHT = DOOR FRAME HEIGHT - 2.625"

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-09 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219

JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)
COMP-ANL\W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)
Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:	no	date	description
	E	02.14.12	NO CHANGE THIS SHEET
	F	01.09.15	UPDATED TO 2014 FBC
	G	10.15.15	REV. PER RER COMMENTS
	H	11.08.17	UPDATED TO 2017 FBC
	I	01.08.21	UPDATED TO 2020 FBC

date: 09-13-04
scale: 3/8" = 1"
dr. by: TARIQ
chk. by:


drawing no.
W04-81

sheet 2 of 11

DESIGN LOAD CAPACITY - PSF			
SIDELITES WITH SINGLE OR DOUBLE LEAF DOORS			
NOM. SIDELITE WIDTH INCHES	FRAME HEIGHT INCHES	NARROW/WIDE STILE SIDELITE WITH DOOR	
		EXT.(+)	INT.(-)
32	82-1/4	65.0	75.0
34		65.0	75.0
36		65.0	75.0
37		65.0	75.0
39		61.8	71.3
42		57.4	66.2
44		54.8	63.2
32	84	65.0	75.0
34		65.0	75.0
36		65.0	75.0
37		65.0	75.0
39		61.8	71.3
42		57.4	66.2
32	90	65.0	75.0
34		65.0	75.0
36		65.0	75.0
37		65.0	75.0
39		61.8	71.3
42		57.4	66.2
32	95-3/4	65.0	75.0
34		65.0	75.0
36		65.0	75.0
37		65.0	75.0



NOTE:
FOR DOOR CAPACITIES SEE SHEET 2.
FOR SIDELITE WITH DOOR CAPACITIES SEE CHART ABOVE.
LOWER VALUES FROM DOOR OR SIDELITE CHART
WILL APPLY TO ENTIRE SYSTEM.
SEE SHEET 4.1 FOR SIDELITE WIDTHS.

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Ishaq I. Chank
Miami-Dade Product Control




(OXXO)

ALTERNATE UNIT FRAME AREA MUST NOT EXCEED TESTED FRAME AREA 99.7 SQ. FT.



JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)
Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:	no	date	by	description
	E	02.14.12		NO CHANGE THIS SHEET
	F	01.09.15		NO CHANGE THIS SHEET
	G	10.15.15		REV. PER RER COMMENTS
	H	11.08.17		UPDATED TO 2017 FBC
	I	01.08.21		UPDATED TO 2020 FBC

date: 09-13-04
scale: 3/8" = 1"
dr. by: TARIQ
chk. by:
drawing no.
W04-81
sheet 3 of 11


DESIGN LOAD CAPACITY – PSF SIDELITES WITH SIDELITES					
NOM. SIDELITE WIDTH INCHES	FRAME HEIGHT INCHES	NARROW STILE SIDELITE WITH SIDELITE		WIDE STILE SIDELITE WITH SIDELITE	
		EXT.(+)	INT.(–)	EXT.(+)	INT.(–)
32	82–1/4	65.0	75.0	65.0	75.0
34		65.0	75.0	65.0	75.0
36		65.0	75.0	65.0	75.0
37		65.0	75.0	65.0	75.0
39		61.8	71.3	61.8	71.3
42		57.4	66.2	57.4	66.2
44		54.8	63.2	54.8	63.2
32	84	65.0	75.0	65.0	75.0
34		65.0	75.0	65.0	75.0
36		65.0	75.0	65.0	75.0
37		65.0	75.0	65.0	75.0
39		61.8	71.3	61.8	71.3
42		57.4	66.2	57.4	66.2
32		90	65.0	75.0	65.0
34	65.0		75.0	65.0	75.0
36	65.0		75.0	65.0	75.0
37	65.0		75.0	65.0	75.0
39	61.8		71.3	61.8	71.3
42	57.4		66.2	57.4	66.2
44	54.8		63.2	54.8	63.2
32	95–3/4	65.0	75.0	65.0	75.0
34		65.0	73.7	65.0	75.0
36		65.0	71.9	65.0	75.0
37		65.0	71.1	65.0	75.0
39		61.8	71.3	61.8	71.3
42		57.4	66.2	57.4	66.2
44		54.8	63.2	54.8	63.2

NOTE:
FOR DOOR CAPACITIES SEE SHEET 2.
FOR SIDELITE WITH DOOR CAPACITIES SEE SHEET 3.
FOR SIDELITE WITH SIDELITE CAPACITIES SEE CHART ABOVE.
LOWER VALUES FROM DOOR OR SIDELITE CHARTS
WILL APPLY TO ENTIRE SYSTEM.
SEE SHEET 4.1 FOR SIDELITE WIDTHS.

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06


Expiration Date05/19/2025

By Ishaq I. Chande
Miami-Dade Product Control




(XXOO)

ALTERNATE UNIT FRAME AREA MUST NOT EXCEED TESTED FRAME AREA 99.7 SQ. FT.




NARROW STILE
SIDELITE WITH SIDELITE






WIDE STILE
SIDELITE WITH SIDELITE

JAN 07 2021




date: 09-13-04		drawing no. <div style="font-size: 2em; font-weight: bold;">W04-81</div>		sheet 4 of 11		revisions: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%;">no</th> <th style="width: 15%;">date</th> <th style="width: 75%;">description</th> </tr> <tr> <td>E</td> <td>02.14.12</td> <td>NO CHANGE THIS SHEET</td> </tr> <tr> <td>F</td> <td>01.09.15</td> <td>NO CHANGE THIS SHEET</td> </tr> <tr> <td>G</td> <td>10.15.15</td> <td>REV. PER RER COMMENTS</td> </tr> <tr> <td>H</td> <td>11.08.17</td> <td>UPDATED TO 2017 FBC</td> </tr> <tr> <td>I</td> <td>01.08.21</td> <td>UPDATED TO 2020 FBC</td> </tr> </table>		no	date	description	E	02.14.12	NO CHANGE THIS SHEET	F	01.09.15	NO CHANGE THIS SHEET	G	10.15.15	REV. PER RER COMMENTS	H	11.08.17	UPDATED TO 2017 FBC	I	01.08.21	UPDATED TO 2020 FBC
no	date	description																							
E	02.14.12	NO CHANGE THIS SHEET																							
F	01.09.15	NO CHANGE THIS SHEET																							
G	10.15.15	REV. PER RER COMMENTS																							
H	11.08.17	UPDATED TO 2017 FBC																							
I	01.08.21	UPDATED TO 2020 FBC																							
SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)																									
<div style="font-size: 1.2em; font-weight: bold;">Universal Impact Windows & Doors, Inc.</div> 1675 West 31st Place Hialeah, Florida 33012 Tel. (305) 825-7900 Fax (305) 825-5805																									
<div style="font-size: 1.5em; font-weight: bold; letter-spacing: -0.5em;">AL-FAROOQ CORPORATION</div> ENGINEERS & PRODUCT DEVELOPMENT 9360 SUNSET DRIVE, SUITE 220 MIAMI, FLORIDA 33173 (C.A.N. 3538) TEL. (305) 264-8100 FAX. (305) 262-6978																									
COMP-ANL\W04-81UAW																									



SIDELITES MAY BE WIDE OR NARROW STILE WITHIN NOM. SIDELITE WIDTH PER CHART.
(NARROW STILE SHOWN)

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Ishaq I. Chandra
Miami-Dade Product Control

JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)


SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)
Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:		by	description
no.	date		
E	02.14.12		NO CHANGE THIS SHEET
F	01.09.15		NO CHANGE THIS SHEET
G	10.15.15		REV. PER RER COMMENTS
H	11.08.17		UPDATED TO 2017 FBC
I	01.08.21		UPDATED TO 2020 FBC

date:	09-13-04
scale:	3/8" = 1"
dr. by:	TARIQ
chk. by:	

drawing no.
W04-81
sheet 4.1 of 11


COMP-ANL\W04-81UAW








APPROVED SIDELITE CONFIGURATIONS
SIDELITES MAY BE NARROW OR WIDE STILES

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Ishaq I. Chande
Miami-Dade Product Control

JAN 07 2021




afC AL-FAROOQ CORPORATION ENGINEERS & PRODUCT DEVELOPMENT 9360 SUNSET DRIVE, SUITE 220 MIAMI, FLORIDA 33173 TEL. (305) 264-8100 FAX. (305) 262-6978 COMP-ANL\W04-81UAW	
SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.) Universal Impact Windows & Doors, Inc. 1675 West 31st Place Hialeah, Florida 33012 Tel. (305) 825-7900 Fax (305) 825-5805	
revisions: no date by description G 10.15.15 REV. PER RER COMMENTS H 11.08.17 UPDATED TO 2017 FBC I 01.08.21 UPDATED TO 2020 FBC	date: 09-13-04 scale: 3/8" = 1" dr. by: TARIQ chk. by:
drawing no. W04-81 sheet 4.2 of 11	



1BY OR 2BY WOOD BUCKS AND METAL STRUCTURE NOT BY 'UNIVERSAL' MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By *Ishag I. Chande*
Miami-Dade Product Control



TYPICAL ANCHORS: SEE ELEV. FOR SPACING
1/4" DIA. ULTRACON+ BY 'DEWALT' (Fu=164 KSI, Fy=148 KSI)
INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
1-1/2" MIN. PENETRATION INTO WOOD (HEAD/JAMBS)
THRU 1BY BUCKS INTO CONC. OR BLOCKS
1-1/4" MIN. EMBED INTO CONCRETE (HEAD/JAMBS)
1-1/4" MIN. EMBED INTO BLOCKS (JAMBS)
DIRECTLY INTO CONCRETE OR BLOCKS
1-1/4" MIN. EMBED INTO CONCRETE (HEAD)
1-3/4" MIN. EMBED INTO CONCRETE (SILL)
1-1/4" MIN. EMBED INTO BLOCKS (JAMBS)


#14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)
INTO MIAMI-DADE COUNTY APPROVED MULLIONS
OR
INTO METAL STRUCTURES (HEAD/JAMBS)
(3) THREADS MIN. PENETRATION BEYOND SUBSTRATE
ALUMINUM: 1/8" THK. MIN. (6063-T5 MIN.)
STEEL: 1/8" THK. MIN. (Fy = 36 KSI MIN.)
(STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

TYPICAL EDGE DISTANCE
INTO CONCRETE AND BLOCKS = 2-1/2" MIN.
INTO WOOD STRUCTURE = 1" MIN.
INTO METAL STRUCTURE = 3/4" MIN.

WOOD AT HEAD OR JAMBS SG = 0.55 MIN.
CONCRETE AT HEAD, SILL OR JAMBS f'c = 3000 PSI MIN.
C-90 HOLLOW/FILLED BLOCK AT JAMBS f'm = 2000 PSI MIN.

DOOR DETAILS

JAN 07 2021





AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
C.A.N. 353B

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)
Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:	no	date	description	by
	E	02.14.12	NO CHANGE THIS SHEET	
	F	01.09.15	UPDATED TO 2014 FBC	
	G	10.15.15	REV. PER RER COMMENTS	
	H	11.08.17	UPDATED TO 2017 FBC	
	I	01.08.21	UPDATED TO 2020 FBC	

date:	09-13-04
scale:	3/8" = 1"
dr. by:	TARIQ
chk. by:	

drawing no.	W04-81
sheet	5 of 11




ALT. DOOR FRAME JAMB

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06


Expiration Date 05/19/2025

By *Ishag I. Chande*
Miami-Dade Product Control



DOOR DETAILS

JAN 07 2021




AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)
Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805




revisions:		no	date	by	description
	E	02.14.12			NO CHANGE THIS SHEET
	F	01.09.15			NO CHANGE THIS SHEET
	G	10.15.15			NO CHANGE THIS SHEET
	H	11.08.17			UPDATED TO 2017 FBC
	I	01.08.21			UPDATED TO 2020 FBC

date:	09-13-04
scale:	3/8" = 1"
dr. by:	TARIQ
chk. by:	

drawing no.	W04-81
sheet	6 of 11




PRODUCT REVISED
 as complying with the Florida
 Building Code
 NOA-No. 21-0114.06
 Expiration Date 05/19/2025
 By Ishag I. Chande
 Miami-Dade Product Control



SIDELITE DETAILS

SEE QUALIFIED CONFIGURATIONS IN SHEET 4.2



JAN 07 2021

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 9360 SUNSET DRIVE, SUITE 220
 MIAMI, FLORIDA 33173
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)

Universal Impact Windows & Doors, Inc.
 1675 West 31st Place
 Hialeah, Florida 33012
 Tel. (305) 825-7900 Fax (305) 825-5805

revisions:	no	date	by	description
	E	02.14.12		NO CHANGE THIS SHEET
	F	01.09.15		NO CHANGE THIS SHEET
	G	10.15.15		REV. PER RER COMMENTS
	H	11.08.17		UPDATED TO 2017 FBC
	I	01.08.21		UPDATED TO 2020 FBC

date: 09-13-04


scale: 3/8" = 1"

dr. by: TARIQ

chk. by:


drawing no.
W04-81

sheet 7 of 11



SEE QUALIFIED CONFIGURATIONS IN SHEET 4.2

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Isaac I. Chanda
Miami-Dade Product Control



JAN 07 2021

SIDELITE DETAILS

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978

a f c

COMP-ANL\W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)


Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:


no	date	description
E	02.14.12	NO CHANGE THIS SHEET
F	01.09.15	NO CHANGE THIS SHEET
G	10.15.15	REV. PER RER COMMENTS
H	11.06.17	UPDATED TO 2017 FBC
I	01.08.21	UPDATED TO 2020 FBC

date: 09-13-04
scale: 3/8" = 1"
dr. by: TARIQ
chk. by:


drawing no.
W04-81
sheet 8 of 11




1 FRAME HEAD




2 DOOR LEAF HEAD & SILL




6 DOOR FRAME JAMB




6A ALT. DOOR FRAME JAMB




4 NARROW SIDELITE STILE




8 DOOR LEAF JAMB SIDE




7 SIDELITE SIDE FRAME




7A ALT. SIDELITE SIDE FRAME




3 THRESHOLD TYPE 1




9 DOOR LEAF LOCK SIDE




7 SIDELITE SIDE FRAME




7A ALT. SIDELITE SIDE FRAME



3A THRESHOLD TYPE 2




14 GLASS ADAPTER




27 FRAME SCREW COVER


PRODUCT REVISED
as complying with the Florida Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Ishaq I. Chank
Miami-Dade Product Control




5 COVER TOP & BOTTOM RAIL




15 GLASS STOP




19 20 3 PIECE HINGE




10 JAMB STIFFENER



11 SHEAR PLATE



JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)

Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

no	date	by	description
E	02.14.12		NO CHANGE THIS SHEET
F	01.09.15		NO CHANGE THIS SHEET
G	10.15.15		NO CHANGE THIS SHEET
H	11.08.17		UPDATED TO 2017 FBC
I	01.08.21		UPDATED TO 2020 FBC

date: 09-13-04

scale: 3/8" = 1"

dr. by: TARIQ

chk. by:

drawing no.
W04-81

sheet 9 of 11

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06
Expiration Date 05/19/2025
By Ishag I. Chande
Miami-Dade Product Control

ITEM #	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	UA-1089	AS REQD.	FRAME HEAD	6063-T6	
2	UA-1092	2/ LEAF	TOP AND BOTTOM RAIL	6063-T6	-
3	UA-1094	1	DOOR FRAME SILL TYPE 1	6063-T6	-
3A	UA-1094B	1	DOOR FRAME SILL TYPE 2	6063-T6	-
4	UA-1105	AS REQD.	NARROW SIDELITE STILE	6063-T6	-
5	UA-1096	2/ LEAF	SNAP COVER TOP & BOTTOM RAIL	6063-T5	-
6	UA-1091	2	DOOR FRAME JAMB	6063-T6	-
6A	UA-1091B	2	ALT. DOOR FRAME JAMB	6063-T6	-
7	UA-1099	AS REQD.	SIDELITE SIDE FRAME	6063-T6	-
7A	UA-1099B	AS REQD.	ALT. SIDELITE SIDE FRAME	6063-T6	-
8	UA-1090	1/ LEAF	DOOR LEAF JAMB - HINGE SIDE	6063-T6	-
9	UA-1093	1/ LEAF	DOOR LEAF - LOCK SIDE	6063-T6	-
10	UA-1095	4/ LEAF	JAMB STIFFENER	6063-T6	4" LONG
11	A-4008	AS REQD.	SHEAR PLATE @ ANCHOR LOCATIONS	6063-T6	6-7/8" LONG
12	-	AS REQD.	GLAZING TAPE SPACER (1/8" X 3/8" X 1" LONG)	-	4" FROM CORNERS & AT MIDSPAN OF VERTICALS
13	-	AS REQD.	WEDGE GASKET	VINYL	-
14	UA-1102	AS REQD.	GLASS ADAPTER	6063-T6	-
15	UA-1101	AS REQD.	GLASS STOP	6063-T6	-
16	S-7800	AS REQD.	FIN-SEAL WEATHERSTRIPPING	-	.187 X .330
17	TP-463	AS REQD.	BULB WEATHERSTRIPPING, DUROMETER 75	VINYL	TEAM PLASTICS INC.
18	UA-1103	AS REQD.	GLAZING WEDGE, DUROMETER 70	EPDM	TREMCO
19	UA-1097	2/ LEAF	CENTER HINGE WITH SS PIN	6063-T6	10" FROM TOP & BOTTOM
20	UA-1098	2/ LEAF	TOP & BOTTOM HINGE WITH SS PIN	6063-T6	10" FROM TOP & BOTTOM
21	-	1	DEAD BOLT LOCK SET	-	WESLOCK INTL. & SCHLAGE LOCK CO.
22	-	2/ LEAF	MANUALLY OPERATED FLUSH BOLT (ACTIVE/INACTIVE)	ZINC CAST	DELTA IND.
23	-	1	CONVENTIONAL DOOR KNOB SET	-	WESLOCK INTL. & SCHLAGE LOCK CO.
24	-	2/ LEAF	3/8" DIA. THREADED ROD	STEEL	-
25	#10 X 1"	AS REQD.	FRAME ASSY. SCREWS	-	PAN HEAD SMS
26	#8 X 1-1/4"	AS REQD.	GLAZING ADAPTER SCREWS, AT 6" FROM ENDS & 12" O.C.	-	FH SELF DRILLING
27	UA-1104	AS REQD.	FRAME SCREW COVER	6063-T5	-

SEALANTS:

FRAME AND LEAF CORNERS, INSTALLATION SCREWS AT SILL AND ALL METAL PARTS CONNECTIONS SEALED WITH WHITE/ALUMINUM COLORED SEALANT.

LOCKS:


ITEM# 22 MANUALLY OPERATED FLUSH BOLTS AT TOP AND BOTTOM OF EACH ACTIVE AND INACTIVE LEAF LOCK STILE WITH OPERATORS AT 12" AND 76" FROM BOTTOM.

ITEM# 21 DEAD BOLT LOCK BY WESLOCK INTL. OR HARLOCK WITH ALUM STRIKE PLATE AT ACTIVE LEAF LOCK STILE 45" FROM BOTTOM KEY OPERATED ON EXT. AND THUMB TURN ON INTERIOR.

ITEM# 23 CONVENTIONAL DOOR KNOB BY WESLOCK INTL. OR HARLOC WITH ALUM STRIKE PLATE AT ACTIVE LEAF LOCK STILE 38" FROM BOTTOM.

NOTE: FLUSH BOLTS ON ACTIVE & INACTIVE LEAF MUST BE ENGAGED DURING PERIODS OF HURRICANE WARNING.

JAN 07 2021



a f c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 262-6978
FAX. (305) 262-6978

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)


Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

revisions:
no. date by description
E 02.14.12 NO CHANGE THIS SHEET
F 01.09.15 UPDATED TO 2014 FBC
G 10.15.15 NO CHANGE THIS SHEET
H 11.08.17 UPDATED TO 2017 FBC
I 01.08.21 UPDATED TO 2020 FBC


date: 09-13-04
scale: 3/8" = 1"
dr. by: TARIQ
chk. by:

drawing no.
W04-81
sheet 10 of 11


COMP-ANL\W04-81UAW




LEAF CORNER




DOOR CORNER



DOOR SILL CORNER



SIDELITE STILE TOP CORNER




SIDELITE STILE BOTTOM CORNER

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 21-0114.06

Expiration Date 05/19/2025

By Ishag I. Chanda
Miami-Dade Product Control

JAN 07 2021



AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978

COMP-ANL W04-81UAW

SERIES REBECCA ALUM OUTSWING FRENCH DOOR (L.M.I.)

Universal Impact Windows & Doors, Inc.
1675 West 31st Place
Hialeah, Florida 33012
Tel. (305) 825-7900 Fax (305) 825-5805

COMP-ANL W04-81UAW

revisions:		description	
no	date	by	
E	02.14.12		NO CHANGE THIS SHEET
F	01.09.15		NO CHANGE THIS SHEET
G	10.15.15		NO CHANGE THIS SHEET
H	11.08.17		UPDATED TO 2017 FBC
I	01.08.21		UPDATED TO 2020 FBC

date: 09-13-04	scale: 3/8" = 1"	dr. by: TARIQ	chk. by:
----------------	------------------	---------------	----------

drawing no.

W04-81

sheet 11 of 11