

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/economy

ICP Construction Inc. 150 Dascomb Road Andover, MA 01810

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Polyset Board Max

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 22-0504.02 and consists of pages 1 through 3. The submitted documentation was reviewed by Alex Tigera.

Attrac



NOA No.: 22-0614.11 Expiration Date: 06/08/27 Approval Date: 10/13/22 Page 1 of 3

ROOFING COMPONENT APPROVAL

<u>Category</u> :	Roofing
<u>Sub-Category</u> :	Cement-Adhesive-Coatings
<u>Materials:</u>	Adhesive
<u>Sub-Type:</u>	Polyurethane

SCOPE:

This approves "**Polyset Board Max**" roof adhesive, by ICP Construction as described in this Notice of Acceptance, to be used and designed to comply with the Florida Building Code and the High Velocity Hurricane Zone of the Florida Building Code. The use of this acceptance is limited to those roof assemblies where **Polyset Board Max** adhesive is specifically listed as an accepted component.

PRODUCT DESCRIPTION:

Spray polyurethane adhesive consisting of two components (Polyset Board Max: component A and component B) applied at a ratio of 1:1 with the properties described below:

Polyset Board Max

Description	Test	Properties
Flame Spread Index	ASTM E84	15-25
Smoke Develop Index	ASTM E84	150-200
Density @ 73° F	ASTM D 1622	2.9 lb./ft ³
Tensile	ASTM D 1623	47 psi.
Water Absorption	ASTM D 2842	4.39 %

Note: The preceding physical properties are presented at typical average values as determined by accepted ASTM test methods and are subject to normal manufacturing variation. Numerical ratings as determined by ASTM Test Method are not intended to reflect hazards presented by this or any other material under actual fire conditions.

MANUFACTURING LOCATIONS:

1. Houston, TX

EVIDENCE SUBMITTED:

Test Agency	<u>Test Identifier</u>	Test Name/Report	Date
QAI Laboratories, Inc.	TJ 4582	E84-15	04/26/17
PRI Construction Materials	BASP-047-02-01	ASTM D 1639	03/29/17
Technologies, LLC		ASTM D 2196	
		ASTM D 1475	
		ASTM D 1622	
		ASTM D 1623	

ASTM D 2842



LIMITATIONS:

- 1. Polyset Board Max Adhesive shall have a quality control testing program by an approved independent listing agency having unannounced follow-up visits. Follow up test results shall be made available to Miami-Dade County Product Control Department upon request.
- 2. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

INSTALLATION:

Polyset Board Max Adhesive shall be installed in strict compliance with the Roof Assembly's Notice of Acceptance, and manufacturers published literature.

LABELING:

Polyset Board Max Adhesive shall be labeled in compliance with TAS 121 and shall bear the imprint or identifiable marking of the manufacturer's name or logo and following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



BUILDING PERMIT REQUIREMENTS:

As required by the Building Official or applicable Building Code in order to properly evaluate the installation of this system. This Notice of Acceptance on its own cannot be used to obtain a building permit.

END OF THIS ACCEPTANCE



NOA No.: 22-0614.11 Expiration Date: 06/08/27 Approval Date: 10/13/22 Page 3 of 3