



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

## NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786)315-2590 F (786) 31525-99

[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

Mid-States Asphalt and Cant Strip, Inc.  
1637 51<sup>st</sup> Avenue  
Tuscaloosa, AL. 35401

### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (in Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

### DESCRIPTION: Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 21-0916.02 and consists of pages 1 through 3.  
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 22-0629.03  
Expiration Date: 11/03/27  
Approval Date: 10/27/22  
Page 1 of 3

## ROOFING COMPONENT APPROVAL

**Category:** Roofing  
**Sub-Category:** Roofing Membranes and Accessories  
**Material:** Asphalt/Fiberglass

### SCOPE:

This approves the products listed below manufactured by **Mid-States Asphalt and Cant Strip, Inc.**, as described in this Notice of Acceptance. The use of this acceptance is limited to approved roofing system Notice of Acceptances listing the products below as a component part of an approved system within the approved roof system Notice of Acceptance.

### PRODUCT DESCRIPTION:

<b><u>Product</u></b>	<b><u>Dimensions</u></b>	<b><u>Test Specifications</u></b>	<b><u>Product Description</u></b>
Arrowglass Base	36" x 108'	ASTM D4606 Type II	A non-porous 28 pound base sheet consisting of a heavyweight, fiberglass mat saturated with type IV asphalt with a sand surfacing. For use as a mechanically fastened or adhered base sheet in a wide variety of built-up roofing systems.
MSA MG2 Base Sheet	36" x 108'	ASTM D4601 Type II	A non-porous 28 pound base sheet consisting of a heavyweight, fiberglass mat saturated with type IV asphalt with a sand surfacing. For use as a mechanically fastened or adhered base sheet in a wide variety of built-up roofing systems.
MSA Ply 4	36" x 108'	ASTM D2178 Type IV	A heavyweight fiberglass mat saturated with type IV asphalt, giving excellent strength and weathering characteristics. For use as a ply sheet in a hot mopped built-up roofing applications.
MSA Ply 6	36" x 108'	ASTM D 2178 Type IV	A heavyweight fiberglass mat saturated with type IV asphalt, giving excellent strength and weathering characteristics. For use as a ply sheet in a hot mopped built-up roofing applications.
MSA MSR	36" x 108'	ASTM D3909	Asphalt Mineral Surfaced Roll roofing made from high strength non-woven fiberglass carrier coated on both sides for use on low slope roofs.

### MANUFACTURING LOCATION:

1. Tuscaloosa, AL.



NOA No.: 22-0629.03  
Expiration Date: 11/03/27  
Approval Date: 10/27/22  
Page 2 of 3

## EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
PRI Construction Materials Technologies, LLC.	MSA-018-02-01	TAS 114	11/20/15
	BWR-539-02-01	ASTM D4601	06/13/13
	MSA-039-02-03	ASTM D4601	09/27/17
	1085T0023	ASTM D2178	03/09/22
	1085T0026	ASTM D2178	04/26/22

## LABELING:

All membranes and accessories or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city and state of manufacturing facility, and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.

**MIAMI-DADE COUNTY**  
**APPROVED**

## LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR are designed for use as specified within approved roofing system NOA assemblies.
3. This acceptance establishes the required physical properties testing and traceability of roofing membrane and accessory components listed in approved roofing applications. Minimum deck requirements shall be in compliance with applicable building code. Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR shall be installed in strict compliance with applicable Building Codes, Product Approvals and Manufacturers' specifications and guidelines.
4. Change in materials or manufactureing process or location of any of the products listed herein shall be cause for termination of this Notice of Acceptance.
5. Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR may be used with any approved Roof Assembly Notice of Acceptance listing Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR as a component part of an assembly in the Notice of Acceptance. If Arrowglass Base, MSA MG2 Base Sheet, MSA Ply 4, MSA Ply 6, & MSA MSR are not listed; a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.
6. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

**END OF THIS ACCEPTANCE**

**MIAMI-DADE COUNTY**  
**APPROVED**

NOA No.: 22-0629.03  
Expiration Date: 11/03/27  
Approval Date: 10/27/22  
Page 3 of 3