

**Miami-Dade County, Florida**

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES

BOARD AND CODE ADMINISTRATION DIVISION

PRODUCT CONTROL SECTION

**Laboratory Certificate**



11805 S.W. 26 Street-Room 208  
Miami, Florida 33175-2474  
T (786) 315-2590 Fax (786) 315-2599

This certifies that A+ Engineering Testing Lab, LLC located at 7135 SW44 St., Miami, FL 33155 is an approved Testing Laboratory in accordance with Miami-Dade County Department of Regulatory and Economic Resources and Protocol TAS301-94, and is Certified to perform the following tests:

ASTM C31	ASTM C642	ASTM D698	ASTM D4263	ASTM E575
ASTM C42	ASTM C803	ASTM D882	ASTM D4643	ASTM E966
ASTM C78	ASTM C805	ASTM D1556	ASTM D4788	ASTM E1332
ASTM C143	ASTM C823	ASTM D1557	ASTM D5882	TAS 105
ASTM C172	ASTM C900	ASTM D1585	ASTM D5957	TAS 106
ASTM C174	ASTM C1383	ASTM D1761	ASTM D7046	TAS 124
ASTM C215	ASTM C1583	ASTM D2167	ASTM D7147	TAS 126
ASTM C293	ASTM C1585	ASTM D4263	ASTM E196	
ASTM C457	ASTM C1740	ASTM D4564	ASTM E336	
ASTM C597	ASTM C4435	ASTM D4580	ASTM E413	

Results of the above mentioned test shall be properly submitted to the Miami-Dade County Department of Regulatory and Economic Resources per TAS301-94, along with all other documentation required for the approval of products. Approved engineer(s) for this laboratory.

Abdias H. Saenz, P.E., Juan Jose Santandreu, P.E., Jose A. Martinez, P.E., Jose Julio Roldan, P.E.

***This Certification and Registration Approved: March 6, 2023***

***This Certification and Registration Expires : May 5, 2026***

***Certification No. : 23-0303.09 Revises: 21-1028.01***

A blue ink signature of Helmy A. Makar.

*Helmy A. Makar, P.E., M.S.  
Product Control Section Supervisor  
Product Control Section*

A blue ink signature of Americo Segura.

*Americo Segura, M.S., CGC  
Quality Assurance Unit Supervisor  
Product Control Section*

The Miami-Dade County Department of Regulatory and Economic Resources reserves the right to remove this certification for non-compliance with rules and regulations as set by Protocol TAS301-94.