

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION MIAMI-DADE COUNTY, FLORIDA PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 T (786) 315–2590 F (786) 315–2599 www.miamidade.gov/economy

**NOTICE OF ACCEPTANCE (NOA)** 

## Titan Glass & Aluminum, LLC 450 West 27 Street Hialeah, FL 33010

#### Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami–Dade County RER–Product Control Section to be used in Miami–Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami–Dade County Product Control Section (In Miami–Dade County) and/ or the AHJ (in areas other than Miami–Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami–Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

#### **DESCRIPTION:** Series "TSD-5000 Dry-Glazed" Aluminum Sliding Glass Door - S.M.I.

**APPROVAL DOCUMENT:** Drawing No. **W12-62 Rev F**, titled "Series 'TSD-5000' Alum. Sliding Glass Door (S.M.I.)", sheets 1 through 8 of 8, dated 11/28/12 and last revised on APR 06, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

## MISSILE IMPACT RATING: Small Missile Impact Resistant

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, series, and following statement: "Miami–Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/ or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami–Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews NOA No. 20-1216.07** and consists of this page 1 and evidence pages E-1, E-2, E-3, E-4 and E-5, as well as approval document mentioned above.

The submitted documentation was reviewed by Ishaq I. Chanda, P.E.



Ishag 1. Chanda

NOA No. 23-0411.05 Expiration Date: March 14, 2028 Approval Date: May 04, 2023 Page 1

## 1. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's

## A. DRAWINGS

- 1. Manufacturer's die drawings and sections. *(Submitted under NOA's No. 12-1213.03 and 14-0221.02)*
- 2. Drawing No. W12-62, titled "Series 'TSD-5000' Alum. Sliding Glass Door (S.M.I.)", sheets 1 through 8 of 8, dated 11/28/12 with revision C dated 04/09/14, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

# **B. TESTS**

- 1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Small Missile Impact Test per FBC, TAS 201-94
  - 5) Large Missile Impact Test per FBC, TAS 201-94
  - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
  - 7) Forced Entry and Assembly Test, Type C, Grade 10, per ASTM F 842, per FBC 2411.3.2.1 and TAS 202-94

along with marked-up drawings and installation diagram of an aluminum sliding glass door 2-Track System, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-7456**, dated 09/13/13, signed and sealed by Marlin D. Brinson, P.E.

- 2. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per PA 202-94
  - 3) Water Resistance Test, per PA 202-94
  - 4) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94

along with marked-up drawings and installation diagram of sliding door 2-Track System, prepared by Hurricane Engineering Testing, Inc., Test Report No. **HETI-12-4072**, dated 11/14/12, signed and sealed by Rafael E. Droz-Seda, P.E. *(Submitted under NOA No. 12-1213.03)* 

**3.** Test reports on: 1) Large Missile Impact Test per FBC, TAS 201-94

2) Cyclic Wind Pressure Loading per PA 203-94

along with marked-up drawings and installation diagram of sliding door 2-Track System, prepared by Hurricane Engineering Testing, Inc., Test Report No. **HETI-12-4073**, dated 11/14/12, signed and sealed by Rafael E. Droz-Seda, P.E. *(Submitted under NOA No. 12-1213.03).* 

# C. CALCULATIONS

Anchor verification calculations and structural analysis, complying with FBC, prepared by Al-Farooq Corporation, dated 01/31/14, signed and sealed by Javad Ahmad, P.E. (Submitted under NOA No. 14-0221.02)
 Glazing complies with ASTM E1300-04/ 09 and with DCA05-DEC-219 Florida Building Commission Declaratory Statement.

Ishaq I. Chands

Ishaq I. Chanda, P.E. Product Control Unit Supervisor NOA No. 23-0411.05 Expiration Date: March 14, 2028 Approval Date: May 04, 2023

## D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

## E. MATERIAL CERTIFICATIONS

- 1. Notice of Acceptance No. 13-0129.27 issued to E.I. DuPont DeNemours & Co., Inc. for their "DuPont Butacite® PVB Interlayer" dated 04/11/13, expiring on 12/11/16.
- 2. TREMCO Part No. TR-14271E EPDM exterior glazing gasket complying with ASTM C864 Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers with Option II exceptions, ASTM D412 Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension of 1600 PSI, ASTM D395B Test Methods for Rubber Property-Compression Set for 22 HRS 158°F and ASTM D 624 Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers of 143 lb./ in.

## F. STATEMENTS

- 1. Statement letter of no financial interest, conformance and complying with FBC 5<sup>th</sup> Edition (2014), issued by Al-Farooq Corporation, dated 04/24/14, signed and sealed by Javad Ahmad, P. E.
- 2. Statement letter of no financial interest, conformance and complying with FBC-2010, issued by Al-Farooq Corporation, dated 01/31/14, signed and sealed by Javad Ahmad, P.E.
- **3.** Laboratory compliance letter for Test Report No. **FTL-7456**, issued by Fenestration Testing Laboratory, Inc., dated 09/13/13, signed and sealed by Marlin D. Brinson, P.E.
- 4. Department of State Certification of **TITAN GLASS & ALUMINUM, LLC** as a limited liability company, active and organized under the laws of the State of Florida, dated 06/07/13 and signed by T. Hampton, Secretary of State.
- 5. Laboratory compliance letters for Test Reports No. **HETI-12-4072**, and **HETI-12-4073**, issued by Hurricane Engineering Testing, Inc., all dated 11/14/12, signed and sealed by Rafael E. Droz-Seda, P.E. *(Submitted under NOA No. 12-1213.03)*
- 6. Proposal issued by the Product Control Section, dated 08/09/12, signed by Jaime D. Gascon, P.E. (Submitted under NOA No. 12–1213.03)

## G. OTHERS

1. Notice of Acceptance No. **12-1213.03**, issued to Titan Glass & Aluminum, LLC for their Series "TSD-5000" Aluminum Sliding Glass Door - Dry-Glazed – S.M.I., approved on 03/14/13 and expiring on 03/14/18.

Ishag 1. Chanda

## Titan Glass & Aluminum, LLC

## **NOTICE OF ACCEPTANCE:** EVIDENCE SUBMITTED

#### 2. EVIDENCE SUBMITTED under previous approval

### A. DRAWINGS

1. Drawing No. W12-62, titled "Series 'TSD-5000' Alum. Sliding Glass Door (S.M.I.)", sheets 1 through 8 of 8, dated 11/28/12 with revision **D** dated 03/07/18, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

#### **B. TESTS**

1. None.

#### C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC 6<sup>th</sup> Edition (2017), dated 03/05/18, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

#### D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

#### E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 17-1114.14 issued to Kuraray America, Inc. for their "Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers" dated 01/18/18, expiring on 07/08/19.

#### F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 6<sup>th</sup> Edition (2017)**, and of no financial interest, dated 03/05/18, issued by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

#### G. OTHERS

1. This NOA revises & renews 14-0221.02, expiring on 03/14/23.

Ishag 1. Chanda

### **3. EVIDENCE SUBMITTED under previous approval**

#### A. DRAWINGS

1. Drawing No. W12-62 Rev E, titled "Series 'TSD-5000' Alum. Sliding Glass Door (S.M.I.)", sheets 1 through 8 of 8, dated 11/28/12 and last revised on DEC 07, 2020, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

#### B. TESTS

1. None

#### C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with **FBC** 7<sup>th</sup> **Edition (2020)**, dated 12/07/20, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

#### D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

#### E. MATERIAL CERTIFICATIONS

2. Notice of Acceptance No. 17-1114.14 issued to Kuraray America, Inc. for their "Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers" dated 01/18/18, expiring on 07/08/19.

#### F. STATEMENTS

1. Statement letter of conformance, complying with **FBC** 7<sup>th</sup> **Edition (2020)**, and of no financial interest, dated 12/07/20, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

#### G. OTHERS

1. This NOA revises NOA No. 18-0322.03 expiring 03/14/23.

Ishag 1. Chanda

Ishaq I. Chanda, P.E. Product Control Unit Supervisor NOA No. 23-0411.05 Expiration Date: March 14, 2028 Approval Date: May 04, 2023

#### 4. **NEW EVIDENCE SUBMITTED**

#### A. DRAWINGS

1. Drawing No. W12-62 Rev F, titled "Series 'TSD-5000' Alum. Sliding Glass Door (S.M.I.)", sheets 1 through 8 of 8, dated 11/28/12 and last revised on APR 06, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

#### **B. TESTS**

- 1. None
- C. CALCULATIONS (Submitted under previous approval) 1. None.

#### D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

#### **E. MATERIAL CERTIFICATIONS**

1. Notice of Acceptance No. 20-0915.22 issued to Kuraray America, Inc. for their "Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers", expiring on 07/08/24.

#### F. STATEMENTS

- 1. Statement letter of conformance, complying with **FBC** 7<sup>th</sup> **Edition (2020)**, and of no financial interest, dated 04/06/23, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
- 2. Statement letter of conformance, complying with **FBC** 7<sup>th</sup> **Edition (2020)**, and of no financial interest, dated 12/07/20, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

#### G. OTHERS

1. This NOA renews 20-1216.07, expiring on 03/14/28.

Ishag 1. Chande

DESI	GN LOAD	CAPACITY	- PSF	
AVERAGE PANEL WIDTH	DOOR HEIGHT	9/16" LAM. GLASS		
INCHES	INCHES	EXT.(+)	INT.(-)	
36	82-1/4	100.0	125.0	
42		100.0	125.0	
48		100.0	125.0	
54		100.0	125.0	
60		100.0	106.0	
36	96	100.0	125.0	
42		100.0	125.0	
48		100.0	125.0	
54		100.0	106.0	
60		100.0	106.0	
36	102	100.0	125.0	
42		100.0	125.0	
48		100.0	125.0	
54		100.0	106.0	
60		100.0	106.0	
36		100.0	106.0	
42		100.0	106.0	
48	108	100.0	106.0	
54		100.0	106.0	
60		100.0	106.0	
36		100.0	106.0	
42		100.0	106.0	
48	114	100.0	106.0	
54		100.0	106.0	
60		100.0	106.0	
36	120	100.0	106.0	
42		100.0	106.0	
48		100.0	106.0	
54		100.0	106.0	
60		100.0	106.0	

1/4" HEAT STREN'D GLASS .060" Interlayer Trosifol PVB By 'kuraray America, Inc.' 1/4" HEAT STREN'D GLASS ΥΡ. BITE MIN. 1/4" MI GLASS (14) EXTERIOR

> GLAZING DETAIL 9/16" OVERALL LAMINATED GLASS

as complying with the Florida Building Code 23-0411.05 NOA-No.

**PRODUCT RENEWED** 

Expiration Date 03/14/2028

Ishag 1. Chanks Bv Miami-Dade Product Control

DESIGN LOAD RATING FOR DOORS TO BE AS PER CHART SHOWN ABOVE.

REQUIREMENTS OF THE 2020 (7TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

TO THE BUILDING STRUCTURE.

MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE

WATER INFILTRATION RESISTANCE ETC. AND TO BE REVIEWED BY BUILDING OFFICIAL.

DOOR WIDTH AVERAGE PANEL WIDTH = NUMBER OF PANELS


ALL EXTERIOR(+) LOADS SHOWN IN CHARTS ABOVE ARE FOR DOORS WITH 3-3/4" SILL HEIGHTS. FOR 2-5/8" SILL HEIGHT LIMIT EXT.(+) LOADS TO 60.0 PSF SEE SHEET 5 FOR DETAILS


DOOR HEIGHT AND WIDTH SIZE MUST COMPLY WITH EGRESS REQUIREMENTS PER FBC AS NEEDED.


NOTE:


GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-09 (3 SEC. GUSTS) AND FLORIDA BUILDING COMMISSION DECLARATORY STATEMENT DCA05-DEC-219

THESE DOORS ARE RATED FOR SMALL MISSILE IMPACT. MIAMI-DADE COUNTY APPROVED IMPACT RESISTANT SHUTTERS REQUIRED FOR INSTALLATIONS UP TO 30 FT. OF GRADE. SHUTTERS NOT REQD. FOR INSTALLATIONS ABOVE 30 FT. OF GRADE.









1BY OR 2BY WOOD BUCKS AND METAL STRUCTURE NOT BY 'TITAN GLASS' MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

YPE 'A'-	<u>1/4" DIA. ULTRACON+ BY 'DEWALT'</u> (Fu=164 KSI, Fy=148 KSI) INTO 2BY WOOD BUCKS OR WOOD STRUCTURES 1-1/2" MIN. PENETRATION INTO WOOD
	THRU 1BY BUCKS INTO CONCRETE 1–1/2" MIN. EMBED INTO CONCRETE
TYPE 'B'-	1/4" DIA. ULTRACON+ BY 'DEWALT' (Fu=164 KSI, Fy=148 KSI) DIRECTLY INTO CONCRETE 1-1/2" MIN. EMBED
TYPE 'C'-	<b>#14 SMS OR SELF DRILLING SCREWS</b> (GRADE 2 CRS) INTO MIAMI-DADE COUNTY APPROVED MULLIONS OR INTO METAL STRUCTURES (3) THREADS MIN. TO EXTEND BEYOND METAL THICKNESS ALUMINUM: 1/8" THK. MIN. (6063-T5 MIN.) STEEL: 1/8" THK. MIN. (Fy = 36 KSI MIN.) (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)
 TYPE 'B'–	<b>1/4" DIA. ULTRACON+ BY 'DEWALT'</b> (Fu=164 KSI, Fy=148 KSI) DIRECTLY INTO CONCRETE 1–1/2" MIN. EMBED
 TYPE 'A'-	<b><u>1/4" DIA. ULTRACON+ BY 'DEWALT'</u></b> (Fu=164 KSI, Fy=148 KSI) INTO 2BY WOOD BUCKS OR WOOD STRUCTURES 1-1/2" MIN. PENETRATION INTO WOOD
	THRU 1BY BUCKS INTO CONC. OR BLOCKS 1-1/4" MIN. EMBED INTO CONC. OR BLOCKS
YPE 'B'-	1/4" DIA. ULTRACON+ BY 'DEWALT' (Fu=164 KSI, Fy=148 KSI) DIRECTLY INTO CONC. OR BLOCKS 1-1/4" MIN. EMBED INTO CONC. OR BLOCKS
YPE 'C'-	<ul> <li>#14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)</li> <li>INTO MIAMI-DADE COUNTY APPROVED MULLIONS OR</li> <li>INTO METAL STRUCTURES</li> <li>(3) THREADS MIN. TO EXTEND BEYOND METAL THICKNESS</li> <li>ALUMINUM: 1/8" THK. MIN. (6063-T5 MIN.)</li> <li>STEEL: 1/8" THK. MIN. (Fy = 36 KSI MIN.)</li> <li>(STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)</li> </ul>

ITEM #	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS	LO	
1	TGA101	1	FRAME HEAD	6005A-T5	-	C C C C C C C C C C C C C C C C C C C	
2	TGA102	1	FRAME SILL	6005A-T5	-		
3	TGA112	AS REQD.	SILL RISER	6063-T6	-	10N 1538) 3538) -6978	
4	TGA103A	2	FRAME JAMB	6063-T6	-	CORPORATION UCT DEVELOPMENT ; SUITE 220 173 (C.A.N. 3538) FAX. (305) 262-6978 COMD ANI VIIT	
4A	TGA103	2	ALT. FRAME JAMB	6063-T6	-	26. X H	
5	TGA107	AS REQD.	RETAINING CLIP, 7" LONG	6005A-T5	@ MTG. STILES HEAD & SILL ENDS	<b>RPORATIC</b> DEVELOPMENT TTE 220 (C.A.N. 36 FAX. (305) 262-65 COMD ANI	
6	TGA104	1/PANEL	PANEL TOP RAIL	6063-T6	-		
7	TGA105	1/PANEL	PANEL STD. BOTTOM RAIL	6063-T6	-	FAX.	
7A	TGA141	1/PANEL	PANEL HI. BOTTOM RAIL	6063-T6	-	PRODUCT DEV PRODUCT DEV DA 33173 DA 33173 B100 FAX.	
8	TGA110	AS REQD.	PANEL LOCK STILE	6063-T6			
9	TGA109	AS REQD.	PANEL INTERLOCK STILE	6005A	-	AL-FAROOQ ENGINEERS & PROI 9360 SUNSET DRIV MIAMI, FLORIDA 33 TEL. (305) 264-8100	
10	TGA114	AS REQD.	PANEL FEMALE ASTRAGAL	6063-T6		ROOQ RS & PRC VSET DRI ORIDA 3 264.8100	
11	TGA113	AS REQD.	PANEL MALE ASTRAGAL	6063-T6		S S S S S S S S S S S S S S S S S S S	
12	_	2	JAMB FASTENER COVER	6063-T5	OPTIONAL (NOT SHOWN)		
13	TGA111	3/FIX.PANEL	FIXED PANEL RETAINING CLIP, 2" LONG	6063-T5	SECURE W/1 #10 X 1-1/2" FH SMS		
13A	TGA116	OPTIONAL	RETAINING CLIP COVER	6063-T5	OPTIONAL		
14	TGA147	AS REQD.			OPTIONAL	<b>▼</b> 🖞 🖉 🖉	
14	TGA147		GLAZING GASKET	SANTOPRENE	-		
		2/ PANEL	PANEL TOP GUIDE (.62" X 1.40" X .370")	NYLON	-	C. (S.M.I.)	
16	TGA148	2/ FIX. PANEL	FIXED PANEL BOTTOM GUIDE (3" X .91" X .70")	NYLON	-		
17		2/GUIDE	BOTTOM GUIDE INST. SCREWS	-	#10 x 3/4" FHSMS	, LLC (S	
18		AS REQD.	FRAME & PANEL ASSY. SCREWS	-	#10 x 1" PHSMS		
19		2/CLIP	RETAINING CLIP SCREWS		#10-24 × 1/2 FH MS	SLIDING GLASS D Aluminum, treet 0 www.titan	
20	2815 MULTI POINT	1/MOV. PANEL	MORTISE LOCK - MULTI POINT	-	AMESBURY	្រុ រុ 🕺	
22		2/LOCK	LOCK INSTALLATION SCREWS	-	#6-32 x 1/2" FHSMS	× 3 22	
23	2470 MULTI POINT	1/LOCK	LOCK KEEPER	_	-	M SLIDING Alum Street 010	
24	1/2" X 1" X .093	1/LOCK	LOCK KEEPER - CUSTOM FILLER TUBE	6063-T5	-		
25	#10 x 3/4" FH SMS	AS REQD.	KEEPER MOUNTING SCREWS STD.	_	AT 1-1/2" FROM ENDS & 23" O.C.	ALUM & 3301 063	
26	#10 x 3/4" PH SMS	AS REQD.	KEEPER MOUNTING SCREWS MULTI PT.	-	AT 1-1/2" FROM ENDS & 23" O.C.	-7 (3, 8) 00'	
27	APOLLO BY AMESBURY	1/LOCK	INTERIOR & EXTERIOR PULL	_	@ STD. LOCK STILE	50-5000' Glass est 28 1, FL.	
28	APOLLO BY AMESBURY	2/MOV. PANEL	INTERIOR PULL	-	@ MALE ASTRAGAL STILE	· · · · · · · · ·	
29	TA-88	2/MOV. PANEL	PANEL ROLLER ASSY.	-	AMESBURY	SERIES 'TSD. <b>Titan G</b> 572 Wes Hialeah, Tel. (305)	
30		2/ROLLER	ROLLER INSTALLATION SCREWS	-	#8 x 1/2 FHSMS	SERIES '- Titan 572 V Hialea Tet. (30	
31	W21405NK	AS REQD.	TOP RAIL W/STRIP AT INTERLOCKS	_	FIN SEAL BY ULTRAFAB		
32	W21305NK	AS REQD.	VERTICAL W/STRIP AT JAMBS & ASTRAGAL	_	FIN SEAL BY ULTRAFAB	Same	
33	Q267075K	AS REQD.	BOTT. RAIL W/STRIP SQUARE BACK	-	FIN SEAL SKIRTING BY ULTRAFAB		
34		1/MOV. PANEL	3 1/4" X 5/8" X 1/2" HIGH, ADHESIVE BACK PAD	_	SILL/INTERLOCK LOCATION	<u>8</u>	
35		1/MOV. PANEL		_	SILL/INTERLOCK LOCATION	FBC FBC	
36		1/MOV. PANEL	3 1/4" X 1" X 1/2" HIGH, ADHESIVE BACK PAD	_	HEAD/INTERLOCK/ASTRAGAL LOCATION	017 017 020 S R	
37		1/MOV. PANEL	3 1/4" X 2 3/16" X 1/2" HIGH, ADHESIVE BACK PAD			D 20 D 20 DRES	
		TYNOV. TANLE	5 1/4 X 2 5/16 X 1/2 HIGH, ADHESIVE BACK PAD	-	HEAD/INTERLOCK/ASTRAGAL LOCATION	ADD 10 TO	
						by description REV. PER RER COMMENTS UPDATED TO 2017 FBC UPDATED TO 2020 FBC MANUF. ADDRESS REV.	
			<b>PRODUCT RENEWED</b> as complying with the Florida Building Code NOA-No. 23–0411.05			revisions:           no date           c         04.09.14           D         03.07.18           E         12.04.20           F         04.06.23	
			Expiration Date 03/14/2028		IT AL FAR	8	
			By Shag 1. Chank		CENSO	a 12	
			By Shap I Chank Miami-Dade Product Control		No. 81223 APRADO 2023	- 1-28. - TARIQ	
					E No. 81223 E		
					EX APRENA 2023 A E	date: scale: dr. by chk. t	
						<u>e</u> o to to	
					EO STATEOF	drawing no.	
					Car Alanda . Car	<b>-</b>	
				10.00	LICE LORIDA	W12_62	
				10.000	- CORDI ENCL	W12-62 sheet 4 of 8	

WOOD AT HEAD OR JAMBS SG = 0.55 MIN. CONCRETE AT HEAD, SILL OR JAMBS f'c = 3000 PSI MIN. C-90 HOLLOW/FILLED BLOCK AT JAMBS f'm = 2000 PSI MIN.

----


\_\_\_\_\_

-----


-----


-----

\_\_\_\_



-----





#### PRODUCT RENEWED

as complying with the Florida Building Code NOA-No. 23-0411.05

Expiration Date 03/14/2028

By Ishag I. Chande

Miami-Dade Product Control

