



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786)315-2590 F (786) 31525-99

www.miamidade.gov/economy

SOPREMA, Inc.
310 Quadral Drive
Wadsworth, OH 44281

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Alsan Flashing System

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA No. 22-0523.01 and consists of pages 1 through 3.

The submitted documentation was reviewed by Jorge L. Acebo.



NOA No.: 23-0424.02
Expiration Date: 09/13/28
Approval Date: 08/24/23
Page 1 of 3

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Roofing Membrane and Accessories
Material: Polyurethane/Bitumen

SCOPE:

This approves **Alsan Flashing System** manufactured by SOPREMA, Inc., as described in this Notice of Acceptance. This product has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone of the Florida Building Code.

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
NEMO etc, LLC	ASTM C836 ASTM G154 ASTM E96 ASTM D1149	4p-SOP-22-SSLAP-05	3/15/23

MANUFACTURING LOCATION:

1. Drummondville, Quebec, Canada

PHYSICAL PROPERTIES OF COMPONENTS

Trade name:	ALSAN Flashing System
Thickness:	Base Coat: Minimum 30 wet mils (22 dry mils) Finish Coat: Minimum 30 wet mils (22 dry mils)
Specifications:	ASTM C836
Component Description:	ALSAN Flashing Cement: A polyurethane/bitumen resin, single-component, moisture-cure compound utilizing low solvent technologies. POLYFLEECE: A flexible, non-woven polyester reinforcement that is embedded into the first layer of ALSAN Flashing Base Coat and then covered with an additional Base Coat application.
Container Size:	ALSAN Flashing Cement: 1 or 5 gallons POLYFLEECE: 39" x 50 ft, 8" x 50 ft or 4" x 50 ft.
System Approvals:	ALSAN Flashing System is a component for use in new or existing modified bitumen or built-up roofing (BUR) systems. The ALSAN Flashing System is applied to properly prepared perimeter edge metal, curbs, roof penetrations, columns, parapet walls and area dividers (restrained/supported wall constructions only). The ALSAN Flashing System can also be used as a reinforcing ply over existing field membrane seams and joints or a surfacing layer over field membrane where ponding water occurs.



NOA No.: 23-0424.02
Expiration Date: 09/13/28
Approval Date: 08/24/23
Page 2 of 3

LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire rating of this product.
2. SOPREMA, Inc. products shall not be applied in inclement weather conditions.
3. The products listed herein are components of roof assemblies and are approved for use with roof assemblies that list any of the products listed herein as part of their roof assemblies Notice of Acceptance. For applications over existing roof systems. Refer to applicable building code for requirements.
4. All products listed herein shall have an unannounced follow-up quality control program from an approved listing agency. Follow up test results shall be made available to Miami-Dade County Product Control upon request.
5. All approved products listed herein shall be labeled in compliance with TAS 121 and shall bear the imprint or identifiable marking of the manufacturer's name or logo and following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



6. Change in materials, use, or manufacture of any of the products listed herein shall be cause for termination of this Notice of Acceptance.
7. SOPREMA, Inc. products shall be applied in accordance with manufacturer's published application instructions.
8. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 16G20-3 of the Florida Administrative Code.

END OF THIS ACCEPTANCE

