

## DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

## **NOTICE OF ACCEPTANCE (NOA)**

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

Sekisui S-LEC America LLC 1200 Rolling Hills Lane Winchester, KY 40391

Scope: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ). This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

#### **DESCRIPTION: S-LEC SAF Glass Interlayer**

APPROVAL DOCUMENT: Drawing No. 1647, titled "S-LEC SAF Glass Laminate Film", sheet 1 of 1, dated 05/28/2009, with revision A1 dated 10/24/2011, prepared by W.W. Schaefer Engineering & Consulting, P.A, signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

#### MISSILE IMPACT RATING: None.

**LABELING:** Glass laminated under this product approval shall be permanently marked in a corner of the glass with: "MDCA-S-LEC SAF" and the laminator's identification mark. These marks shall be applied by the individual laminator producing the finished laminated glass product containing the S-LEC SAF interlayer. The laminate's or interlayer's packaging is to identify the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved'.

# LIMITATION: This approval does not include an evaluation of structural performance of this component.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 20-0622.05 and consists of this page, evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by Ishaq I. Chanda, P.E.





NOA No: 23-0713.28 Expiration Date: September 2, 2024 Approval Date: August 24, 2023 Page 1

## **NOTICE OF ACCEPTANCE: EVIDENCE PAGE**

#### 1. EVIDENCE SUBMITTED UNDER PREVIOUS NOAs

#### A. DRAWING "Submitted under NOA # 11-1026.07"

1. Drawing No. 1647, titled "S-LEC SAF Glass Laminate Film", sheet 1 of 1, dated 05/28/2009, with revision A1 dated 10/24/2011, prepared by W.W. Schaefer Engineering & Consulting, P.A, signed and sealed by Warren W. Schaefer, P.E.

#### B. TEST REPORTS "Submitted under NOA # 09-0618.03"

	<b>Laboratory Report</b>	<u>Test</u>	<u>Date</u>	<u>Signature</u>
1.	ATI 90988.01-106-18	<b>ASTM D 635</b>	05/07/09	Joseph A. Reed, P.E.
2.	ATI 90988.01-106-18	ASTM D1929	05/07/08	Joseph A. Reed, P.E.
3.	ATI 70698.01-106-18	ASTM D 2843	12/07/07	Joseph A. Reed, P.E.
4.	ATI 70698.01-106-18	<b>ASTM G 155</b>	12/07/07	Joseph A. Reed, P.E.
5.	ATI 70698.01-106-18	<b>ASTM D 790</b>	12/07/07	Joseph A. Reed, P.E.

#### C. CALCULATIONS

1. None.

#### D. MATERIAL CERTIFICATIONS

1. None.

#### E. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

#### F. STATEMENTS

- 1. Statement letter of code conformance to 2010 and 5<sup>th</sup> edition (2014) FBC, issued by W.W. Schaefer Engineering & Consulting, P.A, dated 04/15/2014, signed and sealed by Warren W. Schaefer, P.E.
- 2. Statement letter of no financial interest, issued by W.W. Schaefer Engineering & Consulting, P.A, dated 04/15/2014, signed and sealed by Warren W. Schaefer, P.E.
- 3. Statement letter of code conformance to the 5<sup>th</sup> Edition (2014) and 6<sup>th</sup> Edition (2017) FBC, issued by W.W. Schaefer Engineering & Consulting, P.A, dated 07/19/2017, signed and sealed by Warren W. Schaefer, P.E.

#### "Submitted under NOA # 09-0618.03"

4. Distributor agreements dated 06/18/2009.

shing 1. Chand

Ishaq I. Chanda, P.E. Product Control Unit Supervisor NOA No 23-0713.28

Expiration Date: September 2, 2024 Approval Date: August 24, 2023

## **NOTICE OF ACCEPTANCE: EVIDENCE PAGE**

- 2. EVIDENCE SUBMITTED
- A. DRAWING
  - 1. None.
- B. TEST REPORTS
  - 1. None.
- C. CALCULATIONS
  - 1. None.
- D. MATERIAL CERTIFICATIONS
  - 1. None.
- E. QUALITY ASSURANCE
  - 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- F. STATEMENTS
  - 1. Statement letter of code conformance to the 6<sup>th</sup> edition (2017) and 7<sup>th</sup> edition (2020) FBC issued by W.W. Schaefer Engineering & Consulting, P.A, dated 06/05/2020, signed and sealed by Warren W. Schaefer, P.E.

Ishag I. Chand

Ishaq I. Chanda, P.E. Product Control Examiner NOA No 23-0713.28

Expiration Date: September 2, 2024 Approval Date: August 24, 2023

## **NOTICE OF ACCEPTANCE: EVIDENCE PAGE**

#### 3. NEW EVIDENCE SUBMITTED

- A. DRAWING (submitted under previous approval)
  - Drawing No. 1647, titled "S-LEC SAF Glass Laminate Film", sheet 1 of 1, dated 05/28/2009, with revision A1 dated 10/24/2011, prepared by W.W. Schaefer Engineering & Consulting, P.A, signed and sealed by Warren W. Schaefer, P.E.
- B. TEST REPORTS
  - 1. None.
- C. CALCULATIONS
  - 1. None.
- D. MATERIAL CERTIFICATIONS
  - 1. None.
- E. QUALITY ASSURANCE
  - 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- F. STATEMENTS
  - 1. Statement letter of code conformance to the 8<sup>th</sup> edition (2023) FBC issued by W.W. Schaefer Engineering & Consulting, P.A, dated JUL 01, 2023, signed and sealed by Warren W. Schaefer, P.E
  - 2. Statement letter of code conformance to the 6<sup>th</sup> edition (2017) and 7<sup>th</sup> edition (2020) FBC issued by W.W. Schaefer Engineering & Consulting, P.A, dated 06/05/2020, signed and sealed by Warren W. Schaefer, P.E. (submitted under previous approval).
- G. OTHER
  - 1. This NOA revises NOA # 20-0622.05, updates to FBC 2023, expiring 09/02/24.

Changle Chand

Ishaq I. Chanda, P.E. Product Control Examiner NOA No 23-0713.28

Expiration Date: September 2, 2024 Approval Date: August 24, 2023

#### CHECKED BY: W.W.S. PRODUCT DESCRIPTION 10/24/11 DESCRIPTION: S-LEC SAF BY SEKISUI S-LEC AMERICA, LLC IS A MONOLITHICALLY EXTRUDED POLYVINYL BUTYRAL RESIN & W.W.S. TRIETHYLENE GLYCOL-DI (2 ETHYLHEXANOATE) PLASTICIZER. 7 SECTION TYPICAL GLAZING MAKE-UP SHALL INCLUDE THE FOLLOWING COMPONENTS: CONSULTANTS ADDRESS "A" = MINIMUM 7/64" (2.7 mm) ANNEALED GLASS "B" = MINIMUM 0.039" (0.98 mm) S-LEC SAF INTERLAYER "C' = MINIMUM 7/64" (2.7 mm) ANNEALED GLASS UPDATE PRODUCT PROPERTIES FOOT NOTE DESCRIPTION **TEST** TEST RESULTS Š A1 (1)SMOKE DENSITY ASTM D2843-04 0.57 (1) & (3)CLASS C2 @ 2.13 IN/MIN RATE OF BURNING ASTM D635-06 752° F (400° C) (2) SELF IGNITION TEMPERATURE ASTM D1929-00 **BEFORE AFTER** ASTM D790-03 AVERAGE FLEXURAL STRENGTH (2) & (3)4416 PSI 4088 PSI HILLS LAN KY 40391 & G155-05 BEFORE & AFTER WEATHERING % CHANGE = -7.4 %(1) SPECIMEN TESTED CONSISTED OF THE INTERLAYER MATERIAL ONLY. (2) SPECIMEN TESTED CONSISTED OF THE INTERLAYER MATERIAL LAMINATED BETWEEN TWO PANES OF GLASS. (3) THE STANDARD USED FOR TESTING OF THIS PRODUCT IS A MORE CURRENT VERSION OF THE SAME STANDARD SPECIFIED IN THE FLORIDA BUILDING CODE. NOTE THAT THE STANDARD SHOWN IN THIS TABLE IS EQUIVALENT TO THAT EARLIER STANDARD SPECIFIED IN THE CODE. GENERAL NOTES: LAMINATE 1. S-LEC SAF BY IT SELF DOES NOT MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE. IT MUST ALWAYS BE LAMINATED BETWEEN TWO(2) PANES OF GLASS. 2. GLASS ALLOY IS NOT RESTRICTED TO ANNEALED. GLASS ALLOY MAY BE ANNEALED, HEAT NORTH FL 33418 -3424 STRENGTHENED, CHEMICALLY TEMPERED OR TEMPERED. GLASS 3. S-LEC SAF IS A CLEAR FILM & SHALL NOT BE COLORED NOR TINTED. NOTE THAT CLEAR FILM DOES CONTAIN SMALL AMOUNTS OF ADDITIVES SUCH AS STABILIZERS, ETC. 4. S-LEC SAF INTERLAYER HAS BEEN TESTED AND APPROVED IN ACCORDANCE WITH THE 7480 150TH COURT PALM BEACH CARDENS, PHONE: 561-744-SAF REQUIREMENTS OF THE FLORIDA BUILDING CODE SECTIONS 2605, 2606 & 2612. W. SCHAEFER CONSULTING, 5. THIS IS A COMPONENT APPROVAL ONLY. STRUCTURAL PERFORMANCE OF THIS PRODUCT WIITHIN OTHER SYSTEMS IS NOT PART OF THIS APPROVAL. SYSTEMS USING THIS COMPONENT AS PART OF S-LEC THEIR OWN OVERALL STRUCTURAL SYSTEM SHALLPAPPLY THUR OWN SEPERATE APPROVALS. 6. THE INTERLAYER MAY BE MADE UP OF SINGLES OR MUNICIPAL THE OVERALL INTERLAYER THICKNESS DESIRED. CONSULTANTS W. W. SCH & CONSUI Acceptance Na 23-07/3.28 THE OVERALL INTERLAYER THICKNESS DESIRED. Expiration Pale 09/02/2024 Miami Bade Product Comen P. FI SCHAEFER, NO. 44135 **PRODUCT REVISED** CERTIFICATION **PRODUCT RENEWED** as complying with the Florida as complying with the Florida Building Code **Building Code** ঝ 20-0622.05 NOA-No. S 19-0606.03 NOA-No. Expiration Date 09/02/2024 Expiration Date Sept 02, 2024 WARREN Miami-Dade Product Control Miami-Dade Product Control DRAWING NO. REV. 1647 SHEET NO. OF