



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208
Miami, FL 33175
T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

Eurotech Industries Inc.
3801 SW 30th Ave, Bay 24
Hollywood, FL 33312

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "2041/2062" Aluminum Horizontal Sliding Window – L.M.I.

APPROVAL DOCUMENT: Drawing No. **W06-63**, titled "Series 2041/2062 Alum. Horizontal Sliding Wdw." sheets 1 through 6 of 6, dated 09/27/06, with revision **I** dated 06/16/23, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Rating.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises NOA # 20-1203.10** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Sifang Zhao, P.E.**



S.Z.
11/23/2023

NOA No. 23-0717.06
Expiration Date: February 22, 2027
Approval Date: November 23, 2023
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's

A. DRAWINGS

1. Manufacturer's die drawings and sections. (*Submitted under NOA No. 06-1020.05*)
2. Drawing No **W06-63**, Sheets 1 through 6 of 6, titled "Series 2041/2062 Alum. Horizontal Sliding Wdw.", dated 09/27/06 with revision G dated 01/23/2020, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94
along with marked-up drawings and installation diagram of an aluminum horizontal sliding window, prepared by American Testing Lab of South Florida, Test Report No. **ATL-0720.01-06**, dated 08/22/06, signed and sealed by Henry Hattem, P.E.
(*Submitted under previous NOA No. 06-1020.05*)
2. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, per FBC, TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per FBC 2411 3.2.1, TAS 202-94
along with marked-up drawings and installation diagram of a horizontal sliding window, glazed with 5/16" HS and 7/16" HS laminated glass, prepared by American Test Lab of South Florida, Test Report No. **ATLSF-1023.01-06**, dated 11/17/06, signed and sealed by Henry Hattem, P.E. and William R. Mehner, P.E.
(*Submitted under previous NOA#07-0103.09*) (**FOR REFERENCE ONLY**)


C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with **FBC-2014, 5th edition**, prepared by Al-Farooq Corporation, dated 06/05/15 and 01/13/16, signed and sealed by Javad Ahmad, P.E.
2. Glazing complies with **ASTM E1300-09**.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. NOA No. **20-0915.19** issued to **Kuraray America, Inc.** for their "**SentryGlas® (Clear and White) Glass Interlayers**", expiring on 07/04/23.
2. NOA No. **20-0915.22** issued to **Kuraray America, Inc.** for their "**Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers**", expiring on 07/08/24. 

Sifang Zhao, P.E.
Product Control Examiner
NOA No. 23-0717.06
Expiration Date: February 22, 2027
Approval Date: November 23, 2023

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS

1. Documents for “Innovative Window Concepts, LLC Purchase of Assets in Replevin”.
(Submitted under NOA No. 20-0129.09)
2. Statement letter of conformance, complying with **FBC 6th** Edition (**2017**), with **FBC 7th** Edition (**2020**), and of no financial interest, dated 10/26/2020, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

G. OTHERS

1. NOA No. **20-0129.09**, issued to Innovative Window Concepts, LLC, for their “**Series 2041/2062 Aluminum Horizontal Sliding Window-L.M.I.**”, expiring on 02/22/22.

2. NEW EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No **W06-63**, Sheets 1 through 6 of 6, titled “Series 2041/2062 Alum. Horizontal Sliding Wdw.”, dated 09/27/06 with revision **I** dated 06/16/23, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq P.E.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. NOA No. **23-0717.30** issued to **Kuraray America, Inc.** for their “**SentryGlas® (Clear and White) Glass Interlayers**”, expiring on 07/04/28.
2. NOA No. **23-0717.28** issued to **Kuraray America, Inc.** for their “**Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers**”, expiring on 07/08/24.

F. STATEMENTS


1. Statement letter of conformance, complying with **FBC 7th** Edition (**2020**), with **FBC 8th** Edition (**2023**), and of no financial interest, dated 06/20/2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
2. **Bill of Sale for Impact Window Company Acquisition, LLC to Eurotech Industries Inc.**

G. OTHERS

1. NOA No. **20-1203.10**, issued to Impact Window Company Acquisition, LLC, for their “**Series 2041/2062 Aluminum Horizontal Sliding Window-L.M.I.**”, expiring on 02/22/27.



Sifang Zhao, P.E.
Product Control Examiner
NOA No. 23-0717.06
Expiration Date: February 22, 2027
Approval Date: November 23, 2023



EQUAL LITE WINDOWS (XO OR OX SIZES)	
WINDOW DIMS.	
WINDOW WIDTH	WINDOW HEIGHT
72"	24"
72"	36"
72"	48"
59-3/8"	60"
74"	26"
74"	38-3/8"
70-3/8"	50-5/8"
56-1/2"	63"

THESE WINDOWS ARE RATED FOR LARGE & SMALL MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

SERIES 2041/2062 **ALUMINUM HORIZONTAL SLIDING WINDOW**

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF H.S./H.S. OR HORIZONTAL SLIDING WITH OTHER MIAMI-DADE COUNTY APPR'D WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN. LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2020 (7TH EDITION)/2023 (8TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

1BY OR 2BY WOOD BUCKS & BUCK FASTENERS BY OTHERS, MUST BE DESIGNED AND INSTALLED ADEQUATELY TO TRANSFER APPLIED PRODUCT LOADS TO THE BUILDING STRUCTURE.

ANCHORS SHALL BE CORROSION RESISTANT, SPACED AS SHOWN ON DETAILS AND INSTALLED PER MANUF'S INSTRUCTIONS. SPECIFIED EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.


ALL SHIMS TO BE HIGH IMPACT, NON-METALLIC AND NON-COMPRESSIBLE.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE 2020/2023 FLORIDA BLDG. CODE & ADOPTED STANDARDS.


THIS PRODUCT APPROVAL IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT, I.E. LIFE SAFETY OF THIS PRODUCT, ADEQUACY OF STRUCTURE RECEIVING THIS PRODUCT AND SEALING AROUND OPENING FOR WATER INFILTRATION RESISTANCE ETC.

CONDITIONS NOT SHOWN IN THIS DRAWING ARE TO BE ANALYZED SEPARATELY, AND TO BE REVIEWED BY BUILDING OFFICIAL.

DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.



SERIES 2041



SERIES 2062

GLAZING OPTIONS

MAXIMUM DESIGN LOAD RATING = + 75.0 PSF
(FOR SIZES SHOWN ABOVE OR SMALLER) - 85.0 PSF
SERIES 2041


MAXIMUM DESIGN LOAD RATING = + 75.0 PSF
(FOR SIZES SHOWN ABOVE OR SMALLER) - 100.0 PSF
SERIES 2062

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-09 (3 SEC. GUSTS) AND FLORIDA BUILDING COMMISSION DECLARATORY STATEMENT DCA05-DEC-219

PRODUCT REVISED
as complying with the Florida Building Code
NOA-No. 23-0717.06

Expiration Date 02/22/2027

By 
Miami-Dade Product Control





JUN 27 2023

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W06-63IWC

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.
Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217

revisions:	
no	date by description
E	03.16.18 UPDATED TO 2017 FBC
F	07.23.18 MANUF. NAME REV.
G	01.23.20 MANUF. NAME REV.
H	11.05.20 UPDATED TO 2020 FBC
I	06.16.23 MANUF. NAME REV.
date:	09-27-06
scale:	1/2"=1'-0"
dr. by:	TARIQ
chk. by:	
drawing no.	W06-63
sheet	1 of 6




TYPICAL ELEVATIONS

MAXIMUM DESIGN LOAD RATING = + 75.0 PSF
(FOR SIZES SHOWN ABOVE OR SMALLER) - 85.0 PSF
SERIES 2041

MAXIMUM DESIGN LOAD RATING = + 75.0 PSF
(FOR SIZES SHOWN ABOVE OR SMALLER) - 100.0 PSF
SERIES 2062

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-09 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 23-0717.06
Expiration Date 02/22/2027
By 
Miami-Dade Product Control

JUN 27 2023







AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.
Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217


revisions:	no.	date	by	description
	E	03.16.18		UPDATED TO 2017 FBC
	F	07.23.18		MANUF. NAME REV.
	G	01.23.20		MANUF. NAME REV.
	H	11.05.20		UPDATED TO 2020 FBC
	I	06.16.23		MANUF. NAME REV.

date:	09-27-06
scale:	1/2"=1'-0"
dr. by:	TARIQ
chk. by:	

drawing no.	W06-63
sheet	2 of 6



WOOD BUCKS AND METAL STRUCTURE NOT BY 'EUROTECH' MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.



PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 23-0717.06

Expiration Date 02/22/2027

By
Miami-Dade Product Control

WEEPHOLES:

- W1 = 1-5/8" X 1/4" WEEPHOLES AT 7-1/8" FROM EACH END AND 24" O.C. WITH WEEP COVER
W2 = 1" X 1/4" WEEP SLOTS UNDER FIXED LITE AT 24" O.C.
W3 = 1" X 1/4" WEEP SLOTS ON VENT AREA AT 5" FROM ENDS AND 7-3/4" O.C.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING

1/4" DIA. ULTRACON+ BY 'DEWALT' (Fu=164 KSI, Fy=148 KSI)
INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
1-1/2" MIN. PENETRATION INTO WOOD (HEAD/SILL/JAMBS)

THRU 1BY BUCKS INTO CONC. OR BLOCKS
1-1/4" MIN. EMBED INTO CONCRETE (HEAD/SILL/JAMBS)
1-1/4" MIN. EMBED INTO BLOCKS (JAMBS)

DIRECTLY INTO CONCRETE OR BLOCKS
1-1/4" MIN. EMBED INTO CONCRETE (HEAD/SILL/JAMBS)
1-1/4" MIN. EMBED INTO BLOCKS (JAMBS)

#14 SMS OR SELF-DRILLING SCREWS (GRADE 2 CRS)
INTO MIAMI-DADE COUNTY APPROVED MULLIONS
OR
INTO METAL STRUCTURES (HEAD/SILL/JAMBS)
(3) THREADS MIN. TO EXTEND BEYOND METAL THICKNESS
ALUMINUM: 1/8" THK. MIN. (6063-T5 MIN.)
STEEL: 1/8" THK. MIN. (Fy = 36 KSI MIN.)
(STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

CRITICAL EDGE DISTANCE

INTO CONCRETE AND BLOCKS = 2" MIN.
INTO WOOD STRUCTURE = 1" MIN.
INTO METAL STRUCTURE = 3/4" MIN.

WOOD AT HEAD, SILL OR JAMBS SG = 0.55 MIN.
CONCRETE AT HEAD, SILL OR JAMBS f'c = 3000 PSI MIN.
C-90 HOLLOW/FILLED BLOCK AT JAMBS f'm = 2000 PSI MIN.






AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
C.A.N. 3538

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.
Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217

revisions:	no	date	by	description
	E	03.16.18		UPDATED TO 2017 FBC
	F	07.23.18		MANUF. NAME REV.
	G	01.23.20		MANUF. NAME REV.
	H	11.05.20		UPDATED TO 2020 FBC
	I	06.16.23		MANUF. NAME REV.

date: 09-27-06
scale: 1/2" = 1"
dr. by: TARIQ
chk. by:

drawing no.
W06-63
sheet 3 of 6



PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 23-0717.06

Expiration Date 02/22/2027

By 
Miami-Dade Product Control



JUN 27 2023


af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP -ANL\W06-63IWC

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.
Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217


revisions:		no	date	by	description
	E	03.16.18			UPDATED TO 2017 FBC
	F	07.23.18			MANUF. NAME REV.
	G	01.23.20			MANUF. NAME REV.
	H	11.05.20			UPDATED TO 2020 FBC
	I	06.16.23			MANUF. NAME REV.

date:	09-27-06
scale:	1/2" = 1"
dr. by:	TARIQ
chk. by:	


drawing no.	W06-63
sheet	4 of 6




① FRAME HEAD




② FRAME SILL BASE




⑬ SILL TRACK




③ FRAME SILL INSERT




⑫ SILL REINFORCING




⑩ VENT TOP/BOTTOM RAIL




⑧ VENT SIDE PULL




⑦ VENT SIDE INTERLOCK




⑥ FIXED MTG. STILE



④ FRAME SILL COVER



⑤ FRAME JAMB



⑪ WATER SHED

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	021-005	1	FRAME HEAD	6063-T6	-
2	021-014	1	FRAME SILL BASE	6063-T6	-
3	021-013	1	FRAME SILL INSERT	6063-T5	-
4	021-015	1	FRAME SILL COVER	6063-T5	-
5	021-006	2	FRAME JAMB	6063-T6	-
6	022-007	1/ VENT	FIXED MEETING STILE	6063-T5	-
7	022-004	1/ VENT	VENT SIDE INTERLOCK	6063-T5	-
8	022-019	1/ VENT	VENT SIDE PULL	6063-T5	-
9	021-011	4/ GLASS	GLAZING BEAD	6063-T5	-
10	021-003	2/ VENT	VENT TOP/BOTTOM RAIL	6063-T5	-
11	021-039	1/ VENT	WATER SHED	6063-T5	-
12	022-038	-	SILL REINFORCEMENT, 12" LONG	6063-T5	1/ MTG. RAIL & 1 BELOW FIX.
13	021-016	1	TRACK	ALUMINUM	-
14	010-004	2/ VENT	WHEEL HOUSING ASSEMBLY	RIGID PVC	M & M PLASTICS
15	004-002	2/ VENT	SWEEP LOCK (PD207)	-	SULLIVAN & ASSOC.
16	008-014	AS REQD.	ASSEMBLY SCREWS	ST/ST	#8 X 1" PH SMS
17	008-031	4	MTG. RAIL ASSEMBLY SCREWS	ST/ST	#10 X 1" PH SMS
18	016-002	AS REQD.	.187 X 170 WOOL PILE W/ FIN SEAL	FELT	ULTRAFAB
19	023-001	AS REQD.	.187 X .270 FOAM FILLED BULB	VINYL	AMESBURY
20	012-004	AS REQD.	GLAZING COMPOUND	SILICONE	DOWSIL 995
21	015-006	AS REQD.	1/8" SPACER	ACRYLIC	FRANK LOWE RUBBER
22	012-001	-	SM5504 SEAM SEALER	-	SCHNEE MOREHEAD
23	010-014	AS REQD.	BAFFLE	NYLON	M & M PLASTICS
24	010-015	AS REQD.	WEEP COVER	NYLON	PREFERRED ENGINEERING
25	015-001	AS REQD.	.185 X 220 BULB GASKET (DUROMETER 75±3)	VINYL	MASTER TOOL
26	010-002	2/ VENT	END CAP	ACETYL	M & M PLASTICS
27	-	-	LOCK JAMB REINFORCING AT MIDSPAN	6063-T6	1/2" X .078" X 12" LONG
28	015-010	2/ LITE	1/8" X 1/2" SETTING BLOCK (DUROMETER 85±5)	NEOPRENE	FRANK LOWE RUBBER


SEALANTS:

ALL JOINTS AND FRAME CONNECTIONS SEALED WITH SCHNEE MOREHEAD SEAM SEALER SM5504.

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 23-0717.06

Expiration Date 02/22/2027

By 
Miami-Dade Product Control



JUN 27 2023


AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL W06-63IWC

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.
Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217


revisions:	no	date	by	description
	E	03.16.18		UPDATED TO 2017 FBC
	F	07.23.18		MANUF. NAME REV.
	G	01.23.20		MANUF. NAME REV.
	H	11.05.20		UPDATED TO 2020 FBC
	I	06.16.23		MANUF. NAME REV.

date: 09-27-06
scale: 1/2" = 1"
dr. by: TARIQ
chk. by:


drawing no.
W06-63
sheet 5 of 6




VENT TOP/BOTTOM CORNERS



FIXED MTG. RAIL CORNER



FRAME TOP CORNER



FRAME BOTTOM CORNER

JUN 27 2023

PRODUCT REVISED
as complying with the Florida
Building Code
NOA-No. 23-0717.06

Expiration Date 02/22/2027

By 
Miami-Dade Product Control



afc

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978

COMP-ANL\W06-63IWC

SERIES 2041/2062 ALUM HORIZONTAL SLIDING WDW.

Eurotech Industries Inc.
3801 S.W. 30th Ave, Bay 24
Hollywood, FL 33312
Tel. (954) 630-9967 Fax. (954) 630-0217

no	date	by	description
E	03.16.18		UPDATED TO 2017 FBC
F	07.23.18		MANUF. NAME REV.
G	01.23.20		MANUF. NAME REV.
H	11.05.20		UPDATED TO 2020 FBC
I	06.16.23		MANUF. NAME REV.

date:	09-27-06
scale:	1/2" = 1"
dr. by:	TARIQ
chk. by:	

drawing no.
W06-63
sheet 6 of 6