



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION
NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

Kuraray America, Inc.
2200 Concord Pike, Suite 1100
Wilmington, DE 19803

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers

APPROVAL DOCUMENT: Drawing No. **G16-01 Rev D**, titled "Kuraray Trosifol® Interlayers", sheet 1 of 1, dated 10/10/2016 and last revised on JUL 01, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None

LABELING: Laminated lites under this Product Approval shall be permanently marked in a corner of the glass with: a) Trosifol® PVB, b) Laminator's identification mark and c) MDCA, standing for "Miami-Dade County Approved, This marks shall be applied by the laminator producing the laminated glass. The laminate's or interlayer's packaging is to identify the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved'.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises NOA # 20-0915.22** and consists of this page 1 and evidence pages E-1, E-2, E-3 and E-4, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



Ishaq I. Chanda

NOA No. 23-0717.28
Expiration Date: July 8, 2024
Approval Date: August 24, 2023
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. Evidence submitted under previous NOA's

A. DRAWINGS “Evidence Submitted under NOA #16-1117.01”

1. Drawing No. **G16-01**, titled “Kuraray Trosifol® Interlayers”, sheet 1 of 1, dated 10/10/2016, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS “Submitted under NOA # 11-0624.01”

	<u>Test report</u>	<u>Standard</u>	<u>Date</u>	<u>Signature</u>
1.	A2280.01-10-18	ASTM D1929	03/29/11	Joseph A. Reed, P.E.
2.	A2280.01-10-18	ASTM D 635	03/29/11	Joseph A. Reed, P.E.
3.	A2280.01-10-18	ASTM D 2843	03/29/11	Joseph A. Reed, P.E.
4.	A2280.01-10-18	ASTM G 155	03/29/11	Joseph A. Reed, P.E.
5.	A2280.01-10-18	ASTM C 158	03/29/11	Joseph A. Reed, P.E.

“Submitted under # NOA # 09-0323.15”

	<u>Laboratory Report</u>	<u>Test</u>	<u>Date</u>	<u>Signature</u>
6.	ETC-08-1023-20266.1	ASTM D 635	12/12/08	Joseph L. Doldan, P.E.
7.	ETC-08-1023-20266.1	ASTM D1929	12/12/08	Joseph L. Doldan, P.E.
8.	ETC-08-1023-20266.1	ASTM D 2843	12/12/08	Joseph L. Doldan, P.E.
9.	ETC-08-1023-20266.1	ASTM G 155	12/12/08	Joseph L. Doldan, P.E.
10.	ETC-08-1023-20266.1	ASTM C 158	12/12/08	Joseph L. Doldan, P.E.

“Submitted under # NOA # 09-0323.16”

	<u>Laboratory Report</u>	<u>Test</u>	<u>Date</u>	<u>Signature</u>
11.	ETC-08-1023-20267.1	ASTM D 635	09/11/08	Joseph L. Doldan, P.E.
12.	ETC-08-1023-20267.1	ASTM D1929	09/11/08	Joseph L. Doldan, P.E.
13.	ETC-08-1023-20267.1	ASTM D 2843	09/11/08	Joseph L. Doldan, P.E.
14.	ETC-08-1023-20267.1	ASTM G 155	09/11/08	Joseph L. Doldan, P.E.
15.	ETC-08-1023-20267.1	ASTM C 158	09/11/08	Joseph L. Doldan, P.E.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS “Evidence Submitted under NOA #16-1117.01”

1. Statement letter of code conformance to the 5th edition (2014) FBC and of no financial interest issued by Al-Farooq Corporation, dated 11/14/2016, signed and sealed by Javad Ahmad, P.E.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 23-0717.28
Expiration Date: July 8, 2024
Approval Date: August 24, 2023

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS (Continued) “Submitted under NOA # 14-0714.01”

2. Statement letter of code conformance to 2010 and 5th edition (2014) FBC and no financial interest, issued by PTC Product Design Group, LLC, dated 06/24/2014, signed and sealed by Robert J. Amoruso, P.E.
3. Distributor agreement dated 06/23/2014.
“Submitted under NOA # 14-0916.10”
4. Statement letter of code conformance to 2010 and the 5th edition (2014) FBC issued by Al-Farooq Corporation, dated 06/16/2015, signed and sealed by Javad Ahmad, P.E.
5. Purchase agreement between E.I. DuPont De Nemours and Co. and Kuraray Co., LTD., dated May 22, 2014.

2. Evidence submitted under previous approval

A. DRAWINGS

1. Drawing No. **G16-01**, titled “Kuraray Trosifol® Interlayers”, sheet 1 of 1, dated 10/10/2016, with revision B dated 10/24/2017, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

	<u>Test report</u>	<u>Standard</u>	<u>Date</u>	<u>Signature</u>
1.	G2906.01-106-18	ASTM D1929	09/18/17	Gary T. Hartman, P.E.
2.	G2906.01-106-18	ASTM D 635	09/18/17	Gary T. Hartman, P.E.
3.	G2906.01-106-18	ASTM D 2843	09/18/17	Gary T. Hartman, P.E.
4.	G2906.01-106-18	ASTM G 155	09/18/17	Gary T. Hartman, P.E.
5.	G2906.01-106-18	ASTM C 158	09/18/17	Gary T. Hartman, P.E.
6.	G2906.02-106-18	ASTM D 635	09/18/17	Gary T. Hartman, P.E.
7.	G2906.02-106-18	ASTM D1929	09/18/17	Gary T. Hartman, P.E.
8.	G2906.02-106-18	ASTM D 2843	09/18/17	Gary T. Hartman, P.E.
9.	G2906.02-106-18	ASTM G 155	09/18/17	Gary T. Hartman, P.E.
10.	G2906.02-106-18	ASTM C 158	09/18/17	Gary T. Hartman, P.E.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 5th edition (2014) and 6th edition (2017) FBC and of no financial interest issued by Al-Farooq Corporation, dated 11/01/2017, signed and sealed by Javad Ahmad, P.E.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 23-0717.28
Expiration Date: July 8, 2024
Approval Date: August 24, 2023

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

3. Evidence submitted under previous submittal

A. DRAWINGS

1. Drawing No. **G16-01**, titled “Kuraray Trosifol® Interlayers”, sheet 1 of 1, dated 10/10/2016, prepared by Al-Farooq Corporation, with revision C dated 08/24/2020, signed and sealed by Jalal Farooq, P.E.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 6th Edition (2017) and 7th Edition (2020) FBC and of no financial interest issued by Al-Farooq Corporation, dated 09/01/2020, signed and sealed by Jalal Farooq, P.E.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 23-0717.28
Expiration Date: July 8, 2024
Approval Date: August 24, 2023

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

4. New evidence submitted

A. DRAWINGS

1. Drawing No. **G16-01 Rev D**, titled “Kuraray Trosifol® Interlayers”, sheet 1 of 1, dated 10/10/2016 and last revised on JUL 01, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS(notes: item #2 & #3 submitted under previous approval)

1. Statement letter of code conformance to the 8th Edition (2023), dated 07/01/2023, signed and sealed by Jalal Farooq, P.E
2. Statement letter of code conformance to the 6th Edition (2017) and 7th Edition (2020) FBC and of no financial interest issued by Al-Farooq Corporation, dated 09/01/2020, signed and sealed by Jalal Farooq, P.E.
3. Letter stating that all of the assets from Spallshield and Butacite used for the tests which were the basis for obtaining the NOA, have been sold to Kuraray, and DuPont no longer manufactures those two product lines and the NOA # **10-0819.04** and NOA # **13-0129.27** be rescinded and releases its rights to Kuraray, dated 08/05/2014 and signed by Kurt Adams.


G. OTHER

1. This NOA revises NOA # **20-0915.22** updates FBC 2023, expiring 07/08/24.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 23-0717.28
Expiration Date: July 8, 2024
Approval Date: August 24, 2023

Kuraray Trosifol[®] Ultraclear, Clear and Colors Glass Interlayers



PRODUCT DESCRIPTION:

MANUFACTURED BY: KURARAY AMERICA INC., PVB DIVISION
A PLASTIC INTERLAYER MATERIAL FOR LAMINATION WITH GLASS ON BOTH SIDES.

A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS:

A - MIN. 1/8" (3.0 mm) ANNEALED GLASS
B - MIN. .030 (.76 mm) KURARAY TROSIFOL [®] INTERLAYERS (ULTRACLEAR, CLEAR OR COLORS)
A - MIN. 1/8" (3.0 mm) ANNEALED GLASS

MATERIAL PROPERTIES SUMMARY

Kuraray Trosifol[®] Ultraclear, Clear and Colors Glass Interlayers

TEST DESCRIPTION	TEST METHOD	TEST RESULT RANGE ¹	FBC CRITERIA
SELF/FLASH IGNITION (F)	ASTM D1929	752 TO 806	>650
SMOKE DENSITY	ASTM 2843	6.9 TO 14.2	<75
BURN RATE (INCHES PER MINUTE)	ASTM D635	0 ²	<2.5
XENON WEATHERING ³	ASTM C158	-7.5% TO 8.5% ⁴	±10%

1. Ranges shown envelope results from all product testing.
2. Flame did not reach reference mark.
3. Weathering as per the Florida Building Code.
4. Percent difference between control and weathered specimens as per FBC 2614.

Alternate/Former Names:

Trosifol[®] XT Glass Interlayer
Kuraray Butacite[®] PVB Glass Interlayer

Note:

KURARAY TROSIFOL[®] ULTRACLEAR, CLEAR AND COLORS GLASS INTERLAYERS CAN BE USED INTERCHANGABLY, ALL COLORS ARE PERMITTED.
THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT.
SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR A NOA TO THE MIAMI-DADE COUNTY PRODUCT CONTROL SECTION AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BLDG. CODE.

PRODUCT REVISED as complying with the Florida Building Code

NOA-No. 23-0717.28

Expiration Date 07/08/2024

By Ishag I. Chande
Miami-Dade Product Control

JUL 11 2023

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173 (C.A.N. 3538)
TEL. (305) 264-8100 FAX. (305) 262-6978

Kuraray Trosifol[®] Interlayers
Kuraray America, Inc. PVB Division
2200 Concord Pike, Suite 1100
Wilmington, DE. 19803
TEL. (334) 279-4855 FAX.

revisions:		
no	date	description
C	8.24.20	UPDATED TO 2020 FBC
D	7.10.23	UPDATED TO 2023 FBC

drawing no. **G16-01**
date: 10-10-16
scale: -
sheet 1 of 1

