

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

Kuraray America, Inc. 2200 Concord Pike, Suite 1100 Wilmington, DE 19803

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers

APPROVAL DOCUMENT: Drawing No. **G16-01**, titled "Kuraray Trosifol[®] Interlayers", sheet 1 of 1, dated 10/10/2016, with last revision D dated 07/10/2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None

LABELING: Laminated lites under this Product Approval shall be permanently marked in a corner of the glass with: a) Trosifol[®] PVB, b) Laminator's identification mark and c) MDCA, standing for "Miami-Dade County Approved, This marks shall be applied by the laminator producing the laminated glass. The laminate's or interlayer's packaging is to identify the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved'.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA **renews NOA # 23-0717.28** and consists of this page 1 and evidence pages E-1, E-2, E-3 and E-4, as well as approval document mentioned above.

The submitted documentation was reviewed by Carlos M. Utrera, P.E.

MIAMI-DADE COUNTY
APPROVED

NOA No. 24-0205.08 Expiration Date: July 8, 2029 Approval Date: March 21, 2024

Page 1

1. Evidence submitted under previous NOA's

A. DRAWINGS "Evidence Submitted under NOA #16-1117.01"

1. Drawing No. **G16-01**, titled "Kuraray Trosifol® Interlayers", sheet 1 of 1, dated 10/10/2016, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS "Submitted under NOA # 11-0624.01"

	Test report	<u>Standard</u>	<u>Date</u>	<u>Signature</u>
1.	A2280.01-10-18	ASTM D1929	03/29/11	Joseph A. Reed, P.E.
2.	A2280.01-10-18	ASTM D 635	03/29/11	Joseph A. Reed, P.E.
3 .	A2280.01-10-18	ASTM D 2843	03/29/11	Joseph A. Reed, P.E.
4.	A2280.01-10-18	ASTM G 155	03/29/11	Joseph A. Reed, P.E.
5.	A2280.01-10-18	ASTM C 158	03/29/11	Joseph A. Reed, P.E.

"Submitted under # NOA # 09-0323.15"

	Laboratory Report	<u>Test</u>	<u>Date</u>	<u>Signature</u>
6.	ETC-08-1023-20266.1	ASTM D 635	12/12/08	Joseph L. Doldan, P.E.
7.	ETC-08-1023-20266.1	ASTM D1929	12/12/08	Joseph L. Doldan, P.E.
8.	ETC-08-1023-20266.1	ASTM D 2843	12/12/08	Joseph L. Doldan, P.E.
9.	ETC-08-1023-20266.1	ASTM G 155	12/12/08	Joseph L. Doldan, P.E.
10.	ETC-08-1023-20266.1	ASTM C 158	12/12/08	Joseph L. Doldan, P.E.

"Submitted under # NOA # 09-0323.16"

	Laboratory Report	<u>Test</u>	Date	<u>Signature</u>
11.	ETC-08-1023-20267.1	ASTM D 635	09/11/08	Joseph L. Doldan, P.E.
12.	ETC-08-1023-20267.1	ASTM D1929	09/11/08	Joseph L. Doldan, P.E.
13.	ETC-08-1023-20267.1	ASTM D 2843	09/11/08	Joseph L. Doldan, P.E.
14.	ETC-08-1023-20267.1	ASTM G 155	09/11/08	Joseph L. Doldan, P.E.
15.	ETC-08-1023-20267.1	ASTM C 158	09/11/08	Joseph L. Doldan, P.E.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS "Evidence Submitted under NOA #16-1117.01"

1. Statement letter of code conformance to the 5th edition (2014) FBC and of no financial interest issued by Al-Farooq Corporation, dated 11/14/2016, signed and sealed by Javad Ahmad, P.E.

Carlos M. Utrera, P.E.
Product Control Examiner
NOA No. 24-0205.08
Expiration Date: July 8, 2029
Approval Date: March 21, 2024

F. STATEMENTS (Continued) "Submitted under NOA # 14-0714.01"

- 2. Statement letter of code conformance to 2010 and 5th edition (2014) FBC and no financial interest, issued by PTC Product Design Group, LLC, dated 06/24/2014, signed and sealed by Robert J. Amoruso, P.E.
- **3.** Distributor agreement dated 06/23/2014.

"Submitted under NOA # 14-0916.10"

- **4.** Statement letter of code conformance to 2010 and the 5th edition (2014) FBC issued by Al-Farooq Corporation, dated 06/16/2015, signed and sealed by Javad Ahmad, P.E.
- **5.** Purchase agreement between E.I. DuPont De Nemours and Co. and Kuraray Co., LTD., dated May 22, 2014.

2. Evidence submitted under previous approval

A. DRAWINGS

1. Drawing No. **G16-01**, titled "Kuraray Trosifol[®] Interlayers", sheet 1 of 1, dated 10/10/2016, with revision B dated 10/24/2017, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

	Test report	Standard	Date	<u>Signature</u>
1.	G2906.01-106-18	ASTM D1929	09/18/17	Gary T. Hartman, P.E.
2.	G2906.01-106-18	ASTM D 635	09/18/17	Gary T. Hartman, P.E.
3 .	G2906.01-106-18	ASTM D 2843	09/18/17	Gary T. Hartman, P.E.
4.	G2906.01-106-18	ASTM G 155	09/18/17	Gary T. Hartman, P.E.
5.	G2906.01-106-18	ASTM C 158	09/18/17	Gary T. Hartman, P.E.
6.	G2906.02-106-18	ASTM D 635	09/18/17	Gary T. Hartman, P.E.
7.	G2906.02-106-18	ASTM D1929	09/18/17	Gary T. Hartman, P.E.
8.	G2906.02-106-18	ASTM D 2843	09/18/17	Gary T. Hartman, P.E.
9.	G2906.02-106-18	ASTM G 155	09/18/17	Gary T. Hartman, P.E.
10.	G2906.02-106-18	ASTM C 158	09/18/17	Gary T. Hartman, P.E.

C. CALCULATIONS

1. None.

D. **OUALITY ASSURANCE**

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 5th edition (2014) and 6th edition (2017) FBC and of no financial interest issued by Al-Farooq Corporation, dated 11/01/2017, signed and sealed by Javad Ahmad, P.E.

Carlos M. Utrera, P.E.
Product Control Examiner
NOA No. 24-0205.08
Expiration Date: July 8, 2029
Approval Date: March 21, 2024

- 3. Evidence submitted under previous submittal
- A. DRAWINGS
 - 1. Drawing No. **G16-01**, titled "Kuraray Trosifol® Interlayers", sheet 1 of 1, dated 10/10/2016, prepared by Al-Farooq Corporation, with revision C dated 08/24/2020, signed and sealed by Jalal Farooq, P.E.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. Statement letter of code conformance to the 6th Edition (2017) and 7th Edition (2020) FBC and of no financial interest issued by Al-Farooq Corporation, dated 09/01/2020, signed and sealed by Jalal Farooq, P.E.

Carles M. Utroro


Carlos M. Utrera, P.E.
Product Control Examiner
NOA No. 24-0205.08
Expiration Date: July 8, 2029
Approval Date: March 21, 2024

- 4. Evidence submitted under NOA # 23-0717.28 and new
- A. DRAWINGS
 - Drawing No. **G16-01**, titled "Kuraray Trosifol[®] Interlayers", sheet 1 of 1, dated 10/10/2016, with last revision D dated 07/10/2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. Statement letter of code conformance to the 8th edition (2023) of the FBC and of no financial interest, issued by Al-Farooq Corporation, dated 01/26/2024, signed and sealed by Jalal Farooq, P.E

Carlos M. Utrera, P.E.
Product Control Examiner

NOA No. 24-0205.08 Expiration Date: July 8, 2029 Approval Date: March 21, 2024

Kuraray Trosifol® Ultraclear, Clear and Colors Glass Interlayers



PRODUCT DESCRIPTION:

MANUFACTURED BY: KURARAY AMERICA INC., PVB DIVISION A PLASTIC INTERLAYER MATERIAL FOR LAMINATION WITH GLASS ON BOTH SIDES.

A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS:

Α -	-	MIN.	1/8"	(3.0)	mm)	ANNEALED	GLASS
-----	---	------	------	-------	-----	----------	-------

B - MIN. .030 (.76 mm) KURARAY TROSIFOL® INTERLAYERS (ULTRACLEAR, CLEAR OR COLORS)

A - MIN. 1/8" (3.0 mm) ANNEALED GLASS

MATERIAL PROPERTIES SUMMARY

Kuraray Trosifol® Ultraclear, Clear and Colors Glass Interlayers

TEST DESCRIPTION	TEST METHOD	TEST RESULT RANGE	FBC CRITERIA
SELF/FLASH IGNITION (F)	ASTM D1929	752 TO 806	>650
SMOKE DENSITY	ASTM 2843	6.9 TO 14.2	<75
BURN RATE (INCHES PER MINUTE)	ASTM D635	02	<2.5
XENON WEATHERING 3	ASTM C158	-7.5% TO 8.5%⁴	±10%

- 1. Ranges shown envelope results from all product testing.
- 2. Flame did not reach referance mark.
- 3. Weathering as per the Florida Building Code.
- 4. Percent difference between control and weathered specimens as per FBC 2614.

PRODUCT RENEWED

as complying with the Florida Building Code 24-0205.08 NOA-No.

Expiration Date 07/08/2029

Miami-Dade Product Control

Alternate/Former Names:

Trosifol® XT Glass Interlayer Kuraray Butacite® PVB Glass Interlover

PRODUCT REVISED as complying with the Florida **Building Code** 23-0717.28 NOA-No.

Expiration Date 07/08/2024

By Ishay 1. Chands Miami-Dade Product Control Note:

KURARAY TROSIFOL® ULTRACLEAR, CLEAR AND COLORS GLASS INTERLAYERS CAN BE USED INTERCHANGABLY, ALL COLORS ARE PERMITTED. THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR A NOA TO THE MIAMI-DADE COUNTY PRODUCT CONTROL SECTION AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BLDG. CODE.

JUL 7 2023



AL-FAROOQ CORPORATION ENGINEERS & PRODUCT DEVELOPMENT 9360 SUNSET DRIVE, SUITE 220 MIAMI, FLORIDA 33173 TEL. (305) 264-8100

FAX. (305) 262-6978

Kuraray Trosifol® Interlayers Kuraray America, Inc. PVB Division 2200 Concord Pike, Suite 1100 Wilmington, DE. 19803 GLAZING\G16-01) TEL. (334) 279-4855 FAX.

revisions: drawing no date description G16 - 01C 8.24.20 UPDATED TO 2020 FBC date: 10-10-16 UPDATED TO D 7.10.23 scole: -2023 FBC sheet 1 of 1

