



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION  
11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786) 315-2590 F (786) 315-2599  
[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

## NOTICE OF ACCEPTANCE (NOA)

**Southeastern Metals Manufacturing Company, Inc.**  
**2737 Ignition Dr., Unit 8**  
**Jacksonville, FL. 32218**

### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

### DESCRIPTION: Universal Aluminum Ridge Vent

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 4.

The submitted documentation was reviewed by Alex Tigera.

04/10/25



NOA No.: 24-0610.09  
Expiration Date: 04/10/30  
Approval Date: 04/10/25  
Page 1 of 4

## ROOFING COMPONENT APPROVAL

**Category:** Roofing  
**Sub-Category:** Roof Vent  
**Material:** Aluminum

### TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Universal Aluminum Ridge Vent <i>Manuf. Location #1</i>	W = 7-5/8" H = 2.5" L = 120"	TAS 100(A)	Aluminum low profile attic ridge vent for installation in shingle roof systems.

### TRADE NAMES OF PRODUCTS MANUFACTURED BY OTHERS

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>	<u>Manufacturer</u>
End Plug <i>Manuf. Location #2</i>	W = 5.7" H = 1.67" L = 1"	TAS 100(A)	End plug for use with the Universal Aluminum Ridge Vent	Cousins Manufacturing
Roofing Nails	11 ga. X 1-3/4" long	TAS 114	Galvanized smooth shank, roofing nail	Any Miami-Dade County Listed Suppliers
Roof Sealant	Various	ASTM C920	Roofing sealant	Generic (with current NOA)

### MANUFACTURING LOCATION

1. Jacksonville, FL.
2. ML-5

### EVIDENCE SUBMITTED

<u>Test Agency/Identifier</u>	<u>Name</u>	<u>Report</u>	<u>Date</u>
PRI Construction Materials Technologies	TAS 100(A)	786T0031	01/02/24
	ASTM D1929	786T0034	03/12/25
	ASTM D635		
	ASTM D638		
	ASTM D2843		



NOA No.: 24-0610.09  
Expiration Date: 04/10/30  
Approval Date: 04/10/25  
Page 2 of 4

## APPROVED APPLICATIONS

**Tradename:** Universal Aluminum Ridge Vent

**System Type:** Mechanical attachment of ridge vent.

**Slot:** Cut a slot up to 1-1/4" (5/8" per side) along the apex of the roof by cutting 3/4" on each side of the ridge. The slot shall terminate approximately 6" from the rake edge.

**Installation:** After applying a 1/4" bead of a Miami-Dade approved roofing sealant around the cut slot and on the outside edges of the bottom of the flange, install Universal Aluminum Ridge Vent by centering it over the 1-1/4" slot width opening. Fasten vent to the deck with 11ga x 1-3/4" ring shank galvanized roofing nails placed 1" from the edge and 12" o.c. along the entire vent length. All penetrations shall be sealed with a Miami-Dade approved roofing sealant.

When adding another vent section, there shall be a 2" lap with a 1/4" bead of a Miami-Dade approved roofing sealant in the lap.

End Plugs are to be placed on vent ends using 1/4" bead of a Miami-Dade approved roofing sealant.


**Ventilation Calculations:** Refer to manufacturer's published literature

## LIMITATIONS:

1. Refer to applicable Building Code required ventilation.
2. Universal Aluminum Ridge Vent shall comply with applicable Building Code.
3. Universal Aluminum Ridge Vent shall not be installed on roof mean heights greater than 33 feet.
4. Universal Aluminum Ridge Vent shall comply with 1517.6 of the Florida Building Code (FBC).
5. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.



## DETAIL A



**END OF THIS ACCEPTANCE**