

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION NOTICE OF ACCEPTANCE (NOA)

Natural Light Energy Systems, LLC DBA Kennedy Skylights 10829 N. 23rd Avenue Phoenix, AZ 85029

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series ICMG Aluminum Skylight

APPROVAL DOCUMENT: Drawing titled "ICMG Subframe Plan, Deck Plan, Skylight Plan and Skylight Section", sheets 1 through 4 of 4, dated 07/01/10, prepared by James David Wells, Jr., P.E., signed and sealed by James D. Wells, Jr., P.E., on 02/03/17, bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA #20-0722.06 and consists of this page 1 and evidence submitted pages E-1, E-2 & E-3 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.



Heg A. Metr 07 /11/24

NOA No. 24-0624.03 Expiration Date: 09/22/2025 Approval Date: 07/11/2024 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 15-0922.16

A. DRAWINGS

1. Drawing titled "ICMG Subframe Plan, Deck Plan, Skylight Plan and Skylight Section", sheets 4 through 4 of 4, dated 07/01/2010, prepared by Kennedy Skylights, signed and sealed by James D. Wells, Jr., P.E.

B. TESTS "Submitted under NOA # 09-0630.09"

- 1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of Series ICMG Aluminum Skylights, prepared by National Certified Testing Laboratories, Test Report No. 210-3041-1,2, dated 10/05/2004, signed and sealed by Gerald J. Ferrara, P.E.

C. CALCULATIONS "Submitted under NOA # 09-0630.09"

1. Anchor calculations prepared by J & L Wells Consulting LLC, on 08/04/2010, signed and sealed by James D. Wells, Jr., P.E.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 14-1105.08 issued to Cardinal LG Company for their "Cardinal Sea-Storm PET Glass Interlayer", approved on 02/12/2015 and expiring on 01/13/2016.

F. STATEMENTS

- 1. Statement letter of code conformance to the 5th edition (2014) FBC issued by J & L Wells Consulting LLC, dated 09/15/2015, signed and sealed by James D. Wells, Jr., P.E.
- 2. Statement letter of no financial interest issued by J & L Wells Consulting LLC, dated 09/15/2015, signed and sealed by James D. Wells, Jr., P.E.

Helmy A. Makar, P.E., M.S. Product Control Section Supervisor NOA No. 24-0624.03 Expiration Date: 09/22/2025 Approval Date: 07/11/2024

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 16-0329.08

A. DRAWINGS

1. Drawing titled "ICMG Subframe Plan, Deck Plan, Skylight Plan and Skylight Section", sheets 1 through 4 of 4, dated 07/01/2010, prepared by James David Wells, Jr., P.E., signed and sealed by James D. Wells, Jr., P.E., on 02/03/2017.

B. TESTS

1. None.

- C. CALCULATIONS "Submitted under NOA # 09-0630.09" 1. None.
- **D. QUALITY ASSURANCE** 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- E. MATERIAL CERTIFICATIONS 1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 5th edition (2014) FBC issued by J & L Wells Consulting LLC, dated 02/03/17, signed and sealed by James D. Wells, Jr., P.E.

3. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 19-0313.08

A. DRAWINGS

- 1. None.
- **B. TESTS** *1*. Λ

None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 6th edition (2017) FBC issued by J & L Wells Consulting LLC, dated 10/23/17, signed and sealed by James D. Wells, Jr., P.E.

Jelemy A. Makar, P.E., M.S. Product Control Section Supervisor NOA No. 24-0624.03 Expiration Date: 09/22/2025 Approval Date: 07/11/2024

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

4. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 20-0722.06

- A. DRAWINGS
 - 1. None.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- **D. QUALITY ASSURANCE** 1. *Miami-Dade Department of Regulatory and Economic Resources (RER)*
- E. MATERIAL CERTIFICATIONS 1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 7th edition (2020) FBC issued by J & L Wells Consulting LLC, dated 08/01/2020, signed and sealed by James D. Wells, Jr., P.E.

5. NEW EVIDENCE SUBMITTED

- A. DRAWINGS
 - 1. None.
- B. TESTS

1. None.

C. CALCULATIONS

1. None.

- **D. QUALITY ASSURANCE**
 - 1. Miami-Dade Department of Regulatory and Economic Resources (RER)
- E. MATERIAL CERTIFICATIONS
 - 1. None.

F. STATEMENTS

1. Statement letter of code conformance to the 8th edition (2023) FBC issued by J & L Wells Consulting LLC, dated 06/19/2024, signed and sealed by James D. Wells, Jr., P.E.

Helmy A. Makar, P.E., M.S. Product Control Section Supervisor NOA No. 24-0624.03 Expiration Date: 09/22/2025 Approval Date: 07/11/2024



DESIGN PRESSURE RATING ± 60 PSF LARGE MISSILE IMPACT RESISTANT DAVID WEL FER * No. 53616 TATE OF FASTENER SCHEDULE-SKYLIGHT FRAME TO WOOD SUB-FRAME #8x11/4" FLAT HEAD SELF TAPPING SCREWS QTY. PER LONG QTY. PER SIDE SHORT SIDE 6 6 4 6 4 4 З 9 3 6 4 3 3 3 2 6 2 4 2 3 2 2 PRODUCT REVISED as complying with the Florida Building Code Acceptance No 19-0313.08 Expiration Date 09/22/2020 Tof 4



7	NIT DIMENS	IONS
	LONG SIDE	SHORT SIDE
	57.5	57.5
	57.5	41.5
	41.5	41.5
	80.5	33.5
	57.5	33.5
	41,5	33.5
	33.5	33.5
	57.5	25.5
	41.5	25.5
	33.5	25.5
	25.5	25.5

ENER SCHEDULE-					
CURB TO DECK					
#6x1% DRYWALL SCREWS					
	QTY. PER LONG SIDE	QTY. PER SHORT SIDE			
	8	8			
	8	6			
	6	6			
	11	5			
	8	5			
	6	5			
	5	5			
	8	4			
	6	4			
	5	4			
	4	4			

UPTION .	3845
ante la companya de l	2.1
	Zof 4

;



DESIGN PRESSURE RATING ± 60 PSF LARGE MISSILE IMPACT RESISTANT

FASTENER SCHEDULE-SKYLIGHT TO CURB

R LONG	QTY. PER SHORT SIDE
	4
	3
	3
	3
	3
	3
	3
	2
	2 2
	2
ar changing a sa s	2

FRODUCT REVISED es complying with the Florid Building Code Acceptance No $\frac{16-0329.08}{12000}$ Expiration Date $\frac{09}{122}/2020$

TION	19905
	3of 4

