

#### DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION NOTICE OF ACCEPTANCE (NOA)

Eurotech Industries, Inc. 3801 SW 30th Ave, Bay 24 Hollywood, FL 33312

### Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/ or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

# **DESCRIPTION:** Series "3040/3062" Aluminum Fixed Window - L.M.I.

**APPROVAL DOCUMENT:** Drawing No. **W04-04**, titled "Series 3040/3062 Alum. Fixed Wdw. (L.M.I.)", sheets 1 through 5 of 5, dated 01/14/04, with revision J dated 06/16/23, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

# MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/ or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami–Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews NOA No. 23-0717.08** and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by Manuel Perez, P.E.



12/02/24

NOA No. 24-1119.03 Expiration Date: March 05, 2030 Approval Date: December 12, 2024 Page 1

#### NOTICE OF ACCEPTANCE: **EVIDENCE SUBMITTED**

#### 1. **EVIDENCE SUBMITTED UNDER PREVIOUS NOA's**

#### A. DRAWINGS

- 1. Manufacturer's die drawings and sections. (Submitted under NOA No. 05-0706.05)
- 2. Drawing No W04-04, titled "Series 3040/3062 Alum Fixed Wdw. (L.M.I.)", sheets 1 through 5 of 5, dated 01/14/04, with revision J dated 06/16/23, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E. (Submitted under NOA No. 23-0717.08)

#### В. TESTS

- Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94 1.
  - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Small Missile Impact Test per FBC, TAS 201-94
  - 5) Large Missile Impact Test per FBC, TAS 201-94
  - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of a series 3062 and 3072 aluminum fixed "picture" window, prepared by American Test Lab of South Florida, Test Report No. ATLSF-0625.01-14, dated 07/07/14, signed and sealed by Stephen W. Warter, P.E.

# (Submitted under NOA No. 14-0714.05)

- 2. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Small Missile Impact Test per FBC, TAS 201-94
  - 5) Large Missile Impact Test per FBC, TAS 201-94
  - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of a series 3062 and 3072 aluminum fixed "picture" window, prepared by American Test Lab of South Florida, Test Report No. ATLSF-0530.01-03, dated 06/25/03, signed and sealed by William R. Mehner, P.E. and Henry Hattem, P.E.

(Submitted under NOA No. 05-0706.05)

#### С. **CALCULATIONS**

- Anchor verification calculations and structural analysis, complying with FBC 5<sup>th</sup> 1. Edition (2014) and FBC 6<sup>th</sup> Edition (2017), dated 03/08/18, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E. (Submitted under NOA No. 20-1203.12)
- 2. Glazing complies with ASTM E1300-04/09

Manuel Perez. **Product Control Examiner** NOA No. 24-1119.03 Expiration Date: March 05, 2030 Approval Date: December 12, 2024

# **NOTICE OF ACCEPTANCE:** EVIDENCE SUBMITTED

## 1. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's (CONTINUED)

## D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

# E. MATERIAL CERTIFICATIONS

- 1. Notice of Acceptance No. 23-0717.30 issued to Kuraray America, Inc. for their "SentryGlas® (Clear and White) Glass Interlayers" dated 08/31/23, expiring on 07/04/28.
- 2. Notice of Acceptance No. 23-0713.18 issued to Eastman Chemical Company (MA) for their "Saflex<sup>®</sup> PVB Clear and Colored Interlayers for Laminated Glass" dated 08/17/23, expiring on 05/21/26.

# F. STATEMENTS

- Statement letter of conformance, complying with FBC 7<sup>th</sup> Edition (2020), with FBC 8<sup>th</sup> Edition (2023) and of no financial interest, dated June 20, 2023, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E. (Submitted under NOA No. 23-0717.08)
- 2. Bill of Sale for Impact Window Company Acquisition, LLC to Eurotech Industries Inc.

(Submitted under NOA No. 23-0717.08)

3. Documents for "Innovative Window Concepts, LLC Purchase of Assets in Replevin". (Submitted under NOA No. 20-0129.07)

# G. OTHERS

1. Notice of Acceptance No. 20-1203.12, issued to Impact Window Company Acquisitions, LLC, for their Series "3040/3062" Aluminum Fixed Window – L.M.I., approved on 03/11/21 and expiring on 03/05/25.

Manuel Perez, P.E. Product Control Examiner NOA No. 24-1119.03 Expiration Date: March 05, 2030 Approval Date: December 12, 2024

# **NOTICE OF ACCEPTANCE:** EVIDENCE SUBMITTED

### 2. NEW EVIDENCE SUBMITTED

### A. DRAWINGS

1. None.

## B. TESTS

1. None.

# C. CALCULATIONS

1. None.

# D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

# E. MATERIAL CERTIFICATIONS

- 1. Notice of Acceptance No. 23-0717.30 issued to Kuraray America, Inc. for their "SentryGlas® (Clear and White) Glass Interlayers" dated 08/31/23, expiring on 07/04/28.
- 2. Notice of Notice of Acceptance No. 23-0713.18 issued to Eastman Chemical Company (MA) for their "Saflex<sup>®</sup> PVB Clear and Colored Interlayers for Laminated Glass" dated 08/17/23, expiring on 05/21/26.


## F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 8<sup>th</sup> Edition (2023)** and of no financial interest, dated November 15, 2024, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

## G. OTHERS

1. Notice of Acceptance No. 23-0717.08, issued to Eurotech Industries, Inc., for their Series "3040/3062" Aluminum Fixed Window – L.M.I., approved on 11/23/23 and expiring on 03/05/25.

Manuel Perez, P.E. Product Control Examiner NOA No. 24-1119.03 Expiration Date: March 05, 2030 Approval Date: December 12, 2024



THESE WINDOWS ARE RATED FOR LARGE & SMALL MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

### SERIES 3040/3062

### ALUMINUM FIXED WINDOW (L.M.I.)

DESIGN LOAD RATINGS FOR THESE WINDOWS TO BE AS PER CHARTS SHOWN ON SHEETS 2 & 3.

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF FIX./FIX. OR FIXED WITH OTHER WINDOW TYPES IN MODULES OF TWO OR MORE WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN.

LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2020 (7TH EDITION)/2023 (8TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

1BY OR 2BY WOOD BUCKS & BUCK FASTENERS BY OTHERS, MUST BE DESIGNED AND INSTALLED ADEQUATELY TO TRANSFER APPLIED PRODUCT LOADS TO THE BUILDING STRUCTURE.

ANCHORS SHALL BE CORROSION RESISTANT, SPACED AS SHOWN ON DETAILS AND INSTALLED PER MANUF'S INSTRUCTIONS. SPECIFIED EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.


ALL SHIMS TO BE HIGH IMPACT, NON-METALLIC AND NON-COMPRESSIBLE.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE 2020/2023 FLORIDA BLDG. CODE & ADOPTED STANDARDS.


THIS PRODUCT APPROVAL IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT, i.e. LIFE SAFETY OF THIS PRODUCT, ADEQUACY OF STRUCTURE RECEIVING THIS PRODUCT AND SEALING AROUND OPENING FOR WATER INFILTRATION RESISTANCE ETC.

CONDITIONS NOT SHOWN IN THIS DRAWING ARE TO BE ANALYZED SEPARATELY, AND TO BE REVIEWED BY BUILDING OFFICIAL.

DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.




		GLAZING OPTION 'A'			100	GLAZING	OPTION 'I
WINDOW DIMS.		SERIES 3040		WINDOW DIMS.		SERIES 3062	
WIDTH	LENGTH	EXT.(+)	1NT.(-)	WIDTH	LENGTH	EXT.(+)	1NT.(-)
19-1/8"		62.0	62.0	19-1/8"		90.0	120.0
24"	26" (3)	62.0	62.0	24" 26-1/2"	26" (3)	90.0	120.0
26-1/2"		62.0	62.0			90.0	120.0
32"		62.0	62.0	32"		90.0	120.0
37"		62.0	62.0	37"		90.0	120.0
40"		62.0	62.0	40"		90.0	120.0
48"		62.0	62.0	48*		90.0	120.0
53-1/8"		62.0	62.0	53-1/8"		90.0	120.0
60"		62.0	62.0	60" 76" 19-1/8"		90.0	120.0
76"		62.0	62.0			90.0	120.0
19-1/8"		62.0	62.0			90.0	120.0
24"		62.0	62.0	24"	38-3/8" (4)	90.0	120.0
26-1/2"		62.0	62.0	26-1/2"		90.0	120.0
32"		62.0	62.0	32" 37"		90.0	120.0
37"		62.0	62.0			90.0	120.0
40"	38-3/8"	59.8	59.8	40"		90.0	120.0
48"	(4)	59.8	59.8	40 48" 53-1/8" 60"		90.0	120.0
53-1/8"		59.8	59.8			90.0	120.0
60"		59.8	59.8			90.0	
73"		59.8	59.8	76"			120.0
19-1/8"		62.0	62.0			90.0	120.0
24"		Contract Contract		19-1/8" 24" 26-1/2" 32" 37" 40" 48" 53-1/8" 60"		90.0	120.0
26-1/2"		62.0	62.0			90.0	120.0
32"		62.0	62.0			90.0	120.0
		62.0	62.0			90.0	120.0
37" 40"	50-5/8"	62.0	62.0		50-5/8" (5)	90.0	120.0
	(5)	57.4	57.4			90.0	120.0
48" 53-1/8"		47.8	47.8			90.0	120.0
		45.3	45.3			90.0	120.0
55" 19-1/8"	-	45.3	45.3			90.0	120.0
		62.0	62.0	66"		88.6	118.1
24"		62.0	62.0	76"	-	70.0	76.4
26-1/2"	0.7%	62.0	62.0	19-1/8" 24" 26-1/2" 32"		90.0	120.0
32"	63"	62.0	62.0			90.0	120.0
37"	(6)	62.0	62.0			90.0	120.0
40"		57.4	57.4		63" (6)	90.0	120.0
44"		52.1	52.1	37"		90.0	120.0
19-1/8"		62.0	62.0	40"		90.0	120.0
24"	76"	62.0	62.0	48"		90.0	120.0
26-1/2"	76"	62.0	62.0	53-1/8"		90.0	120.0
32"	(7)	62.0	62.0	60"		70.0	67.6
37"		62.0	62.0	70"		70.0	64.4
		ANCHORS FO	DR	19-1/8"		90.0	120.0
SHOW	N DIMENSIO			24"		90.0	120.0
				26-1/2"		90.0	120.0
				32"	76"	90.0	120.0
				37"	(7)	90.0	120.0
				40"		90.0	120.0
				44"		88.5	117.9
				48"		70.0	76.4
				53-1/8"		70,0	76.4
				58"		70.0	70.0



NOTE: WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

NOTE: GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-09 (3 SEC. GUSTS).

JUN 2 7 2023



DESIGN LOAD CAPACITY - PSF		DESIGN LOAD CAPACITY - PSF			DESIGN LOAD CAPACITY - PSF						
GLAZING OPTION 'A' WINDOW DIMS. SERIES 3040		GLAZING		GLAZING	OPTION 'B'			GLAZING	OPTIO		
		SERIES 3040		WINDO	W DIMS.	SERIE	S 3062	WINDO	W DIMS.	SERIES	S 306
WIDTH	LENGTH	EXT.(+)	1NT.(-)	WIDTH	LENGTH	EXT.(+)	1NT.(-)	WIDTH	LENGTH	EXT.(+)	1NT.
24"		62.0	62.0	24"		90.0	120.0	24"		90.0	120
30"		62.0	62.0	30"	36" 42" 48" 54" 24" 60" (2) 66" 72" 78"	90.0	120.0	30"	72" (6) 84" (7)	90.0	120
36"		62.0	62.0	36"		90.0	120.0	36"		90.0	120
42"		62.0	62.0	42"		90.0	120.0	42"		90.0	120
48"	· · · · · ·	62.0	62.0	48"		90.0	120.0	46"		88.3	117
54"	24"	62.0	62.0	54"		90.0	120.0	48"		70.0	76
60"	(2)	62.0	62.0	60"		90.0	120.0	54" 60"		70.0	75
66"		62.0	62.0	66"		90.0	120.0			70.0	67
72"		62.0	62.0	72"		90.0	120.0	61"		70.0	66.
78"		62.0	62.0	78"		90.0	120.0	24"		90.0	120
84"		62.0	62.0	84"		90.0	120.0	30"		90.0	120
24"		62.0	62.0	24"		90.0	120.0	36"		90.0	120
30"		62.0	62.0	30"	36" (3)	90.0	120.0	39"		90.0	120
36"		62.0	62.0	36"		90.0	120.0	42"		70.0	76.
42"		62.0	62.0	42"		90.0	120.0	48"		70.0	76.
48"		62.0	62.0	48"		90.0	120.0	53"		70.0	76.
54"	36"	62.0	62.0	54"		90.0	120.0	24"		90.0	120
60"	(3)	62.0	62.0	60"		90.0	120.0	30"		90.0	120
66"		62.0	62.0	66"		90.0	120.0	34"		90.0	120
72"		62.0	62.0	72"		90.0	120.0	36"	96"	70.0	76.
78"		62.0	62.0	78"		90.0	120.0	42"	(8)	70.0	76.
24"		62.0	62.0	84"		90.0	120.0	46"		70.0	76.
30"		62.0	62.0	24"	48"	90.0	120.0		NTE NO OF		
36"		62.0	62.0	30"		90.0	120.0	( ) INDICATE NO. OF ANCHORS FOR SHOWN DIMENSION			
42"	48"	54.6	54.6	36"		90.0	120.0				
48"	(4)	47.8	47.8	42"		90.0	120.0				
54"	54	47.8	47.8	48"		90.0	120.0				
58"		47.8	47.8	54"		90.0	120.0				
24"		62.0	62.0	60"	(4)	90.0	120.0				
30"		62.0	62.0	66"		90.0	120.0				
36"	60"	62.0	62.0	69"		88.3	117.8				
42"	(5)	54.6	54.6	72"		70.0	76.4				
46"		49.9	49.9	78"		70.0	76.4				
24"		62.0	62.0	84"		70.0	76.4				
30"		62.0	62.0	24"	60"	90.0	120.0				
36"	72"	62.0	62.0	30"		90.0	120.0				
39"	(6) 84" (7)	58.8	58.8	36"		90.0	120.0				
24"		62.0	62.0	42"		90.0	120.0				
30"		62.0	62.0	48"		90.0	120.0				
33"		62.0	62.0	54"		88.5	118.1				
24"	96"	62.0	62.0	55"	(5)	86.9	115.9				
30"	(8)	62.0	62.0	60"	(3)	70.0	67.6				
				66"		70.0	67.6				
	N DIMENSIO	ANCHORS FO	UK	72"		70.0	67.6				
				74"		70.0	67.6				
				14		10.0	0/.0				

NOTE: WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

3

11

NOTE: GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-09 (3 SEC. GUSTS).

