

**POLLUTION CONTROL STRUCTURE**

Standard Detail	Width (ft)	Length (ft)	Height (ft)	Wall Thickness (in)	Wall Steel	Top Slab Thickness (in)	Top Slab Steel	Bottom Slab Thickness (in)	Bottom Slab Steel	Bottom Slab Overhang (in)
5.2-3C	8.0	14.0	0.0 - 5.0	10.0	#5@9.5"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0
5.2-3C	8.0	14.0	5.1 - 10.0	10.0	#7@9"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0
5.2-3C	8.0	14.0	10.1 - 15.0	10.0	#8@8"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0
5.2-2C	8.0	9.0	0.0 - 5.0	8.0	#5@9.5"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0
5.2-2C	8.0	9.0	5.1 - 10.0	8.0	#7@9"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0
5.2-2C	8.0	9.0	10.1-15.0	8.0	#8@8"H #4@10"V	10.0	#6@6" E.W.	10.0	#4@8" E.W.	12.0

5.2-3C - POLLUTION CONTROL STRUCTURE 3 CHAMBER

5.2-2C - POLLUTION CONTROL STRUCTURE 2 CHAMBER

<p align="center"><b>MIAMI-DADE COUNTY</b> DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS</p>	<p align="center">APPROVED <u>5/8/2018</u></p>	<p align="center">REVISED <u>5/8/2018</u> _____ _____ _____</p>	<p align="center">STANDARD STORM DRAINAGE DETAIL <b>POLLUTION CONTROL STRUCTURE</b></p>	<p align="center"><b>SD 5.2</b> SHEET 4 OF 4</p>
--	--	---	---	--