

Small Business Development Division Project Worksheet

Project/Contract Title: REPLACEMENT OF VARIABLE FREQUENCY DRIVES (VFD) Received Date: 08/10/2016

Project/Contract No:

RFQ 16-14275-KG

Funding Source:

Department:

CWP

PUBLIC HEALTH TRUST

DEPARTMENTAL

Estimated Cost of Project/Bid: \$45,000.00

OPERATING

Description of Project/Bid:

Resubmittal Date(s): To employ a qualified electrical or mechanical contractor to provide services for the Public Health Trust and Jackson Health System.

These services are for a qualified electrical or mechanical contractor to provide construction services for the replacement of five (5) variable frequency drives controlling motors for chilled water pumps and air handling units at two (2) Jackson Memorial Hospital facilities.

	Measure Level 1 Setaside W/Exc	Program SBE/CONS	Goal Percent
	R	asons for Recommendation	The state of the s
An analysis of the factor 100% SBE/Cons Level	1 Set-Aside w/Exemption is appropria	well as the factors contained in Sate for this contract. The exempted	Section VI.B of Implementing Order 3-22 indicates a d trade is Low Voltage Electrical since Jackson Health nanagement systems controls installer.
CWP Not Applicable: I	ess than 250K		
Trade Category: 23821 Contractors	Electrical Contractors And Other Wir	ing Installation Contractors; 2382	20-Plumbing, Heating, And Air-Conditioning
	Small Busine	ss Contract Measure Recom	The state of the s
			% of Items Ferimated Value to Base Bid Availability
Subtrade		4	Estimated Value to Base Bid Availability
	nd Air-Conditioning Contractors and Other Wiring Installation Co	SBE/CONS ontractors SBE/CONS	
ing Wages: Y	ES NO X Hi	Total ghway: YES NO	X Heavy Construction: YES NO
ponsible Wages: Y	ES NO X Bu		X
nless prohibited by federa Tages and Benefits shall a	or state law or disallowed by a gover oply.	nmental funding source, the HIG	ze federal fund. For federally funded projects, HER wage between Davis Bacon and Responsible
Tier 1 Set Aside			side
	Level 1	Level 2	Level 3
Set Aside			
			Bid Preference