

**Suarez, Caesar (ISD)**

---

**From:** Suarez, Caesar (ISD)  
**Sent:** Friday, June 10, 2016 3:58 PM  
**To:** 'jeff@cms-miami.com'; 'dhcfla@bellsouth.net'; 'agkr1@mac.com';  
'gbruce@eptasolutions.com'; 'info@fasttransatm.com'; 'mario.e@c-global.com';  
'export@np-supply.com'; 'antonio@pemica.com'  
**Cc:** Johnson, Laurie (ISD); Etienne, Eddy (ISD); Martin, Marcia (ISD); White, Lourdes (ISD);  
Castro, Angel (ISD); Fussell, Jacqueline (ISD); Escalante, Jhonnatan (ISD); Hines, Patrick  
(ISD)  
**Subject:** RE: AAA-06-09-2016-B Verification of Availability, SBE/Goods & Services  
**Attachments:** aaa-06-09-2016-b-project-package.pdf.pdf

Good Afternoon,

Project Number: **AAA-06-09-2016-B**

Project Title: **Food Service Equipment & Installation**

SBD is in the process of placing a small business measure on the subject project but we need your help. Please review the information below and respond accordingly, ensuring that all applicable questions are answered.

**The deadline to respond is 4:00 PM, MONDAY, June 13, 2016.**

**AAA-06-09-2016-B will be for procurement and installation of food service equipment. In addition to the attached specifications, vendors are required to comply with the following additional specifications below:**

- This will be a one-time purchase
- Please note that the number reflected in the "ETD" column is in days and is inclusive of the lead time required to procure the equipment

**Please review the attached document and advise if your firm can provide the item(s) requested by placing a check mark next to each item in which your firm is able to provide.**

**Name of Firm:** \_\_\_\_\_ **SBE/GS Certification #:** \_\_\_\_\_

**Owner's Name:** \_\_\_\_\_ **Contact Person:** \_\_\_\_\_

**Date:** \_\_\_\_\_ **Contact #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

PLEASE REMEMBER THAT YOUR PARTICIPATION IN THE AVAILABILITY TO PROPOSE PROCESS IS VITAL IN ORDER FOR SBD TO PLACE SMALL BUSINESS MEASURES ON CONTRACTS.

**Caesar Suarez**  
SBD Capital Improvement Project Specialist  
Small Business Development Division  
Miami-Dade County Internal Services Department  
111 NW 1<sup>st</sup> Street, 19<sup>th</sup> Floor, Miami, FL 33128

☎ Office: (305) 375-3141 | 📠 Fax: (305) 375-3160

Email: [caesars@miamidade.gov](mailto:caesars@miamidade.gov)

Connect With Us on [Twitter](#) | [Facebook](#) | [Instagram](#)



**“Help stimulate Miami’s economy by supporting Small Businesses”**

RFI ID: RFI090

RFI STATUS: SUBMITTED TO COUNTY



DATE: 6/8/2016

AAA-06-09-2016-B

**FCB ORDER 2 - FOOD SERVICE EQUIPMENT & INSTALLATION**

**RFI Line Items**

ECPU: ESTIMATED COST P/UNIT      PMP: POTENTIAL MINIMUM PURCHASE      PAP: POTENTIAL ANNUAL PURCHASE      PF: PURCHASE FREQUENCY      ETD: ESTIMATED DELIVERY TIME

ITEM	MFR	MFR PART #	ECPU	MIN QTY	PMP	PAP	PF	ETD	DETAILS
UNDERBAR SINK UNITS - TS Series Underbar Sink Unit, three compartment, 60"W x 18-9/16"D, 10" wide x 14" front-to-back x 8-1/4" deep compartments, 12" drainboards on left & right, 6"H backsplash, 4" O.C. splash mount faucet holes	Perlick Corporation	TS53C		1			1	28	stainless steel apron on front & sides, sound-deadened underside, 3/8" copper supply tubes, includes 1-1/2" drains & 8-1/2" removable overflow standpipes, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF
FAUCET FOR UNDERBAR SINK - Lead Free Faucet with 10" swing spout, wall mounted	Perlick Corporation	924-10LF		1			1	28	Faucet for Underbar Sink, Perlick Corp, Model # TS53C
WET WASTE BOX FOR UNDERBAR SINK - Wet Waste Box, with drain tube, 1/3 size stainless steel pan with integral strainer and 3/4" diameter	Perlick Corporation	7055A46		1			1	28	Wet Waste Box for Underbar Sink, Perlick Corp, Model # TS53C
CUSTOM APRON CUTOUT FOR UNDERBAR SINK - 12" apron cutout for trash receptacle (by others)	Perlick Corporation	TR12CO		2			1	28	Apron for Underbar Sink, Perlick Corp, Model # TS53C
MODIFICATION OF UNDERBAR SINK - Custom Modification for Apron Trash Cutouts	Perlick Corporation	CUSTOM		2			1	28	Custom Modification for Apron Trash Cutouts
WASTEBASKET FOR UNDERBAR SINK - Wastebasket, grey	Perlick Corporation	58843		2			1	28	Wastebasket for Underbar Sink, Perlick Corp, Model # TS53C
BOTTLE DISPLAY - TS Series Liquor Bottle Display Unit, modular, 12"W, 24" front-to-back, with 3-7/8" deep steps, stainless steel construction	Perlick Corporation	TS12LS		2			1	28	
BOTTLE GUARDRAIL - Bottle Guardrail Set for TS12LS	Perlick Corporation	BG12		2			1	28	Bottle Guardrail Set for Bottle Display, Perlick Corp, Model #TS12LS
UNDERBAR ADD-ON UNIT - TS Series Soda Gun Filler Section, 6" wide depth to match series, designed for use with Wunder-Bar® and Schroeder America™ 8-14 product soda gun/manifold	Perlick Corporation	TS6SGA		2			1	28	manifold mounts to side panel for easy access and service and thumbscrews provide tool-less access for maintenance, soda gun systems NOT included
ICE BIN - TS Series Underbar Ice Bin / Cocktail Unit, modular with cold plate, 24"W x 18-9/16"D, approx 50-lb. ice capacity, 10 circuit aluminum cold plate concealed under bin liner, 6"H back splash with 1" return at top	Perlick Corporation	TS24IC10		2			1	28	ABS plastic top ledge, 10-3/4" deep stainless steel ice bin, stainless steel front & sides, galvanized steel back & bottom, 1/2" NPS male drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF
UNDERBAR BOTTLE WELL FOR ICE BIN - with Ice Chest Cover Assembly, 3-bottle capacity, black polypropylene bottle wells on left, 2-piece stainless steel sliding cover assembly	Perlick Corporation	BW3-24		2			1	28	Underbar bottle well for Ice Bin, Perlick Corp, Model # BW3-24

CONDIMENT TRAY FOR ICE BIN - 5 plastic cups, stainless steel track, 15-3/8" long, free standing or is designed to fit back of #BW3-24 ice chest covers	Perlick Corporation	CC5		2			1	28	Condiment Tray for Ice Bin, Perlick Corp, Model # BW3-24
SPEED RAIL FOR ICE BIN - Single Speed Rail, 24"W, factory installed covers	Perlick Corporation	SRS-24		2			1	28	(2) track slides, embossed drainboard is reinforced & includes 1/2" drain at rear, 1" drain in bottom shelf, stainless steel legs with stainless steel adjustable feet, NSF
GLASS RACK - Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D x 36-1/2"H, open front base, stainless steel construction, holds (2) 20" x 20" glass racks, 6"H backsplash,	Perlick Corporation	7055A-D		2			1	28	6" backsplash, 4" O.C. splash mount faucet holes, (16) oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound deadened underside, (1) 8-1/2" standpipe, 3/8" copper supply tubes, 1-1/2" NPS male drain, stainless steel legs with 1" adjustable thermoplastic feet, NSF
HAND SINK - TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, stainless steel construction, 10" wide x 14" front-to-back x 9-1/4" deep sink	Perlick Corporation	TS12HSN		1			1	28	Faucet for Hand Sink, Perlick Corp, Model # TS12HSN
FAUCET FOR HAND SINK - Lead Free Faucet with goose-neck spout, wall mounted	Perlick Corporation	924GN-LF		1			1	28	Faucet for Hand Sink, Perlick Corp, Model # TS12HSN
END SPLASH FOR HAND SINK - End Splash, right, 6", for TS, TSF, or TSD series	Perlick Corporation	7054R		1			1	28	End Splash for Hand Sink, Perlick Corp, Model # TS12HSN
CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside 5" angle, stainless steel construction	Perlick Corporation	TS05F-1		6			1	28	
BLENDER STATION - TS Series Blender Station, 12"W, dump sink (10-5/8" x 9-5/8" x 6"), recessed blender shelf with duplex outlet, 23 15/16" front to back with 6" splash, stainless steel construction	Perlick Corporation	TS12BLW		1			1	28	Faucet for Blender Station, Perlick Corp, Model # TS12BLW
FAUCET FOR BLENDER STATION - Lead Free Faucet with goose-neck spout, wall mounted	Perlick Corporation	924GN-LF		1			1	28	
WET WASTE BOX FOR BLENDER STATION - perforated, 2.7-quart capacity, 1/4 size clear polycarbonate pan with 1/8 diameter holes in bottom	Perlick Corporation	7055-52		1			1	28	Wet Waste Box for Blender Station, Perlick Corp, Model # TS12BLW
END SPLASH, RIGHT, FOR BLENDER STATION - right, 6", for TS, TSF, or TSD series	Perlick Corporation	7054R		1			1	28	End Splash for Blender Station, Perlick Corp, Model # TS12BLW
END SPLASH, LEFT, FOR BLENDER STATION - left, 6", for TS, TSF, or TSD series	Perlick Corporation	7054RL		1			1	28	End Splash for Blender Station, Perlick Corp, Model # TS12BLW
STORAGE CABINET - Underbar Storage Cabinet, drainboard top, 30"W x 24"D, open front, 6"H backsplash with 1" return at top, embossed drainboard with 1-1/2" NPS male drain	Perlick Corporation	SC30		2			1	28	adjustable intermediate shelf, stainless steel construction, stainless steel legs & adjustable feet, NSF
DOOR SET FOR STORAGE CABINET - for 30" storage cabinet	Perlick Corporation	SC-DR30		2			1	28	Door set for Storage Cabinet, Perlick Corp, Model # SC30
DOOR LOCKS FOR STORAGE CABINET - for storage cabinets (SC)	Perlick Corporation	SC-DRLK		4			1	28	Door Lock for Storage Cabinet, Perlick Corp, Model # SC30

BACK BAR COOLER - Sliding Door Refrigerated Back Bar Cabinet, two section, 60"W, self-contained refrigeration, (14.8) cu.ft. internal volume, front vented, stainless steel top & sides, (2) sliding glass doors, stainless steel interior, galvanized steel b	Perlick Corporation	SDBS60	2	1	28	(2) vinyl-coated shelves per door, digital thermostat, LED interior lighting, automatic defrost, automatic evaporator condensate, floor drain included, R134a, 1/4 HP, NSF, cULus, 120v/60/1-ph, 5.5 amps, NEMA 5-15P
FINISH FOR BACK BAR COOLER - Condensing unit cover finish: Stainless steel	Perlick Corporation		2	1	28	Finish for Bar Cooler, Perlick Corp, Model #SDBS60
LEG & BASEPLATE - 68 6" Leg (set of 4) & black front baseplate	Perlick Corporation		2	1	28	Leg & Baseplate Bar Cooler, Perlick Corp, Model #SDBS60
AMBIENT BACK BAR COOLER - Back Bar Liquor Step Cabinet, 18"W, 18" tall top, (4) sound-deadened display steps, stainless steel construction	Perlick Corporation	DBLS-18	2	1	28	
BOTTLE GUARDS FOR AMBIENT BACK BAR COOLER - for liquor steps (factory installed)	Perlick Corporation	DB-BG18	2	1	28	Bottle Guards for Bar Cooler, Perlick Corp, Model #DBLS-18
LED LIGHT KIT FOR AMBIENT BACK BAR COOLER - 18"W, (24) cool white LED (4200k) light strips, 12V DC, integrated on/off switch, 100-240VAC transformer with 2-prong wall plug included, 115V / 60 /1ph, 3.76 watts, 0.31 amps (factory installed)	Perlick Corporation	DB-CWL18	2	1	28	LED Light Kit for Bar Cooler, Perlick Corp, Model #DBLS-18
LEG & BASEPLATE FOR AMBIENT BACK BAR COOLER - 6" Leg & black front baseplate	Perlick Corporation		2	1	28	Leg & Baseplate for Bar Cooler, Perlick Corp, Model #DBLS-18
BACK BAR COOLER - Dual-Zone Refrigerated Back Bar Storage Cabinet, two section, 60"W, self-contained refrigeration, (15.0) cubic feet interior capacity, stainless steel interior, galvanized steel back, FINISH FOR BACK BAR COOLER - Condensing unit cover finish: Stainless steel	Perlick Corporation	DZS60	1	1	28	automatic defrost & evaporator condensate, digital thermostat, LED interior lighting, front vented, door locks, floor drain included, side mount compressor, R134a, 1/4 HP, cULus, NSF, 120v/60/1-ph, 5.5 amps, NEMA 5-15P
DOOR FOR BACK BAR COOLER - Door type, red wine, glass with black vinyl clad door frame	Perlick Corporation		1	1	28	Finish for Back Bar Cooler, Perlick Corp, Model #DZS60
DOOR FOR BACK BAR COOLER - Door type, red wine, glass with black vinyl clad door frame	Perlick Corporation		1	1	28	Door for Back Bar Cooler, Perlick Corp, Model #DZS60
WINE RACKS FOR BACK BAR COOLER - Full extension wine racks (set of 6)	Perlick Corporation		2	1	28	Wine Rack for Back Bar Cooler, Perlick Corp, Model #DZS60
DOOR FOR BACK BAR COOLER - Door type, white wine, glass with black vinyl clad door frame	Perlick Corporation		1	1	28	Door for Back Bar Cooler, Perlick Corp, Model #DZS60
LEG & BASEPLATE FOR BACK BAR COOLER - 6" Leg & black front baseplate	Perlick Corporation		1	1	28	Leg & Baseplate for Bar Cooler, Perlick Corp, Model # DZS60
INSTALLATION OF ALL FOOD SERVICE EQUIPMENT			1	1	5	
Totals						