

**Suarez, Caesar (ISD)**

---

**From:** Suarez, Caesar (ISD)  
**Sent:** Friday, June 10, 2016 3:58 PM  
**To:** 'jeff@cms-miami.com'; 'dhcfla@bellsouth.net'; 'agkr1@mac.com';  
'gbruce@eptasolutions.com'; 'info@fasttransatm.com'; 'mario.e@c-global.com';  
'export@np-supply.com'; 'antonio@pemica.com'  
**Cc:** Johnson, Laurie (ISD); Etienne, Eddy (ISD); Martin, Marcia (ISD); White, Lourdes (ISD);  
Castro, Angel (ISD); Fussell, Jacqueline (ISD); Escalante, Jhonnatan (ISD); Hines, Patrick (ISD)  
**Subject:** RE: AAA-06-09-2016-C Verification of Availability, SBE/Goods & Services  
**Attachments:** aaa-06-09-2016-c-project-package.pdf.pdf

Good Afternoon,

Project Number: **AAA-06-09-2016-C**

Project Title: **Food Service Equipment & Installation**

SBD is in the process of placing a small business measure on the subject project but we need your help. Please review the information below and respond accordingly, ensuring that all applicable questions are answered.

**The deadline to respond is 4:00 PM, MONDAY, June 13, 2016.**

**AAA-06-09-2016-C will be for procurement and installation of food service equipment. In addition to the attached specifications, vendors are required to comply with the following additional specifications below:**

- This will be a one-time purchase
- Please note that the number reflected in the "ETD" column is in days and is inclusive of the lead time required to procure the equipment

**Please review the attached document and advise if your firm can provide the item(s) requested by placing a check mark next to each item in which your firm is able to provide.**

**Name of Firm:** \_\_\_\_\_ **SBE/GS Certification #:** \_\_\_\_\_

**Owner's Name:** \_\_\_\_\_ **Contact Person:** \_\_\_\_\_

**Date:** \_\_\_\_\_ **Contact #:** \_\_\_\_\_ **Email:** \_\_\_\_\_

PLEASE REMEMBER THAT YOUR PARTICIPATION IN THE AVAILABILITY TO PROPOSE PROCESS IS VITAL IN ORDER FOR SBD TO PLACE SMALL BUSINESS MEASURES ON CONTRACTS.

**Caesar Suarez**  
SBD Capital Improvement Project Specialist  
Small Business Development Division  
Miami-Dade County Internal Services Department  
111 NW 1<sup>st</sup> Street, 19<sup>th</sup> Floor, Miami, FL 33128  
☎Office: (305) 375-3141 | 📠Fax: (305) 375-3160

Email: [caesars@miamidade.gov](mailto:caesars@miamidade.gov)

Connect With Us on [Twitter](#) | [Facebook](#) | [Instagram](#)



**“Help stimulate Miami’s economy by supporting Small Businesses”**

RFI ID: RFI1081

RFI STATUS: SUBMITTED TO COUNTY

PREPARED BY: [REDACTED]

DATE: 6/8/2016

AAA-06-09-2016-C

**FCB ORDER 3 - FOOD SERVICE EQUIPMENT & INSTALLATION**

**RFI Line Items**

ECPU: ESTIMATED COST PU/UNIT      PMP: POTENTIAL MINIMUM PURCHASE      PAP: POTENTIAL ANNUAL PURCHASE      PF: PURCHASE FREQUENCY      ETD: ESTIMATED DELIVERY TIME

ITEM	MFR	MFR PART # /SKU	ECPU	MIN QTY	PMP	PAP	PF	ETD	DETAILS
STORAGE CABINET - Underbar Storage Cabinet, drainboard top, 24"W x 24"D, open front, 6"H backsplash with 1" return at top	Perlick Corporation	SC24	[REDACTED]	5	[REDACTED]	[REDACTED]	1	28	embossed drainboard with 1-1/2" NPS male drain, adjustable intermediate shelf, stainless steel construction, stainless steel legs & adjustable feet, NSF
UNDERBAR SINK UNITS - TSD Series Underbar Sink Unit, three compartment, 36"W x 24"D, 10" wide x 14" front-to-back x 9-1/4" deep compartments, 6"H backsplash, 4" O.C. deck mount faucet holes, 5-1/2" rear deck, stainless steel apron on front & sides, sound d	Perlick Corporation	TSD33C	[REDACTED]	1	[REDACTED]	[REDACTED]	1	28	1/2" IPS supply shanks & nuts, includes 1-1/2" drains & 8-1/2" removable overflow standpipes, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF
FAUCET FOR UNDERBAR SINK UNIT - Lead Free Faucet, deck mounted, nominal 4" centers, swing	Perlick Corporation	926-10LF	[REDACTED]	1	[REDACTED]	[REDACTED]	1	28	Faucet for Underbar Sink Unit, Perlick Corp, Model # TSD33C
WET WASTE BOX FOR UNDERBAR SINK UNIT - with drain tube, 1/3 size stainless steel pan with integral strainer and 3/4" diameter	Perlick Corporation	7055A46	[REDACTED]	1	[REDACTED]	[REDACTED]	1	28	Wet Waste Box for Underbar Sink Unit, Perlick Corp, Model # TSD33C
UNDERBAR ADD-ON UNIT - TS Series Trash Receptacle Top Cover, 12"W x 23 13/16"D x 17-15/16"H, stainless steel construction (wastebasket is not included), 6"H backsplash	Perlick Corporation	TS12TRA	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	sliding top cover, hinged door on front apron (requires support by adjacent underbar equipment or accessory end panel & leg kit)
WASTEBASKET FOR UNDERBAR ADD-ON - grey, Slim Jim	Perlick Corporation	57265	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	Wastebasket for Underbar Add-on Unit, Perlick Corp, Model # TS12TRA
BLENDER STATION - TS Series Blender Station, 12"W, dump sink (10-5/8" x 9-5/8" x 6"), recessed blender shelf with duplex outlet, 23-15/16" front to back with 6" splash, stainless steel construction	Perlick Corporation	TS12BLW	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	
FAUCET FOR BLENDER STATION - Lead Free Faucet with gooseneck spout, wall mounted	Perlick Corporation	924GNLF	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	Faucet for Blender Station, Perlick Corp, Model #TS12BLW
WET WASTE BOX FOR BLENDER STATION - perforated, 2.7-quart capacity, 1/4 size clear polycarbonate pan with 1/8 diameter holes in bottom	Perlick Corporation	7055-52	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	Wet Waste Box for Blender Station, Perlick Corp, Model #TS12BLW
ICE BIN - TS Series Underbar Ice Bin/Cocktail Unit, modular with cold plate, 24"W x 18 9/16"D, approx 50-lb. ice capacity, 10-ohm aluminum cold plate concealed under bin liner, 6"H backsplash with 1" return at top	Perlick Corporation	TS24IC10	[REDACTED]	2	[REDACTED]	[REDACTED]	1	28	ABS plastic top ledge, 10-3/4" deep stainless steel ice bin, stainless steel front & sides, galvanized steel back & bottom, 1/2" NPS male drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF

UNDERBAR BOTTLE WELL FOR ICE BIN - with Ice Chest Cover Assembly, 3-bottle capacity, 2-piece stainless steel sliding cover assembly, (3) black polypropylene bottle wells on left	Perlick Corporation	BW3-24		2			1	28	Underbar Bottle Well for Ice Bin, Perlick Corp, Model #TS24IC10
CONDIMENT TRAY FOR ICE BIN - 5 plastic cups, stainless steel rack, 15-3/8" long, free standing or is designed to fit back of #BW3-24 ice chest covers	Perlick Corporation	CC5		2			1	28	Condiment Tray for Ice Bin, Perlick Corp, Model #TS24IC10
SINGLE SPEED RAIL FOR ICE BIN - 24"W, factory installed	Perlick Corporation	SR-S24		2			1	28	Speed Rail for Ice Bin, Perlick Corp, Model #TS24IC10
UNDERBAR ADD-ON UNIT - TS Series Soda Gun Filler Section, 6" wide depth to match series, designed for use with Wunder-Bar® and Schroeder America™ 8-14 product soda gun / manifold	Perlick Corporation	TS6SGA		2			1	28	manifold mounts to side panel for easy access and service and thumbscrews provide tool-less access for maintenance, soda gun systems NOT included - shown for clarity only, NSF
BOTTLE DISPLAY - TS Series Liquor Bottle Display Unit, modular, 18" wide, 24" front-to-back, with 3-7/8" deep steps, stainless steel construction	Perlick Corporation	TS18LS		2			1	28	
GUARDRAIL SET FOR BOTTLE DISPLAY - Bottle Guardrail Set	Perlick Corporation	BG18		2			1	28	Bottle Guardrail Set for Bottle Display, Perlick Corp, Model #TS18LS
HAND SINK - TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, stainless steel construction, 10" wide x 14" front-to-back x 9-1/4" deep sink, 6" backsplash, 4" O.C., splash mount faucet holes	Perlick Corporation	TS12HSN		2			1	28	(16) oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound deadened underside, (1) 8-1/2" standpipe, 3/8" copper supply tubes, 1-1/2" NPS male drain, stainless steel legs with 1" adjustable thermoplastic feet, NSF
FAUCET FOR HAND SINK - Lead Free Faucet with gooseneck spout, wall mounted	Perlick Corporation	924GN-LF		2			1	28	Faucet for Hand Sink, Perlick Corp, Model #TS12HSN
END SPLASH FOR HAND SINK - End Splash, right, 6", for TS, TSF, or TSD series	Perlick Corporation	7054R		2			1	28	End Splash for Hand Sink, Perlick Corp, Model #TS12HSN
END SPLASH FOR HAND SINK - End Splash, left, 6", for TS, TSF, or TSD series	Perlick Corporation	7054L		2			1	28	End Splash for Hand Sink, Perlick Corp, Model #TS12HSN
GLASS HANDLING CABINET - Glass Handling Cabinet/less faucet, 24" prep, for 24" glass washer	Perlick Corporation	7057-1		1			1	28	Faucet for Glass Handling Cabinet, Perlick Corp, Model #TS12HSN
FAUCET FOR GLASS HANDLING CABINET - Lead Free Faucet with gooseneck spout, wall mounted	Perlick Corporation	924GN-LF		1			1	28	(1) hinged door with lock, stainless steel interior, galvanized steel back, (2) vinyl-coated shelves per door, digital thermostat, LED interior lighting, automatic evaporator condensate, floor drain included, R134a, 1/5 HP, NSF, cULus
BACK BAR COOLER - Refrigerated Back Bar Cabinet, one section, 36"W, self-contained refrigeration, (7.4) cu.ft. internal volume, front vented, stainless steel top & sides	Perlick Corporation	BBS36		3			1	28	Finish for Back Bar Cooler, Perlick Corp, Model # BBS36
FINISH FOR BACK BAR COOLER - Condensing unit cover finish, Stainless steel	Perlick Corporation			3			1	28	Door for Back Bar Cooler, Perlick Corp, Model # BBS36
DOOR FOR BACK BAR COOLER - Door type: glass with stainless steel door frame	Perlick Corporation			3			1	28	LED for Back Bar Cooler, Perlick Corp, Model # BBS36
LED FOR BACK BAR COOLER - Blue LED	Perlick Corporation			3			1	28	Baseplate and Legs for Back Bar Cooler, Perlick Corp, Model # BBS36
LEGS & BASEPLATES FOR BACK BAR COOLER - Back front baseplate & 6" legs (set of 4), for 36" back bar cabinets	Perlick Corporation			3			1	28	

BOTTLE COOLER - Bottle Cooler, flat top, 24"V, self-contained refrigeration, (4) cu.ft. interior capacity, 38°F factory temperature setting, stainless steel top, (1) dem-resistant stainless steel sliding door with die-cast handle	Perlick Corporation	BC24		2				1	28	stainless steel interior, automatic condensate evaporator, R134a, 1/5 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, NSF, cULus
CUSTOM FOR BOTTLE COOLER - Stainless steel front and ends, galvanized steel back	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
DOORS FOR BOTTLE COOLER - Doors with lock	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
BIN DIVIDER FOR BOTTLE COOLER - (1) bin divider with supporting brackets	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
FLOOR RACK FOR BOTTLE COOLER - Floor Rack	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
CAP RECEIVER FOR BOTTLE COOLER - Cap Receiver (Right)	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
LIGHT KIT FOR BOTTLE COOLER - Light Kit (installed)	Perlick Corporation			2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
CASTERS FOR BOTTLE COOLER - Set of casters (2/7/8"), for 2, 3, 4, & 5 models	Perlick Corporation	67061		2				1	28	Item for Bottle Cooler, Perlick Corp, Model # BC24
GLASS WASHER - Underbar Glass Washer, batch rotary type, 24"V, low temperature chemical sanitizing, (7/20) 2 1/4" dia. glasses per hour, 10" maximum glass height, top-mounted instrument panel upper & lower wash arms	Perlick Corporation	PKBR24		1				1	28	peristaltic metering pumps, removable vinyl-coated glass racks, metal divider with safety switch, 650W wash tank heater included stainless steel construction, 6" adjustable legs, 120V/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL-EPH
CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 10° angle, stainless steel construction	Perlick Corporation	TSF10F-I		2				1	28	
CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 25° angle, stainless steel construction	Perlick Corporation	TSF25F-I		2				1	28	
CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 15° angle, stainless steel construction	Perlick Corporation	TSF15F-I		2				1	28	
CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 10° angle, stainless steel construction	Perlick Corporation	TS10F-I		2				1	28	
CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 15° angle, stainless steel construction	Perlick Corporation	TS15F-I		2				1	28	
CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 25° angle, stainless steel construction	Perlick Corporation	TS25F-I		2				1	28	
CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 20° angle, stainless steel construction	Perlick Corporation	TS20F-I		2				1	28	
CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 20° angle, stainless steel construction	Perlick Corporation	TSF20F-I		2				1	28	

CUSTOM INSTALLATION

Totals

1

1

28