



NOTES:

1. FOR EXCAVATION AND BACKFILL AROUND MANHOLES, APPURTENANCES, OR IN WATER, REFER TO PROVISIONS WITHIN THE SPECIFICATIONS.
2. CLASS I MATERIALS ARE ANGULAR, 1/4 TO 3/4 INCH WELL GRADED STONE INCLUDING WASHED AND GRADED LIMEROCK.
3. WHERE REQUIRED, SHEETING AND SHORING SHALL BE IN ACCORDANCE WITH SPECIFICATIONS.
4. WHERE UNSTABLE SOILS ARE ENCOUNTERED, INCLUDING PEAT, MUCK OR OTHER ORGANIC SOILS, ELASTIC SILT AND CLAYS BELOW THE WATER TABLE, AND FINE SANDS BELOW THE WATER TABLE, TRENCH CONSTRUCTION SHALL CONFORM TO STANDARD DETAIL SS18.0, SHEET 3 OF 3.

ITEM	CROSS REF.	SPEC. REF.

	ISSUE DATE	APPROVED BY	STANDARD DETAIL TYPICAL TRENCH CONSTRUCTION (PVC PIPE GRAVITY SEWERS IN STABLE SOILS)	SS 18.0 SHEET 2 OF 3
	11/01/2006	V.E.F.		