

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 2
September 15, 2022

PROJECT: Roadway Improvements to SW 268 St from SW 139 Ave to SW 119 Ave
Project No. 20210224

BID DUE DATE: September 21, 2022; 02:00 P.M.

FROM: Miami-Dade County DTPW
Capital Improvements Division
111 NW First Street, 14th Floor
Miami, FL 33128
305.375.2930

TO: Prospective Bidders and Interested Parties

This Addendum forms part of the project solicitation documents and will be incorporated into the Contract Documents, as applicable. Insofar as the Original Contract Documents, Drawings and Specifications are inconsistent, this Addendum shall govern. Please acknowledge receipt of this Addendum, at the time of bid submittal to Miami-Dade County, in the space provided on the "Acknowledgement of Addenda Form" provided with the project solicitation documents. Failure to acknowledge receipt of all addenda may be cause for disqualification.

CHANGES TO VOLUME III, TECHNICAL SPECIFICATION:

To The Technical Specification, Section 5.02, page 40, paragraph E. - Grout; delete in its entirety and replace with the following:

E. Grout:

1. Cementitious grout
 - a. Shall be composed of one part of Type II Portland cement to three parts of sand.
2. Nonshrink nonmetallic grout
 - a. Five Star Special Grout 150, Five Star Products, Inc.
 - b. Sauereisen Grout F-100, Sauereisen, Inc.
 - c. MasterFlow 713, Master Builders Solutions, MBCC Group.
 - d. NS Grout, Euclid Chemical Company, pre-mixed type.
 - e. or approved equal.
3. Nonshrink metallic grout
 - a. Embeco 636 Plus Grout, Master Builders, pre-mixed type.
 - b. or approved equal.
4. Nonshrink hydraulic cement grout
 - a. MasterSeal 581, Master Builders Solutions, MBCC Group.
 - b. MasterSeal 590, Master Builders Solutions, MBCC Group.
 - c. or approved equal.
5. Nonshrink epoxy grout
 - a. Five Star HP Epoxy Grout, Five Star Products, Inc.
 - b. Wall-Nu Trowelable, Steelcote Manufacturing Co.
 - c. or approved equal.

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 2
September 15, 2022

For products to be considered as an “approved equal” shop drawings shall be submitted by the Contractor who has been awarded the Contract. Please base your Bids on the Bid Documents that have been provided.

END OF ADDENDUM NO. 2



Alfredo E. Muñoz, P.E.

Chief, Capital Improvements Division

Department of Transportation and Public Works (DTPW)

AM:jbp

cc: Jean Bernard Philippeaux, DTPW

Jacqueline Fussell, ISD

Clerk of the Board

Fernando Mardones, DTPW

Rene Idarraga, P.E. DTPW

Project File