



April 25, 2022

## RESPONSE LETTER NO. 1 TO REQUEST FOR INFORMATION

Project Title: **Intersection Improvements to Old Cutler Rd. at SW 136 St. and SW 67 Ave.**  
Project No.: **20220017 (MCC 7360 Plan)**

**Question from Mr. Jose Vega Jr., Florida Engineering and Development Corp. , Request for Information dated 4/5/2022, 4:41 PM. Please see attachment.**

QUESTION: 1) Could you please provide us with a higher quality set of drawings? Specifically sheets 8-19 (Plan & Profile) do not have enough detail to accurately takeoff.

RESPONSE: 1) A set of plans with high quality has been provided by Addendum No. 4. Please note that there has been an Addendum No.4 to replace certain plans sheet. For clarity you will find under the link a complete set of plans which already contains the changes and a set of plans with only the revised sheets.

**Question from Mr. Jose Pimentel., H&J Asphalt, Inc., Request for Information dated 4/7/2022, 11:28 AM. Please see attachment.**

QUESTION: 1) The Bid Form for the above project show 1,274.0 GM in item No. 711-16-231. Is this quantity for this item correct?

RESPONSE: 1) The quantity for this item is correct, but the unit shall be LF instead of GM. Please use pay item 711-11-241 Thermoplastic (Yellow) (Skip) (6") for the 3'-9' skip 6" yellow pavement markings. A revised bid form has been issued under Addendum No. 4.

**Question from Mr. Raul Cabrera., Florida Engineering & Development Corp., Request for information dated 4/7/2022, 11:53 AM. Please see attachment.**

QUESTION: 1) The Civil Drawings appear scanned and we can't work with them. Could you please, provide an original pdf plan?

RESPONSE: 1) Yes, see answer Number 1 to Jose Vega Jr. above.

QUESTION: 2) Could you provide the Geotechnical Report?



RESPONSE: 2) Geotechnical Report has been provided by Addendum No. 3.

QUESTION: 3) Can the contractor construct both roundabouts at the same time?

RESPONSE: 3) This pertains to means and methods and is also subject to MOT approval.

QUESTION: 4) Can the County provide the Station of the Item # 528-70-1 Concrete Wall?

RESPONSE: 4) This pay item is for the proposed wall located along the proposed Right-of-Way Line radius at the SW corner of SW 67 Ave and Old Cutler Road.

**Question from Mr. Raul Cabrera., Florida Engineering & Development Corp., Request for information dated 4/8/2022, 10:07 AM. Please see attachment.**

QUESTION: 1) The Bid Items have 81 trees to remove and none for relocate or replace, but the Landscape Drawings (sheets 63-64) show 130 trees to remove and 4 to be replace or relocate. Please advise.

RESPONSE: 1) All trees with a DBH less than 6" are paid for under 110-1-1B Clearing and Grubbing

**Question from Mr. Raul Cabrera., Florida Engineering & Development Corp., Request for information dated 4/8/2022, 11:28 AM. Please see attachment.**

QUESTION: 1) Please confirm that the 12" Concrete Pavement (item 350-30-13) is red.

RESPONSE: 1) As indicated in the typical section, the roundabout truck apron is to be red in color that closely matches AMS-STD-595-21105 red.

**Question from Mr. Raul Cabrera., Florida Engineering & Development Corp., Request for information dated 4/8/2022, 12:08 AM. Please see attachment.**

QUESTION: 1) The plans do not show baffles. Is it correct?

RESPONSE: 1) Correct. No baffles are required.

QUESTION: 2) For Maintenance of Traffic, detour work signs can be ground mounts, portables or they have to be post mount. Please advise.

RESPONSE: 2) Please comply with FDOT Index 102-600 and MUTCD.



**Question from Mr. Jherson Lopez., Roadway Construction LLC., Request for information dated 4/20/2022, 3:50 AM. Please see attachment.**

QUESTION: 1) Will a Field Office be required for this project? If yes, can you provide us with the size and requirements?

RESPONSE: 1 Yes, field office will be required for this project, please refer to Addendum No. 4.

**END OF REQUEST FOR INFORMATION No. 1**

Sincerely,

A handwritten signature in blue ink, appearing to read "A. Muñoz".

Alfredo E. Muñoz, P.E.  
Chief, Capital Improvements Division  
Department of Transportation and Public Works (DTPW)

AM:lh

c: Laura Hernandez, DTPW  
Marcia Martin, ISD  
Alex Barrios, DTPW  
Leandro Ona, P.E., DTPW  
Alejandro Sauleda, DTPW

Roxana Bayarre, P.E., DTPW  
Jacqueline Fussell, ISD  
Project File  
Clerk of the Board

**From:** [Jose Vega Jr](#)  
**To:** [Hernandez, Laura \(DTPW\)](#)  
**Cc:** [Clerk of the Board \(COC\)](#); [Raul Cabrera](#)  
**Subject:** RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)  
**Date:** Tuesday, April 5, 2022 4:41:00 PM  
**Attachments:** [image001.png](#)

---

EMAIL RECEIVED FROM EXTERNAL  
SOURCE

Good Afternoon,

Could you please provide us with a higher quality set of drawings?  
Specifically sheets 8-19 (Plan & Profile) do not have enough detail to accurately takeoff.

Thanks,  
Jose Vega Jr.



Florida Engineering & Development Corp.  
12076 NW 98th Ave.  
Hialeah Gardens, Fl. 33018  
Phone: (305) 820-8333  
Fax: (305) 820-9341

**From:** [hj\\_josep](#)  
**To:** [Hernandez, Laura \(DTPW\)](#)  
**Cc:** [Muñoz, Alfredo \(DTPW\)](#); [Clerk of the Board \(COC\)](#)  
**Subject:** RPQ No. 20220017, Intersection Improvements to Old Cutler Rd.  
**Date:** Thursday, April 7, 2022 11:38:35 AM

---

EMAIL RECEIVED FROM EXTERNAL  
SOURCE

Good morning,

The Bid Form for the above project show 1,274.0 GM in item No. 711-16-231. Is this quantity for this item correct?. Please explain / advise.

Regards,

Jose Pimentel  
H & J Asphalt, Inc.  
305-634-3342.

**From:** [Raul Cabrera](#)  
**To:** [Hernandez, Laura \(DTPW\)](#); [Clerk of the Board \(COC\)](#)  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)  
**Date:** Thursday, April 7, 2022 11:53:11 AM

---

EMAIL RECEIVED FROM EXTERNAL  
SOURCE

Good morning,

We have a couple questions:

1. The Civil Drawings appear scanned and we can't work with them . Could you please , provide an original pdf plan?
2. Could you provide the Geotechnical Report?
3. Can the Contractor construct both roundabouts in the same time?
4. Can the County provide the Station of the Item # 528-70-1- Concrete Wall?

Thanks,



**From:** [Raul Cabrera](#)  
**To:** [Hernandez, Laura \(DTPW\)](#); [Clerk of the Board \(COC\)](#)  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)  
**Date:** Friday, April 8, 2022 10:07:27 AM

---

EMAIL RECEIVED FROM EXTERNAL SOURCE

Good Morning,

We have one more question.

The Bid Items have 81 trees to remove and none for relocate or replace, but the Landscape Drawings ( sheets 63-64 ) show 130 trees to remove and 4 to be replace or relocate. Please advise.

Thank you,



---

**From:** Raul Cabrera  
**Sent:** Thursday, April 7, 2022 11:53 AM  
**To:** 'Laura.Hernandez@miamidade.gov' <Laura.Hernandez@miamidade.gov>; clerkbcc@miamidade.gov  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good morning,

We have a couple questions:

1. The Civil Drawings appear scanned and we can't work with them . Could you please , provide an original pdf plan?

2. Could you provide the Geotechnical Report?
3. Can the Contractor construct both roundabouts in the same time?
4. Can the County provide the Station of the Item # 528-70-1- Concrete Wall?

Thanks,



**FLORIDA ENGINEERING  
& DEVELOPMENT CORP.**

---

**Raul Cabrera**  
**Sr. Estimator**  
Phone: 305 820 8333  
Fax: 305 820 9341  
Cell. 786 217 8047

12076 NW 98 Avenue.  
Hialeah Gardens, FL 33018

**From:** [Raul Cabrera](#)  
**To:** [Hernandez, Laura \(DTPW\)](#); [Clerk of the Board \(COC\)](#)  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)  
**Date:** Friday, April 8, 2022 11:28:54 AM

---

EMAIL RECEIVED FROM EXTERNAL SOURCE

Good morning,

Please confirm that the 12" Concrete Pavement ( item 350-30-13 ) is red .

Thank you,



---

**From:** Raul Cabrera  
**Sent:** Friday, April 8, 2022 10:07 AM  
**To:** 'Laura.Hernandez@miamidade.gov' <Laura.Hernandez@miamidade.gov>; 'clerkbcc@miamidade.gov' <clerkbcc@miamidade.gov>  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good Morning,

We have one more question.

The Bid Items have 81 trees to remove and none for relocate or replace, but the Landscape Drawings ( sheets 63-64 ) show 130 trees to remove and 4 to be replace or relocate. Please advise.

Thank you,



**Raul Cabrera**  
**Sr. Estimator**

Phone: 305 820 8333  
Fax: 305 820 9341  
Cell. 786 217 8047

12076 NW 98 Avenue.  
Hialeah Gardens, FL 33018

---

**From:** Raul Cabrera

**Sent:** Thursday, April 7, 2022 11:53 AM

**To:** 'Laura.Hernandez@miamidade.gov' <[Laura.Hernandez@miamidade.gov](mailto:Laura.Hernandez@miamidade.gov)>;  
[clerkbcc@miamidade.gov](mailto:clerkbcc@miamidade.gov)

**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good morning,

We have a couple questions:

1. The Civil Drawings appear scanned and we can't work with them . Could you please , provide an original pdf plan?
2. Could you provide the Geotechnical Report?
3. Can the Contractor construct both roundabouts in the same time?
4. Can the County provide the Station of the Item # 528-70-1- Concrete Wall?

Thanks,



**Raul Cabrera**  
**Sr. Estimator**

Phone: 305 820 8333  
Fax: 305 820 9341  
Cell. 786 217 8047

12076 NW 98 Avenue.  
Hialeah Gardens, FL 33018

**From:** [Raul Cabrera](#)  
**To:** [Hernandez, Laura \(DTPW\)](#); [Clerk of the Board \(COC\)](#)  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)  
**Date:** Friday, April 8, 2022 12:08:00 PM

---

EMAIL RECEIVED FROM EXTERNAL SOURCE

Good morning,

1. The plans do not show baffles. Is it correct?
2. For Maintenance of Traffic, detour work signs can be ground mounts , portables or they have to be post mount .Please advise.

Thanks,



---

**From:** Raul Cabrera  
**Sent:** Friday, April 8, 2022 11:29 AM  
**To:** 'Laura.Hernandez@miamidade.gov' <Laura.Hernandez@miamidade.gov>; 'clerkbcc@miamidade.gov' <clerkbcc@miamidade.gov>  
**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good morning,

Please confirm that the 12" Concrete Pavement ( item 350-30-13 ) is red .

Thank you,



**Raul Cabrera**  
**Sr. Estimator**

Phone: 305 820 8333  
Fax: 305 820 9341  
Cell. 786 217 8047

12076 NW 98 Avenue.  
Hialeah Gardens, FL 33018

---

**From:** Raul Cabrera

**Sent:** Friday, April 8, 2022 10:07 AM

**To:** 'Laura.Hernandez@miamidade.gov' <[Laura.Hernandez@miamidade.gov](mailto:Laura.Hernandez@miamidade.gov)>;  
'clerkbcc@miamidade.gov' <[clerkbcc@miamidade.gov](mailto:clerkbcc@miamidade.gov)>

**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good Morning,

We have one more question.

The Bid Items have 81 trees to remove and none for relocate or replace, but the Landscape Drawings ( sheets 63-64 ) show 130 trees to remove and 4 to be replace or relocate. Please advise.

Thank you,



**Raul Cabrera**  
**Sr. Estimator**

Phone: 305 820 8333  
Fax: 305 820 9341  
Cell. 786 217 8047

12076 NW 98 Avenue.  
Hialeah Gardens, FL 33018

**From:** Raul Cabrera

**Sent:** Thursday, April 7, 2022 11:53 AM

**To:** 'Laura.Hernandez@miamidade.gov' <[Laura.Hernandez@miamidade.gov](mailto:Laura.Hernandez@miamidade.gov)>; [clerkbcc@miamidade.gov](mailto:clerkbcc@miamidade.gov)

**Subject:** RE: RFI - 20220017 (Old Cutler Rd. at SW 137 St & 67th Ave)

Good morning,

We have a couple questions:

1. The Civil Drawings appear scanned and we can't work with them . Could you please , provide an original pdf plan?
2. Could you provide the Geotechnical Report?
3. Can the Contractor construct both roundabouts in the same time?
4. Can the County provide the Station of the Item # 528-70-1- Concrete Wall?

Thanks,



**From:** [Jherson Lopez](#)  
**To:** [Hernandez, Laura \(DTPW\)](#)  
**Cc:** [Clerk of the Board \(COC\)](#)  
**Subject:** RFI-Intersection Improvements to Old Cutler at SW 136 Street and SW 67 Avenue  
**Date:** Wednesday, April 20, 2022 3:50:18 PM  
**Attachments:** [image001.png](#)

---

EMAIL RECEIVED FROM EXTERNAL  
SOURCE

Good afternoon,

Will a Field Office be required for this project? If yes, can you provide us with the size and requirements?

Thank you.



**Jherson Lopez** | *Assistant Project Manager*

12391 SW 130<sup>th</sup> Street

Miami, FL 33186

**Phone:** (786) 842-3952, Ext. 113

**Fax:** (786) 732-6431

**Mobile:** (786) 970-3221

**Email:** [jherson@roadway-construction.com](mailto:jherson@roadway-construction.com)