

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

PROJECT: Traffic Signal Improvements South II
Project No. 20250050 (MCC 7360)

BID DUE DATE: August 13, 2025, 02:00P.M.

FROM: Miami-Dade County DTPW
Capital Improvements Division
111 NW First Street, 14th Floor
Miami, FL 33128
305.375.2930

TO: Prospective Bidders and Interested Parties

This Addendum forms part of the project solicitation documents and will be incorporated into the Contract Documents, as applicable. Insofar as the Original Contract Documents, Drawings and Specifications are inconsistent, this Addendum shall govern. Please acknowledge receipt of this Addendum, at the time of bid submittal to Miami-Dade County, in the space provided on the "Acknowledgement of Addenda Form" provided with the project solicitation documents. Failure to acknowledge receipt of all addenda may be cause for disqualification.

CHANGES TO THE INVITATION TO BID:

- A. The Contract Estimated Value has been revised from \$2,347,870.10 to \$2,821,457.95.

CHANGES TO THE BID FORM

- A. Delete Bid Form in its entirety and replace it with the attached "Revised Bid Form for Addendum No. 4", dated 07/28/2025. Changes are as follows:

The following pay items were deleted from the bid form as follows:

1. Pay Item No. 110-4-1-1, Removal and Disposal of Existing Curb and Gutter, has been deleted.
2. Pay Item No. 110-4-10B, Remove and Dispose Existing Sidewalk, has been deleted.
3. Pay Item No. 327-70, Milling Existing Pavement [(1") (Payment for Greater Cuts Will be Paid Proportionally)], has been deleted.
4. Pay Item No. 327-70-1A, Milling Existing Asphalt Pavement (1 Inch Average Depth), has been deleted.
5. Pay Item No. 337-8-42, Hot Mix Asphalt Friction Course, Traffic C, FC-9.5, PG 76-22, has been deleted.
6. Pay Item No. 570-1-1, Performance Turf, has been deleted.
7. Pay Item No. 632-7-1, Traffic Control Cable, has been deleted.

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

8. Pay Item No. 632-7-6, Signal Cable, Remove- Intersection, has been deleted.
9. Pay Item No. 635-2-12, Pull & Splice Box (F&I) 24" X 36" Cover Size, has been deleted.
10. Pay Item No. 639-1-122, Electrical Power Service, Furnish & Install, Underground, Meter Purchased by Contractor, has been deleted.
11. Pay Item 650-1-14, Traffic Signal, Furnish & Install, Aluminum, 3 Section, 1 Way, has been deleted.
12. Pay Item 650-1-18, Traffic Signal, Furnish & Install, Aluminum, 5 Section Straight, 1 Way, has been deleted.
13. Pay Item 650-1-313, Traffic Signal, Furnish & Install, 3 Section, 1 Way, Polycarbonate, has been deleted.
14. Pay Item 650-1-513, Traffic Signal, Furnish & Install, 5 Section, 1 Way, Polycarbonate, has been deleted.
15. Pay Item No. 522-1(1), Concrete Sidewalk [4" Thick, 3,000 P.S.I. Concrete at 28 Days (Includes the Cost of Pedestrian Ramps and Sidewalk Curbs), has been deleted.
16. Pay Item No. 653-1-192, Pedestrian Signal (F & I) (LED - Countdown) (Two Ways), has been deleted.
17. Pay Item No. 653-1-11, Pedestrian Signal, Furnish & Install, Led Countdown, 1 Way, has been deleted.
18. Pay Item No. 653-1-12, Pedestrian Signal, Furnish & Install, LED Countdown, 2 Ways, has been deleted.
19. Pay Item No. 660-1-111, Loop Detector Inductive, F&I, Type 11, 4 CH, SS, RM, has been deleted.
20. Pay Item No. 665-1-11, Pedestrian Detector, Furnish & Install, Standard, has been deleted.
21. Pay Item no. 705-46-01A, Single Post, Remove, has been deleted.
22. Pay Item No. 706-1-1, Raised Pavement Marker, Type B Without Final Surface Markings, has been deleted.
23. Pay Item No. 711-11-241C, Thermoplastic, Standard, Yellow, 2-4 Dotted Guide Line /6-10 Dotted Extension Line, 6", has been deleted.

The quantities of the following pay items were changed as follows:

| Pay Item | Description | Unit | Revised Quantity |
|-----------------|-------------------------|-------------|-------------------------|
| 104-18 | Inlet Protection System | EA. | 19 |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | | | |
|-----------|--|------|-------|
| 110-4-2H | Removal And Disposal of Existing Concrete Sidewalk (up to 8" Thick) | S.Y. | 1,552 |
| 110-4-10C | Remove and Dispose Existing Curb & Gutter | L.F. | 1,815 |
| 425-5-1 | Adjust Manhole (Utilities) (Miami-Dade Water & Sewer Only) | EA. | 8 |
| 425-6 | Adjust Existing Valve Boxes (Miami-Dade County Only) (This Item Is Contingent Upon Field Conditions and May Be Increased, Decreased or Eliminated by the Engineer) | EA. | 1 |
| 520-1-10 | Concrete Curb & Gutter (Type F) (6" Curb, 18" Gutter) (Includes Cost of Limerock Base and Subgrade) | LF | 930 |
| 520-2 | Concrete Curb and Gutter (Any Type, Including Base Preparation) | L.F. | 2,500 |
| 527-2 | Detectable Warning on Walking Surface | S.F. | 115 |
| 575-1-1 | Sodding (Pensacola Bahia or Match Existing) (Includes Watering) | S.Y. | 342 |
| 620-1-1 | Grounding Electrode | L.F. | 840 |
| 630-2-11 | Conduit, Furnish & Install, Open Trench | EA. | 320 |
| 630-2-12 | Conduit, Furnish & Install, Directional Bore. | L.F. | 2,629 |
| 632-7-1B | Traffic Control Cable - (4-7 Conductor) | L.F. | 1,970 |
| 635-2-11 | Pull & Splice Box, Furnish & Install, 13" X 24" Coversize | EA. | 109 |
| 635-2-15A | Pull & Junction Boxes (F&I) (Fiber Optic) | EA. | 2 |
| 639-1-121 | Electrical Power Service Underground, Meter Furnished by Power Company | AS. | 9 |
| 639-2-1 | Service Wire [6 AWG With THW Insulation) (Three Conductor Set) (Black, White and Green)] | L.F. | 650 |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | | | |
|----------|---|------|----|
| 639-3-11 | Electrical Service (Includes Nema-3R Discon-nect Switch) Pole Conduit | AS. | 9 |
| 641-2-12 | PRESTRESSED CONCRETE POLES (FURNISH & INSTALL) (TYPE P-II SERVICE POLE) | EA. | 9 |
| 653-191 | Pedestrian Signal, 1-Way (LED-Countdown) | AS. | 4 |
| 660-4-11 | Vehicle Detection System- Video, F&I Cabinet Equipment | EA. | 5 |
| 660-4-12 | Vehicle Detection System- Video, F&I Above Ground Equipment | EA. | 8 |
| 665-11 | Pedestrian Detector (Includes Push Button Sign) | EA. | 24 |
| 690-20 | Uninterruptible Power Supply System, Furnish and Install, Line Interactive with Cabinet | EA | 11 |
| 690-31 | Remove Signal Pedestal | EA. | 5 |
| 690-33-1 | Pole Removal (Deep) (Direct Burial) | EA. | 6 |
| 690-50 | Remove Controller Assembly | EA. | 2 |
| 690-51 | Remove Controller Foundation - Includes Proper Disposal, and Grading of Area If Required. | EA. | 3 |
| 690-100 | Remove Miscellaneous Signal Equipment | P.I. | 3 |
| 690-101 | Remove Existing Power Service - (Includes Complete Removal of Riser, Disconnect Switch Box, Meter Box and Ground Restoration) | P.I. | 2 |
| 690-110 | Relocate Signal Head Assembly - (Single or Multiple Section, Span Wire or Mast Arm Mounted) (Provide New Astro Bracket) | EA. | 3 |
| 690-200 | Pull Box Removal | EA. | 34 |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | | | |
|------------|--|-----|-----|
| 690-70A | Remove Pedestrian Detector Assembly (Includes Push Button Sign) | EA. | 8 |
| 700-1-60 | Single Post Sign, Remove | AS. | 13 |
| 700-1-11B | Single Post Sign, F&I Ground Mount, Up To 12 Sf | AS. | 9 |
| 700-11-139 | Electronic Display Sign, F&I Ground Mount- Ac Powered, Speed Feedback Sign | AS. | 6 |
| 706-1-12 | Reflective Pavement Markers (Class B, Mono or Bi-Directional, All Colors) | EA. | 101 |

The following pay items were added, and quantity to the Bid Form as follows:

| Pay Item | Description | Unit | Quantity |
|------------|---|------|----------|
| 285-708 | Optional Base, Base Group 8 | S.Y. | 669 |
| 327-70-01 | Milling, 1" Average Depth | S.Y. | 13,747 |
| 327-70-12 | Milling Existing Asphalt (1 1/4" Average) | S.Y. | 2,712 |
| 334-2-13-1 | HOT MIX ASPHALT, TRAFFIC C, SP- 9.5 | TON | 54 |
| 337-7-82 | Asphalt Concrete Friction Course, Traffic C, FC-9.5, PG 76-22 | TON | 916 |
| 522-1 | Concrete Sidewalk (4" Thick Restoration and New, Class I Concrete, 3000 P.S.I) (Including Pedestrian Ramps and Sidewalk Curbs) | S.Y. | 191 |
| 526-70-2B | Installation of Brick Pavers, Any Type, Including Base Preparation. | S.Y. | 48 |
| 580-336 | Tree Trimming- | HRS | 25 |
| 632-7-1A | Traffic Control Cable - (11-21 Conductor) | L.F. | 3,700 |
| 650-51-313 | Traffic Signal (Furnish and Install) (3 Section, 1 Way), (Complete with Horizontal Mounting Brackets and Lamps) (LED) | AS. | 10 |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | | | |
|------------|--|------|----|
| 650-51-413 | Traffic Signal (Furnish and Install) (4 Section, 1 Way), (Complete with Horizontal Mounting Brackets and Lamps) (LED) | AS. | 2 |
| 650-51-513 | Traffic Signal (Furnish and Install) (5 Section, 1 Way), (Complete with Horizontal Mounting Brackets and Lamps) (LED) | AS. | 3 |
| 653-192 | Pedestrian Signal (F & I) (LED - Countdown) (Two Ways) | AS. | 4 |
| 672-1-3 | Install Traffic Controller Assembly - (Build-Up Controller & Components Furnished by County. Contractor To Construct Foundation, Install and Wire Controller & Components for a Complete Installation) | AS. | 2 |
| 672-1-4 | Modification Of Existing Traffic Controller Assembly Type 170 - (Components Furnished by County. Contractor To Install, Remove or Re-Place Components and/or Modify Phasing and/or Other Operation) | AS. | 2 |
| 684-6-12A | Wireless Communication Device, Furnish by the Contractor Ethernet Subscriber Unit and Install by Miami Dade County. | EA. | 2 |
| 685-1-13 | Uninterruptible Power Supply System, Furnish and Install, Line Interactive with Cabinet. | EA. | 1 |
| 690-10 | Remove Traffic Signal Head Assembly | EA. | 12 |
| 690-40 | Remove Mast Arm Assembly | EA. | 2 |
| 690-80-1 | Remove Span Wire Assembly | P.I. | 1 |
| 690-90 | Remove Cable and Conduit | P.I. | 2 |
| 706-2 | Removal Of Existing Pavement Markers | EA. | 40 |
| 710-11-101 | Painted Pavement Markings (Standard) (White) (Solid) (6") | G.M. | 1 |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | | | |
|--------------|--|------|-----|
| 710-11-125 | Painted Pavement Markings (Standard, White, Solid, 24") | L.F. | 300 |
| 710-11-141 | Painted Pavement Markings (Standard) (White) (Skip) (6") | L.F. | 200 |
| 710-11-160 | Painted Pavement Markings (Standard)(White)(Message) | EA. | 8 |
| 710-11-170 | Painted Pavement Marking (Standard) (White) (Arrows) | EA. | 11 |
| 710-11-201 | Painted Pavement Markings (Standard) (Yellow) (Solid) (6") | G.M. | 1 |
| 710-11-241 | Painted Pavement Markings (Standard) (Yellow) (Skip) (6") | L.F. | 700 |
| 711-11-141 | Thermoplastic (White) (Skip) (6") | L.F. | 295 |
| 715-7-12 | Load Center (Furnish & Install) (Primary Voltage) | EA. | 1 |
| 715-511-130A | Decorative Lighting Pole Complete (30 Ft To 40 Ft. Mounting Ht.) | EA. | 4 |

CHANGES TO THE SOLICITATION DOCUMENTS:

B. Article 2.03 to the Special Provisions:

Delete Article 2.03 in its entirety and replace it with the following:

2.03 CLEARING AND GRUBBING (ARTICLE 110)

A. Add the following to DTPW Construction Specification, Article 110-F:

9. Clearing and Grubbing will be disbursed as partial payments per site up to the percentage identified below for each site and based on the schedule of values and progress schedules submitted by Contractor and approved by Engineer; the total aggregate amount must not exceed the Contract Price for Clearing and Grubbing (Lump Sum). The actual amount paid for the clearing and grubbing will be per price allocated for the site to Contractor from a dedicated allowance established by the County.


| Location of Site | Percentage of Clearing and Grubbing (lump sum) Contract Price allocated for the Site |
|--------------------|--|
| Site 1: LOCATION 1 | 20.00% |

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM NO. 4
July 28, 2025

| | |
|---------------------|--------|
| Site 2: LOCATION 2 | 20.00% |
| Site 4: LOCATION 4 | 20.00% |
| Site 8: LOCATION 8 | 20.00% |
| Site 10 LOCATION 10 | 20.00% |

END OF ADDENDUM NO. 4



Tiondra Wright
Chief, Capital Improvement Division.
Department of Transportation and Public Works (DTPW)

TW:jbp

c: Jean Bernard Philippeaux, DTPW
Pedro P. Nuñez, P.E., DTPW
Laurie Jonhson, SPD
Clerk of the Board
Project File

Frank Aira, P.E. DTPW
Caesar Suarez, SPD
William A Salazar, DTPW
Yanek Fernandez, P.E., PTOE, PTP, DTPW

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|-----------|----------|------|---|---------------------|------------|-------|
| 102-91-1A | 6,280.0 | L.F. | PAVEMENT MARKING TEMPORARY (Solid) (Any width) (Yellow or White) (Paint) | | | |
| 104-10-3 | 4,600.0 | L.F. | Sediment Barrier | | | |
| 104-18 | 19.0 | EA. | Inlet Protection System | | | |
| 110-4-8 | 3,505.0 | S.Y. | REMOVAL AND DISPOSAL OF EXISTING ASPHALT (without base preparation) | | | |
| 110-4-2H | 1,552.0 | S.Y. | REMOVAL AND DISPOSAL OF EXISTING CONCRETE SIDEWALK (up to 8" thick) | | | |
| 110-4-10C | 1,815.0 | L.F. | REMOVE AND DISPOSE EXISTING CURB & GUTTER | | | |
| 120-1 | 1,011.0 | C.Y. | REGULAR EXCAVATION | | | |
| 160-4 | 1,640.0 | S.Y. | TYPE "B" STABILIZATION (12" Thick) (Min. C.B.R. 30) | | | |
| 162-5 | 300.0 | C.Y. | FINISH SOIL LAYER (Landscaping) | | | |
| 200-1-10 | 971.0 | S.Y. | LIMEROCK BASE (8" Thick, Primed) | | | |
| 200-2 | 125.0 | S.Y. | BASE PREPARATION FOR NEW SIDEWALK CONSTRUCTION (Where needed at the discretion of the Engineer) | | | |
| 285-708 | 669.0 | S.Y. | Optional Base, Base Group 8 | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|-------------|----------|------|--|---------------------|------------|-------|
| 327-70-01 | 13,747.0 | S.Y. | MILLING, 1" AVERAGE DEPTH | | | |
| 327-70-12 | 2,712.0 | S.Y. | MILLING EXISTING ASPHALT (1 1/4" AVERAGE) | | | |
| 334-1-13 | 220.0 | TON | SUPERPAVE ASPHALTIC CONCRETE (Traffic C) | | | |
| 334-2-13-1 | 54.0 | TON | Hot Mix Asphalt, Traffic C, SP-9.5 | | | |
| 337-7-82 | 916.0 | TON | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | | | |
| 337-7-83 | 220.0 | TON | Asphalt Concrete, Friction Course, Traffic C , FC-12.5, PG 76-22 | | | |
| 425-1-610 | 3.0 | EA. | INLET SWALE [(TYPE P-10)(42" Inside dimension, circular or square)] | | | |
| 425-1-907 | 2.0 | EA. | POLLUTION RETARDANT BAFFLE (With neoprene gasket at all contact edges) | | | |
| 425-5-1 | 8.0 | EA. | ADJUST MANHOLE (Utilities) (Miami-Dade Water & Sewer Only) | | | |
| 425-6 | 1.0 | EA. | ADJUST EXISTING VALVE BOXES (MIAMI-DADE COUNTY ONLY) (This item is contingent upon field conditions and may be increased, decreased or eliminated by the Engineer) | | | |
| 430-171-121 | 72.0 | L.F. | PIPE CULVERT - 12" Diameter | | | |
| 430-171-123 | 3.0 | L.F. | PIPE CULVERT - 15" Diameter | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|------------|----------|------|--|---------------------|------------|-------|
| 443-70-4-3 | 75.0 | L.F. | French Drain (24" diameter perforated pipe; trench depth 15 ft. BLS) | | | |
| 520-1-10 | 930.0 | L.F. | CONCRETE CURB & GUTTER (Type F) (6" Curb, 18" Gutter) (Includes cost of limerock base and subgrade) | | | |
| 520-2 | 2,500.0 | L.F. | CONCRETE CURB AND GUTTER (Any type, Including base preparation) | | | |
| 522-1 | 191.0 | S.Y. | CONCRETE SIDEWALK (4" Thick restoration and new, Class I Concrete, 3000 P.S.I) (including pedestrian ramps and sidewalk curbs) | | | |
| 522-2 | 527.0 | S.Y. | CONCRETE SIDEWALK (6" Thick, 3000 P.S.I. concrete at 28 days) (including pedestrian ramps and sidewalk curbs) | | | |
| 526-70-2B | 48.0 | S.Y. | INSTALLATION OF BRICK PAVERS, any type, including Base Preparation. | | | |
| 527-2 | 115.0 | S.F. | DETECTABLE WARNING ON WALKING SURFACE | | | |
| 575-1-1 | 342.0 | S.Y. | SODDING (Pensacola Bahia or match existing) (includes watering) | | | |
| 580-327-02 | 6.0 | EA. | TREE REMOVAL INCLUDING DISPOSAL. Greater than 10" to 24" Diameter. (Trunk Diameter measured 4' above the ground) | | | |
| 580-336 | 25.0 | HRS | TREE TRIMMING- | | | |
| 581-1-2 | 1.0 | EA | Relocate Trees and Palms, Palm, >=14' Of Clear Trunk | | | |
| 620-1-1 | 840.0 | L.F. | GROUNDING ELECTRODE | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|-----------|----------|------|--|---------------------|------------|-------|
| 630-2-11 | 320.0 | L.F. | CONDUIT, Furnish & Install, Open Trench | | | |
| 630-2-12 | 2,629.0 | L.F. | CONDUIT, Furnish & Install, Directional Bore | | | |
| 632-7-1A | 3,700.0 | L.F. | TRAFFIC CONTROL CABLE - (11-21 conductor) | | | |
| 632-7-1B | 1,970.0 | L.F. | TRAFFIC CONTROL CABLE - (4-7 conductor) | | | |
| 635-2-11 | 109.0 | EA. | PULL & SPLICE BOX, Furnish & Install, 13" x 24" COVER SIZE | | | |
| 635-2-15A | 2.0 | EA | PULL & JUCTION BOXES (F&I) (Fiber Optic) | | | |
| 639-1-121 | 9.0 | AS. | Electrical Power Service Underground, Meter Furnished by Power Company | | | |
| 639-2-1 | 650.0 | L.F. | SERVICE WIRE{(#6 AWG with THW insulation)(Three conductor set)(Black,white and green)} | | | |
| 639-3-11 | 9.0 | AS. | ELECTRICAL SERVICE (Includes Nema-3R Disconnect Switch) POLE CONDUIT | | | |
| 641-2-12 | 9.0 | EA. | PRESTRESSED CONCRETE POLES (Furnish & Install) (Type P-II Service Pole) | | | |
| 646-1-11 | 19.0 | EA. | ALUMINUM SIGNALS POLE, (Furnish & Install) (Pedestal) | | | |
| 649-21-3 | 3.0 | EA. | Steel Mast Arm Assembly, Furnish & Install, Single Arm 40' | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|------------|----------|------|---|---------------------|------------|-------|
| 649-21-6 | 2.0 | EA. | Steel Mast Arm Assembly, (F&I), Single Arm 50' | | | |
| 649-21-10 | 1.0 | EA. | Steel Mast Arm Assembly, Furnish & Install, Single Arm 60' | | | |
| 650-51-313 | 10.0 | AS. | TRAFFIC SIGNAL (Furnish and Install) (3 SECTION, 1 WAY), (Complete with horizontal mounting brackets and lamps) (LED) | | | |
| 650-51-413 | 2.0 | AS. | TRAFFIC SIGNAL (Furnish and Install) (4 SECTION, 1 WAY), (Complete with horizontal mounting brackets and lamps) (LED) | | | |
| 650-51-513 | 3.0 | AS. | TRAFFIC SIGNAL (Furnish and Install) (5 SECTION, 1 WAY), (Complete with horizontal mounting brackets and lamps) (LED) | | | |
| 653-191 | 4.0 | AS. | PEDESTRIAN SIGNAL, 1-Way (LED-Countdown) | | | |
| 653-192 | 4.0 | AS. | Pedestrian Signal (F & I) (LED - Countdown) (Two Ways) | | | |
| 660-2-106 | 18.0 | AS. | LOOP ASSEMBLY, F&I, Type F | | | |
| 660-4-11 | 5.0 | EA. | Vehicle Detection System- Video, F&I Cabinet Equipment | | | |
| 660-4-12 | 8.0 | EA. | Vehicle Detection System- Video, F&I Above Ground Equipment | | | |
| 665-11 | 24.0 | EA. | PEDESTRIAN DETECTOR (Includes Push Button Sign) | | | |
| 670-5-140 | 2.0 | AS. | TRAFFIC CONTROLLER ASSEMBLY (Furnish & Install) (Model 2070) | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|-----------|----------|------|--|---------------------|------------|-------|
| 672-1-3 | 2.0 | AS. | INSTALL TRAFFIC CONTROLLER ASSEMBLY - (Build-up controller & components furnished by County. Contractor to construct foundation, install and wire controller & components for a complete installation) | | | |
| 672-1-4 | 2.0 | AS. | MODIFICATION OF EXISTING TRAFFIC CONTROLLER ASSEMBLY TYPE 170 - (Components furnished by county. Contractor to install, remove or re-place components and/or modify phasing and/or other operation) | | | |
| 684-6-12A | 2.0 | EA | Wireless Communication Device, Furnish by the Contractor Ethernet Subscriber Unit and Install by Miami Dade County. | | | |
| 685-1-13 | 1.0 | EA | Uninterruptible Power Supply System, Furnish and Install, Line Interactive with Cabinet | | | |
| 690-10 | 12.0 | EA | REMOVE TRAFFIC SIGNAL HEAD ASSEMBLY | | | |
| 690-20 | 11.0 | EA. | REMOVE PEDESTRIAN SIGNAL HEAD ASSEMBLY | | | |
| 690-31 | 5.0 | EA. | REMOVE SIGNAL PEDESTAL | | | |
| 690-33-1 | 6.0 | EA. | POLE REMOVAL (DEEP) (DIRECT BURIAL) | | | |
| 690-40 | 2.0 | EA. | REMOVE MAST ARM ASSEMBLY | | | |
| 690-50 | 2.0 | EA. | REMOVE CONTROLLER ASSEMBLY | | | |
| 690-51 | 3.0 | EA. | REMOVE CONTROLLER FOUNDATION - Includes proper disposal, and grading of area if required. | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|-----------|----------|------|---|---------------------|------------|-------|
| 690-80-1 | 1.0 | P.I. | REMOVE SPAN WIRE ASSEMBLY | | | |
| 690-90 | 2.0 | P.I. | REMOVE CABLE AND CONDUIT | | | |
| 690-100 | 3.0 | P.I. | REMOVE MISCELLANEOUS SIGNAL EQUIPMENT | | | |
| 690-101 | 2.0 | AS. | REMOVE EXISTING POWER SERVICE - (Includes complete removal of riser, disconnect switch box, meter box and ground restoration) | | | |
| 690-110 | 3.0 | EA. | RELOCATE SIGNAL HEAD ASSEMBLY - (Single or multiple section, span wire or mast arm mounted)(Provide new ASTRO bracket) | | | |
| 690-200 | 34.0 | EA. | PULL BOX REMOVAL | | | |
| 690-70A | 8.0 | EA. | REMOVE PEDESTRIAN DETECTOR ASSEMBLY (Includes Push Button Sign) | | | |
| 700-1-60 | 13.0 | AS. | SINGLE POST SIGN, REMOVE | | | |
| 700-1-11B | 9.0 | AS. | SINGLE POST SIGN, F&I Ground Mount, Up to 12 SF | | | |
| 700-3-201 | 6.0 | EA. | SIGN PANEL, FURNISH & INSTALL, OVERHEAD MOUNT, UP TO 12 SF | | | |
| 700-5-21 | 2.0 | EA. | INTERNALLY ILLUMINATED SIGN, FURNISH, & INSTALL OVERHEAD MOUNT, UP TO 12 SF | | | |
| 700-5-22 | 4.0 | EA. | Internally Illuminated Sign, Furnish & Install, Overhead Mount, 12-18 SF | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|------------|----------|------|--|---------------------|------------|-------|
| 700-11-139 | 6.0 | AS. | Electronic Display Sign, F&I Ground Mount- AC Powered, Speed Feedback Sign | | | |
| 700-11-239 | 2.0 | AS. | Electronic Display Sign, F&I Ground Mount- Solar Power, Speed Feedback | | | |
| 700-48-60B | 1.0 | EA. | REMOVAL OF SIGN PANEL | | | |
| 706-1-12 | 101.0 | EA. | REFLECTIVE PAVEMENT MARKERS (class B, mono or bi-directional, all colors) | | | |
| 706-2 | 40.0 | EA. | REMOVAL OF EXISTING PAVEMENT MARKERS | | | |
| 710-11-101 | 1.0 | G.M. | PAINTED PAVEMENT MARKINGS (Standard) (White) (Solid) (6") | | | |
| 710-11-125 | 300.0 | L.F. | PAINTED PAVEMENT MARKINGS (Standard, White, solid, 24") | | | |
| 710-11-141 | 200.0 | L.F. | PAINTED PAVEMENT MARKINGS (Standard) (White) (Skip) (6") | | | |
| 710-11-160 | 8.0 | EA. | PAINTED PAVEMENT MARKINGS (Standard)(White)(Message) | | | |
| 710-11-170 | 11.0 | EA | PAINTED PAVEMENT MARKING (Standard) (White) (Arrows) | | | |
| 710-11-201 | 1.0 | G.M. | PAINTED PAVEMENT MARKINGS (Standard) (Yellow) (Solid) (6") | | | |
| 710-11-241 | 700.0 | L.F. | PAINTED PAVEMENT MARKINGS (Standard) (Yellow) (Skip) (6") | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|------------|----------|------|--|---------------------|------------|-------|
| 710-90 | 1.0 | L.S. | PAINTED PAVEMENT MARKINGS- FINAL SURFACE | | | |
| 711-2 | 315.0 | L.F. | SKIP TRAFFIC STRIPE (6' STRIPE, 10' SPACE) (WHITE THERMOPLASTIC) (6" WIDE) | | | |
| 711-11-121 | 5,492.0 | L.F. | THERMOPLASTIC (White) (Solid) (6") | | | |
| 711-11-122 | 200.0 | L.F. | THERMOPLASTIC (White) (Solid) (8") | | | |
| 711-11-123 | 1,430.0 | L.F. | THERMOPLASTIC (White) (Solid) (12") | | | |
| 711-11-124 | 175.0 | L.F. | THERMOPLASTIC (White) (Solid) (18") | | | |
| 711-11-125 | 369.0 | L.F. | THERMOPLASTIC (White) (Solid) (24") | | | |
| 711-11-141 | 295.0 | L.F. | THERMOPLASTIC (White) (Skip) (6") | | | |
| 711-11-151 | 690.0 | L.F. | THERMOPLASTIC (White) (Dotted/Guideline) (6") | | | |
| 711-11-160 | 8.0 | EA | THERMOPLASTIC (White) (Message) | | | |
| 711-11-170 | 33.0 | EA | THERMOPLASTIC (White) (Arrows) | | | |
| 711-11-221 | 4,095.0 | L.F. | THERMOPLASTIC (Yellow) (Solid) (6") | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|------------|----------|------|---|---------------------|------------|-------|
| 711-11-224 | 701.0 | L.F. | THERMOPLASTIC (Yellow) (Solid) (18") | | | |
| 711-11-241 | 155.0 | L.F. | THERMOPLASTIC (Yellow) (Skip) (6") | | | |
| 711-14-123 | 350.0 | L.F. | THERMOPLASTIC, Preformed, White, Solid, 12" for Crosswalk | | | |
| 711-14-125 | 516.0 | L.F. | THERMOPLASTIC, Preformed, White, Solid, 24" for Crosswalk | | | |
| 711-16-101 | 0.1 | G.M. | THERMOPLASTIC, Standard-other Surfaces, White, Solid, 6" | | | |
| 711-16-201 | 0.2 | G.M. | THERMOPLASTIC, Standard-other Surfaces, Yellow, Solid, 6" | | | |
| 715-1-12 | 476.0 | L.F. | LIGHTING - CONDUCTORS (F & I) (No. 8 to No. 6) | | | |
| 715-1-60 | 100.0 | L.F. | LIGHTING- CONDUCTORS, (Remove & Dispose) (by Contractor) | | | |
| 715-4-13 | 2.0 | EA | LIGHT POLE COMPLETE, Furnish & Install Standard Pole Standard Foundation, 40' Mounting Height | | | |
| 715-4-70 | 2.0 | EA | LIGHT POLE COMPLETE, Remove Pole and Foundation | | | |
| 715-7-12 | 1.0 | EA | LOAD CENTER (Furnish & Install) (Primary Voltage) | | | |
| 715-500-1 | 2.0 | EA. | POLE CABLE DISTRIBUTION SYSTEM [(Conventional)(Installation only Miami-Dade will supply kit)] | | | |

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

| Item No | Quantity | Unit | Description | Written Unit Amount | Unit Price | Total |
|--------------|----------|------|--|---------------------|------------|-------|
| 715-511-130A | 4.0 | EA. | DECORATIVE LIGHTING POLE COMPLETE (30 FT to 40 FT. MOUNTING HT.) | | | |

Total: _____

The bidder understands and agrees that the above total is inclusive of all work necessary to complete the job as described in the plans and specifications.

Quantities are established and are included only for the purpose of facilitating the uniform comparison of bids submitted. The County shall not be held responsible if the quantities are not accurate and all computations for compensation shall be based upon the actual work performed, whether greater or less than estimated quantities.

Tax Identification Number: _____

D.C. Certificate of competency No: _____

Bidder's Name: _____

Bidder's telephone Number: _____

Bidder's address: _____

Revised Bid Form for Addendum No. 4

Bid Form

PROJECT TITLE: Traffic Signal Improvements South II

PROJECT NO: 20250050

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN SEVEN HUNDRED THIRTY (730) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE "NOTICE TO PROCEED WITH CONTRACT WORK".

BIDDER ACKNOWLEDGES THAT INCLUDED IN THE VARIOUS ITEMS OF THE PROPOSAL AND IN THE TOTAL BID PRICE ARE COSTS FOR COMPLYING WITH THE FLORIDA TRENCH SAFETY ACT (90-96), LAWS OF FLA. EFFECTIVE OCTOBER 1st, 1990. THE BIDDER FURTHER IDENTIFIES THE COSTS TO BE SUMMARIZED BELOW:

| | Trench Safety Measure (Description) | Units of Measure (LF, SY) | Unit (Quantity) | Unit Cost | Extended Cost |
|----|-------------------------------------|---------------------------|-----------------|-----------|---------------|
| A. | _____ | _____ | _____ | _____ | _____ |
| B. | _____ | _____ | _____ | _____ | _____ |
| C. | _____ | _____ | _____ | _____ | _____ |
| D. | _____ | _____ | _____ | _____ | _____ |

FAILURE TO COMPLETE THE ABOVE MAY RESULT IN THE BID BEING DECLARED NON-RESPONSIVE