

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM No. 1
September 12, 2025

PROJECT: Drainage Improvements Multiple Sites
Project No. 20250078

BID DUE DATE: September 17, 2025; 02:00 P.M.

FROM: Miami-Dade County DTPW
Capital Improvements Division
111 NW First Street, 14th Floor
Miami, FL 33128
305.375.2930

TO: Prospective Bidders and Interested Parties

This Addendum forms part of the project solicitation documents and will be incorporated into the Contract Documents, as applicable. Insofar as the Original Contract Documents, Drawings and Specifications are inconsistent, this Addendum shall govern. Please acknowledge receipt of this Addendum, at the time of bid submittal to Miami-Dade County, in the space provided on the "Acknowledgement of Addenda Form" provided with the project solicitation documents. Failure to acknowledge receipt of all addenda may be cause for disqualification.

CHANGES TO INVITATION TO BID:

- A. The Estimated Value changes from \$742,742.00 to \$732,482.00, (excluding Contingency and Dedicated Allowances).

CHANGES TO BID FORM:

- A. Replace the Bid Form dated 08/11/2025 12:33 PM, in its entirety with the attached Revised Bid Form by Addendum No. 1, dated 09/11/2025 03:03 PM.
- B. The following Pay Items have been added to the Revised Bid Form by Addendum No. 1:
 - Pay Item 120-1-2 Regular Excavation
 - Pay Item 538-1 Remove and Reset Exist. Guardrail
 - Pay Item 550-8-7 6 Feet High Chain Link Fence
- C. Pay Item 430-131-136 "Pipe Culvert 36" Diameter (Round)" was deleted and changed for pay item 430-171-172 "Pipe Culvert 72" Diameter (Round)".

MIAMI-DADE COUNTY
DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS (DTPW)

ADDENDUM No. 1
September 12, 2025

CHANGES TO SPECIFICATIONS:

A. To SECTION 6 of the Solicitation Documents add to the Construction Specifications the attached following Articles:

- Article 538 RESETTING GUARDRAIL
- Article 550 FENCING TYPE "B"

END OF ADDENDUM NO. 1



Tiondra Wright
Chief, Capital Improvements Division
Department of Transportation and Public Works (DTPW)

TW:er

c: Elva Reyes, DTPW
Katherine Fernandez, DTPW
Liza Herrera, P.E., DTPW
Isbelt Roberto, DTPW
Francisco Gonzalez, DTPW
Caesar Suarez, SPD
Clerk of the Board
Project File

Revised Bid Form By Addendum No. 1

Bid Form

PROJECT TITLE: Drainage Improvements Multiple Sites

PROJECT NO: 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
102-74-1	16,497.0	EA/DAY	BARRICADES (TEMPORARY- TYPE I, II, VP & DRUM).			
102-74-2	600.0	EA/DAY	BARRICADES (Temporary, Type III, 6')			
102-77	69.0	EA/DAY	HIGH INTENSITY FLASHING LIGHTS (TEMPORARY, TYPE "B")			
102-99	68.0	EA/DAY	VARIABLE MESSAGE SIGN (Temporary)			
102-76A	469.0	EA/DAY	ADVANCE WARNING ARROW PANEL			
104-10-3	300.0	L.F.	Sediment Barrier			
104-18	12.0	EA.	Inlet Protection System			
104-11A	1,400.0	L.F.	FLOATING TURBIDITY BARRIER			
110-4	40.0	S.Y.	REMOVAL OF EXISTING PAVEMENT			
119-01A	22.0	S.Y.	DRIVEWAY RESTORATION (Specialty pavers, tile, stamped concrete, etc., includes restoration of base as needed and/or conc. headers)			
120-1-2	16.0	C.Y.	REGULAR EXCAVATION (This item is contingent upon the actual field conditions and may be increased or decreased as directed by the Engineer in suitable soil areas)			
327-70-01	1,889.0	S.Y.	MILLING, 1" AVERAGE DEPTH			

Revised Bid Form By Addendum No. 1

Bid Form

PROJECT TITLE: Drainage Improvements Multiple Sites

PROJECT NO: 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
331-72-10A-HMA	2,356.0	S.Y.	ROADWAY PAVEMENT RESTORATION (Replace and match existing base thickness and asphalt course with 8" minimum, primed Limerock Base and 1" thick of HMA, Asphalt Work Category 3)			
331-72-10B-HMA	100.0	S.Y.	INLET PAVEMENT (Includes 6" Limerock Base and 1" thick of HMA, Asphalt Work Category 2)			
334-2-13-1	134.0	TON	Hot Mix Asphalt, Traffic C, SP-9.5			
350-1-1A	133.0	S.Y.	Driveway Pavement-Concrete			
400-1-15	42.0	C.Y.	CLASS I CONCRETE [(Miscellaneous) (Collars, pipe plugs, structure plugs etc.) (This item is contingent upon field conditions and may be increased decreased or eliminated by the Engineer)]			
425-1-1	3.0	EA.	SWALE INLET TYPE D-3 (36" Dia.) (Less than 10 feet deep)			
425-1-902	6.0	EA.	SWALE INLET TYPE P-10M (Any dimension, maximum depth 15')			
425-1-907A	2.0	EA.	POLLUTION RETARDANT BAFFLE (Any type) (Any dimension)			
425-2-41	3.0	EA.	MANHOLE (Type P-7T, Any dimension, maximum 15' deep)			
425-79	2.0	EA.	CORE AND TIE TO EXIST. DRAINAGE STRUCTURES. (Any pipe size hole opening)(Including mortar seal)] (This item is contingent upon field conditions and may be increased, decreased or eliminated by the engineer)			
425-82	7.0	EA.	MODIFY STRUCTURE- Cut to enlarge opening as needed in order to accomodate pipe due to utility conflict(s), brick and mortar as needed.			
430-94-1-1	1,450.0	L.F.	DESILT PIPE (0 TO 48")			

Revised Bid Form By Addendum No. 1

Bid Form

PROJECT TITLE: Drainage Improvements Multiple Sites

PROJECT NO: 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
430-95-2	22.0	EA	Desilting Drainage Structure			
PIPE CULVERTS						
430-171-115	106.0	L.F.	Pipe Culvert 15" Diameter (Round)			
430-171-118	180.0	L.F.	Pipe Culvert 18" Diameter (Round)			
430-171-124	60.0	L.F.	Pipe Culvert 24" Diameter (Round)			
430-171-172	10.0	L.F.	Pipe Culvert 72" Diameter (Round)			
FRENCH DRAIN						
443-70-3-3	400.0	L.F.	French Drain (18" diameter pipe, trench depth 15 ft bls)			
443-70-3-2	120.0	L.F.	French Drain (18" diameter pipe, trench depth 10 ft bls)			
443-70-4-3	310.0	L.F.	French Drain (24" diameter perforated pipe; trench depth 15 ft. BLS)			
MANATEE GRATE						
460-5-1830	6.0	EA.	MANATEE GATE- (Pipe diameter 18" to 30", or equivalent)			
460-5-5484	1.0	EA.	MANATEE GATES - (Pipe diameters 54" to 84" , or equivalent)			
CONCRETE						
520-1-10	400.0	L.F.	CONCRETE CURB & GUTTER (Type F) (6" Curb, 18" Gutter) (Includes cost of limerock base and subgrade)			

Revised Bid Form By Addendum No. 1

Bid Form

PROJECT TITLE: Drainage Improvements Multiple Sites

PROJECT NO: 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
520-1-15A	30.0	L.F.	CONCRETE VALLEY GUTTER (Variable width) (Including base preparation)			
522-1(1)	197.0	S.Y.	CONCRETE SIDEWALK [4" THICK, 3,000 P.S.I. CONCRETE AT 28 DAYS (Includes the cost of pedestrian ramps and sidewalk curbs)			
527-2	48.0	S.F.	DETECTABLE WARNING ON WALKING SURFACE			
538-1	40.0	L.F.	REMOVE AND RESET EXIST. GUARDRAIL, (Complete including post and hardware as required)			
550-8-7	300.0	L.F.	6 FEET HIGH CHAIN LINK FENCE			
SODDING						
575-2A	3,189.0	S.Y.	SODDING-St Augustine, or match existing, includes watering and maintenance. Contingent item based on field conditions, may be increased, or decreased by the engineer.			
580-3	280.0	L.F.	Tree protection barricades			
660-2-101	3.0	AS.	LOOP ASSEMBLY			
PAVEMENT MARKING						
706-1-12	40.0	EA.	REFLECTIVE PAVEMENT MARKERS (class B, mono or bi-directional, all colors)			
711-11-121	530.0	L.F.	THERMOPLASTIC (White) (Solid) (6")			
711-11-123	240.0	L.F.	THERMOPLASTIC (White) (Solid) (12")			

Revised Bid Form By Addendum No. 1

Bid Form**PROJECT TITLE:** Drainage Improvements Multiple Sites**PROJECT NO:** 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

Item No	Quantity	Unit	Description	Written Unit Amount	Unit Price	Total
711-11-125	300.0	L.F.	THERMOPLASTIC (White) (Solid) (24")			
711-11-141	150.0	L.F.	THERMOPLASTIC (White) (Skip) (6")			
711-11-221	490.0	L.F.	THERMOPLASTIC (Yellow) (Solid) (6")			

Total: _____

The bidder understands and agrees that the above total is inclusive of all work necessary to complete the job as described in the plans and specifications.

Quantities are established and are included only for the purpose of facilitating the uniform comparison of bids submitted. The County shall not be held responsible if the quantities are not accurate and all computations for compensation shall be based upon the actual work performed, whether greater or less than estimated quantities.

Tax Identification Number: _____

D.C. Certificate of competency No: _____

Bidder's Name: _____

Bidder's telephone Number: _____

Bidder's address: _____

Revised Bid Form By Addendum No. 1

Bid Form

PROJECT TITLE: Drainage Improvements Multiple Sites

PROJECT NO: 20250078

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN TWO HUNDRED SEVENTY (270) CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE *NOTICE TO PROCEED WITH CONTRACT WORK*.

BIDDER ACKNOWLEDGES THAT INCLUDED IN THE VARIOUS ITEMS OF THE PROPOSAL AND IN THE TOTAL BID PRICE ARE COSTS FOR COMPLYING WITH THE FLORIDA TRENCH SAFETY ACT (90-96), LAWS OF FLA. EFFECTIVE OCTOBER 1st, 1990. THE BIDDER FURTHER IDENTIFIES THE COSTS TO BE SUMMARIZED BELOW:

Trench Safety Measure (Description)	Units of Measure (LF, SY)	Unit (Quantity)	Unit Cost	Extended Cost
A. _____	_____	_____	_____	_____
B. _____	_____	_____	_____	_____
C. _____	_____	_____	_____	_____
D. _____	_____	_____	_____	_____

FAILURE TO COMPLETE THE ABOVE MAY RESULT IN THE BID BEING DECLARED NON-RESPONSIVE

538 RESETTING GUARDRAIL

A. Description.

1. Remove the existing guardrail and reset the salvaged guardrail with new materials. Reset the guardrail, at locations shown in the Plans or designated by the Engineer, in accordance with the FDOT design standards for guardrail construction, as modified by the Contract Documents.

B. Materials.

1. Prevent damage to reusable materials when removing existing guardrail.
2. Furnish all new materials necessary to complete the reset guardrail installation.
3. Provide only new offset blocks.
4. Meet the requirements specified in the Contract Documents for Guardrail.

C. Construction Methods.

1. Set posts in accordance with the requirements of the Contract Documents.
2. Erect guardrail panels, anchors, and hardware in accordance with the FDOT design standards for guardrail construction, as modified by the Contract Documents.
3. Replace any salvageable materials damaged by operations at no expense to the Department.
4. Use a consistent type of post throughout a run of guardrail.

D. Method of Measurement.

1. The quantities to be paid for will be as measured and accepted by the Engineer in feet of reset guardrail.
2. Additionally and where provided by the Contract Documents, the quantities of the following items to be paid for will be as measured and accepted by the Engineer:
 - a. number of end anchorage assemblies of each type as designated,
 - b. number of special posts, and
 - c. number of bridge anchorage assemblies.

E. Basis of Payment.

1. Prices and payments for resetting guardrail will be full compensation for all work specified in this Article, including furnishing all required new hardware and posts, all new offset blocks, and replacement of any material damaged by the Contractor except as specified below.
2. Price and payment for end anchorage assemblies, special guardrail posts, and bridge anchorage assemblies will be as specified in the Contract Documents for Guardrail.
3. Payment for new guardrail panels furnished to replace such items determined to be non-salvageable, excluding any items damaged by the Contractor, will be paid for at the actual invoiced cost for the panels including transportation charges, to which cost will be added an amount equal to 25% of the total invoice amount.
4. No separate pay item(s) for Resetting Guardrail will be provided under this contract
5. Payment will be made under:

Item No.	Description	Unit
538- 1	Guardrail Reset	LF

550 FENCING TYPE "B" (SECTION 550)

A. Page 626, Section 550-6 - Basis of Payment:

1. Subarticle 6.1 is expanded to include:

The Contract price per linear foot for the Item of Fencing, measured as specified in 550-..., shall be full compensation for all work and materials specified in this Section and necessary for the complete installation, including line posts, corner, end, and pull posts and the assemblies therefore, as provided below, and not including the payment stipulated for extra length posts. Such price and payment shall include, but not be limited to, the following specific incidental work:

- a. Any work required to level and prepare the terrain along the line of the fence.
- b. Any additional clearing incidental to construction of the fence.
- c. All preparation for post holes, in whatever type of material, as specified herein, including the Class I Concrete for the placement and setting of all posts.
- d. Any furnishing and installing of electrical grounds.
- e. Any additional work or materials required for special construction over irregular terrain, or terrain of inadequate support for the posts, including the additional barbed wire, but not including the extra lengths of posts ordered by the Engineer.
- f. Any costs of erection and removal of any temporary fencing, which might be necessary for maintaining security of livestock, etc., on adjacent property during construction of the new fence.

2. Subarticle 6.2: Delete in its entirety.

a. Basis of Payment:

1) Payment will be included under:

Pay Item 550-8-7	6' High Chain Link Fence	LF
------------------	--------------------------	----