Parks, Recreation and Open Spaces

Composite.

Capital Programs Division 275 NW 2nd Street, 4th Floor Miami Fl 33173



MIAMI-DADE COUNTY, FLORIDA REQUEST FOR PRICE QUOTATION (RPQ)

Contract No: MCC 7360 Plan

RPQ No: 319867

INVITATION TO BID

A RPQ has been issued for the work identified below. If you are interested in submitting a bid for this project, please submit your bid via Electronic Bidding, attention to Dayami Corella at no later than 10/9/2025 at 02:00 PM. If you have any questions, contact Jason Brown at 786/830-8753.

This RPQ is issued under the terms and conditions of the Miscellaneous Construction Contracts (MCC) Program MCC 7360 Plan.

RPQ DETAILED BREAKDOWN

								
Bid Due Date:	10/9/2025	Time Due: 02:00 PM Submitted Via: Electronic Bidding						
Estimated Value:	\$190,000	(excluding Contingencies and Dedicated Allowances)						
Project Name:	Multiple Marina Construction and Repairs - North of Tamiami Trail to the County line							
Project Location:	Multiple Parks - North of Tamiami Trail to the County line							
License Requirements:	Primary:	General Building Contractor; Marine Specialty Contractor						
	Sub:	Carpentry						
Scope of Work:	Sub: (Contractor mathics solicitation of the county of th	Carpentry Tust obtain and submit all perion is non-exclusive and with rook on is non-exclusive and with rook of Information (RFI) must be Quintas@miamidade.gov a amidade.gov NO PHONE CAR the Owner's Representative binding on the County and so the County and so the County and so the Solicitation is to establish the Solicitati	mits prior to performing any work). no minimal guarantee. MATION: submitted electronically, in word formand a copy filed with the Clerk of LLS WILL BE ACCEPTED. Verbal states that are not contained in an RPQ or a should not form any basis for a bidder's LICENSED TRADES TO PEFORM blish a contract for the replacement of intenance services of Marina and Wasmiami Trail to the County line.	the Board at ements made by addendum to the cresponse to an FOR SHALL BE M THE WORK of Marine Pilings, terways located scope of work for work to be and all governing e Public Works, n, South Florida f Environmental artments having				
	1.52) Contradany/all govern 1.53) It shall	ctor shall coordinate all requ ning entities, i.e., City of Miam be the contractor's responsib	uired inspections/tests and documenta ni, Miami-Dade Building Department, eto oility to ensure that all required regulato	tion required by c.				
	permits are obtained prior to commencement of work. 1.54) Piling replacement and marine repairs, including emergency repair of mooring pilings, channel/ waterway markers, buoys, waterway signage and markers, day board channel markers, day beacons, lights, lightships, radio beacons, fog signals, piers, fenders, seawall caps, tie rods, riprap, and marine related items. 1.55) Contractor shall make every effort to aid in expediting any repairs, including removal of any							
	materials that may create a hazard to navigational waterways. 1.56) All new wood pilings being installed shall be (Green Heart) or Pearson Fiberglass							

- 1.57) All new wood (Green Heat) pilings and Pearson Fiberglass Composite being installed shall be the approximate diameter as existing wood pilings. Existing size to be identified and new piling size shall be approved prior to installation. PILING/CHANNEL MARKER REPLACMENT WORKSHEET to be completed and approved prior to proceeding with work.
- 1.58) All new pilings shall be driven to equal/greater depth of existing pilings being removed in order to prevent leaning, swaying, twisting, etc.
- 1.59) Piles which require excessive bending in order to straighten shall be withdrawn and reinstalled to the proper vertical upright position. (Piles shall not be installed and then pulled into position)
- 1.60) Newly installed piles that are damaged, not located in the proper location, or driven out of alignment shall be withdrawn and replaced with new piles without additional cost to the OWNER.
- 1.61) Piles shall be cut to equal height (\pm 1") to match existing pilings. All (Green Heart) piles shall be capped with white or black cone caps (to match existing) attached with a minimum of (4) #10 x 1.5" stainless steel screws.
- 1.62) Piling cone caps shall fit the piling naturally without having to modify the pile cap in any fashion. (i.e., splitting a cap to fit a larger or smaller diameter piling than the pile cap was designed to fit). Cap shall be secured with stainless steel hardware.
- 1.63) All newly installed (Green Heart) pilings shall have a stainless-steel band installed just below the pile cap (± 1") to prevent the wood piling from separating/splitting. The stainless-steel band shall be secured with stainless steel hardware to prevent the strap from slipping.
- 1.64) All newly installed wood pilings shall have boat mooring cleats installed to match existing piling cleat size and elevation.
- 1.65) All mounting hardware shall be stainless steel and/or to match existing.
- 1.66) Due to sea level rise, all new pilings shall be raised up 3 feet above existing pilings' elevation.
- 1.67) Contractor shall maintain a daily log report of activity at jobsite, to include activities performed, quantizes removed that day, water conditions, etc. Reports will be submitted to Miami Dade Parks. Construction activities which will adversely impact or disrupt owner ability to use the facility as intended throughout project duration including but not limited to restricting facility access or utilization of existing spaces, shall be coordinated with owner and the facility staff prior to execution so as to minimize any potential problems and/or hazards during all phases of construction process.
- 1.68) Contractor shall complete site visit for inspection of existing damage square pile for replacement to match existing in size, dimension, and structural bearing specifications with same materials.
- 1.69) Contractor shall be required during installation of new piling to be monitored by pile driving report/records submitted by location to insure minimum driving resistance, record of depth to existing pilings which were removed, record total length to include above ground height/elevation to equal depth/embedment.
- 1.70) Driving criteria of record to include minimum resistance as measured by blow count in blows per foot or fraction thereof and is to assure that piles have desired capacity. Driven pile capacity where "Practical Refusal" will be determined and will be a condition where the blow count exceeds either two times the number of blows required in one foot or three times the number of blows required in three inches to achieve the required beating value, not to exceed five blows per inch.
- 1.71) Contractor shall meet installation tolerances with deviation form plumb and angle of batter: ½ inch per foot of pile length, but not more than six inches overall.
- 1.72) Pile driving record submitted shall include project name and location, date and time of driving (start/stop/interruption), hammer make and model, ram weight, energy rating to include actual stroke and operating speed, pile ground surface, cut off, and final penetration elevations and embedment length, driving resistance data blows per foot, with a final foot normally recorded in blows per inch, comments or unusual observations to include reasons of all interruptions, signature and title of inspector.
- 1.73) Contractor shall be required to complete work during daily operations, areas that accessible by public will be required at all times safe passage. All areas affected will maintain clean and debris shall be disposed as required per industry standards.
- 1.74) Contractor shall use silt barrier, turbidity barrier or any other form of erosion control necessary to avoid contaminating boat basin area.
- 1.75) Contractor shall assume full responsibility for not any contamination (seepage, debris, silt, etc.) caused by the contractors. All activity shall be the responsibility of the contractor to clean up, Any and all fines incurred due to contamination shall be the responsibility of the contractor.
- 1.76) Contractor shall work with coordinating boat schedule for relocation of boats during piling replacement as required with marina manager and construction supervisor. (replacement may require boat removal pending contractor request and/or owner approval).
- 1.77) Contractor shall notify the project manager prior to starting the job.
- 1.78) Any piling that was not installed to the correct depth, vertical position, height, etc. shall be pulled and reinstalled at the contractor's expense.

- 1.79) Contractor shall be responsible for any and all damage to the Parks/Marina and private property due to the construction and shall make all necessary repairs at the contractors' expense.
- Work is Further Described in the RPQ Documents -

INDEMNIFICATION AND INSURANCE REQUIREMENTS

The Contractor shall furnish to Parks, Recreation and Open Spaces, Capital Programs Division, Certificate(s) of Insurance which indicate that insurance coverage has been obtained which meets the requirements as outlined below:

- A. Worker's Compensation Insurance for all employees of the Contractor as required by Florida Statute 440.
- a. As applicable should include coverage required under the U.S. Longshoremen and Harbor Workers' Act (USL&H) and/or Jones Act for any activities on or about navigable water.
- B. Commercial General Liability Insurance in an amount not less than \$1,000,000 per occurrence, and \$2,000,000 in the aggregate, not to exclude Products & Completed Operations. Miami-Dade County must be shown as an additional insured with respect to this coverage.
- C. Automobile Liability Insurance covering all owned, non-owned and hired vehicles, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage.

In addition to the insurance coverages listed above the Contractor and/or sub-contractor that owns the barge(s) and/or vessel(s) must provide the following insurance coverage:

D. Protection and Indemnity Insurance in the name of the vessel owner, in an amount not less than \$1,000,000 per occurrence. Miami-Dade County must be shown as an additional insured with respect to this coverage.

It is the responsibility of the Contractor to verify all pricing and to modify their adjustment factors accordingly to inflation or material cost fluctuations prior to submitting a final Grand Total Price. Failure to honor pricing could impact the ability of the firm to receive County Business in the future as it will become a responsibility issue in future evaluations.

Bids must be submitted pursuant to all the requirements set forth in the Bid Documents.

Document Pickup:	Contac	t: Pe	nelope.C	uintas@)miamida	de.gov	Phon	e No:			Date:	9/18/20	025
	Locatio	n: To	To receive the bid documents contact Penelope.Quintas@miamidade.gov										
Pre-Bid Meeting:: YES		Ма	Mandatory: YES			Date: 9/24/2025		9/24/2025	Time: 10:00 AM				
	Loca	Location:		Construction and Maintenance Office - 11395 SW 79th Street, Miami FL 33173.									
Site Meeting: No		Ма	Mandatory: No				Date:	ie:		ne:			
	Location:												
Bid shall be submitted to	: Conta	act: Da	Dayami Corella										
	Addre	ess: Ele	ectronica	lly; via e	mail in P	DF for	mat to D	at to Dayami.Corella@miamidade.gov					
	Emai	I: Da	ayami.Co	rella@m	iamidade	gov.			FAX # : 305-755-7840				
Type of Contract: Multiple Trade			de	e Method of			of Awa	of Award: Lowest Responsible Bidder					
Method of Payment: Scheduled Mo			Monthly Payments Insurance Required: YES										
Additional Insurance Required: NO				If Yes - Minimum Coverage:									
Performance & Payment Bond Required:				: NO Bid Bond Required: NO									
Davis Bacon: NO Maintena			nance W	ages: N	0		AIPP:	NO	Amou	unt:			
DBE Participation:			NO	ı	Percenta	entage: 0.00% DBE Subcontractor Forms Required:			uired:	NO			
SBE-S Requirements		NO	Percentaç		ge: 0.	00%							
SBE-Services Commodity Set-Aside			NO	If Yes, Service		=							
SBE-G Requirements			NO	Percentag		ge: 0.	00%						
SBE-Goods Commodity Set-Aside			NO	If Yes, Goods =		=							
Liquidated Damages:			YES	\$\$ Per Day: \$250.00									
For RPQ's less than \$10,000, if no LD rate is specified, the County reserves the right to assess actual damages in lieu of LDs.													
Design Drawing Included: NO Sh			Shop	op Drawing Included: NO			Specifications Included: YES						

Anticipated Start Date:	11/17/2025	Calendar Days for Project Completion:	365
Comments:			

DISCLOSURE:

• Contractor shall indemnify and hold harmless the County and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the County or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the Contractor or its employees, agents, servants, partners principals or subcontractors. Contractor shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the County, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees which may issue thereon. Contractor expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the Contractor shall in no way limit the responsibility to indemnify, keep and save harmless and defend the County or its officers, employees, agents and instrumentalities as herein provided.

The Contractor shall furnish to Parks, Recreation and Open Spaces, Capital Programs Division, 275 NW 2nd Street, 4th Floor, Miami FI 33173, Certificate(s) of Insurance which indicate that insurance coverage has been obtained which meets the requirements as outlined below:

- A. Worker's Compensation Insurance for all employees of the Contractor as required by Florida Statute 440.
- a. If applicable should include coverage required under the U.S. Longshoremen and Harbor Workers' Act (USL&H) and/or Jones Act for any activities on or about navigable water.
- **B.** Commercial General Liability in an amount not less than \$300,000 per occurrence, and \$600,000 in the aggregate. Miami-Dade County must be shown as an additional insured with respect to this coverage.
- **C.** Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$300,000 combined single limit per occurrence for bodily injury and property damage.

*Under no circumstances are Contractors permitted on the Aviation Department, Aircraft Operating Airside (A.O.A) at Miami International Airport without increasing automobile coverage to \$5 million. Only vehicles owned or leased by a company will be authorized. \$1 million limit applies at all other airports.

VERIFICATION OF EMPLOYMENT ELIGIBILITY (E-VERIFY):

By entering the Contract, the Awarded Bidder becomes obligated to comply with the provisions of Section 448.095, Florida Statute, titled "Verification of Employment Eligibility." This includes but is not limited to utilization of the U.S. Department of Homeland Security's E-Verify System to verify the employment eligibility of all newly hired employees by the Awarded Bidder effective, January 1, 2021, and requiring all Subcontractors to provide an affidavit attesting that the Subcontractor does not employ, contract with, or subcontract with, an unauthorized alien. Failure to comply may lead to termination of this Awarded Bidder, or if a Subcontractor knowingly violates the statute, the subcontract must be terminated immediately. Any challenge to termination under this provision must be filed in the Circuit Court no later than twenty (20) calendar days after the date of termination. If this Contract is terminated for a violation of the statute by the Awarded Bidder, the Awarded Bidder may not be awarded a public contract for a period of one year after the date of termination, and the Awarded Bidder may be liable for any additional costs incurred by the County resulting from the termination of the Contract. Public and private employers must enroll in the E-Verify System (http://www.uscis.gov/e-verify) and retain the I-9 Forms for inspection.