



July 25, 2024

## RESPONSE LETTER NO. 1 TO REQUEST FOR INFORMATION

Project Title: **Bay 2 Car Lift Replacement – Downtown Motor pool**  
Project No.: **ID-0000000645-R**

**Email from Mr. Tamara Ferrer, from Jobbers Equipment Warehouse; on July 23, 2024, at 3:19 PM (Email Attached).**

**QUESTION No.1:** This solicitation does not have SBW Requirements, but the Certificate of Assurance is listed in Section 2 Solicitation Forms. Please confirm we do not have to submit the Certificate of Assurance.

**ANSWER No.1:** The subject project does not contain any Small Business Development (SBD) goals. However, the Certificate of Insurance must be submitted along with the bid documents, independently that your company is performing 100% of the Work.

**QUESTION No.2:** Do we have to provide the Insurance Certificates with the bid submittal.

**ANSWER No.2:** No. Insurance is a condition of award. Insurance requirements to be submitted by the successful bidder.

**QUESTION No.3:** Please confirm a State of Florida Mechanical Contractor License meets the requirement indicated at bullet point 1.08 CONTRACTOR QUALIFICATION REQUIREMENTS A. Certificate of Competency Requirement.

**ANSWER No.3:** Yes. State of Florida Mechanical Contractor is an acceptable license.

**QUESTION No.4:** Please confirm the requested Collusion Affidavit does not require notarization.

**ANSWER No.4:** Confirmed, Collusion Affidavit does not need to be notarized.

**QUESTION No.5:** Please confirm partial payments are allowed.

**ANSWER No.5:** Yes, please refer to ISD Division 1, General Requirements, Article 1.07 L. Page 46 of 47.

**QUESTION No.6:** Will be any retainage or fee apply to the payments.

**ANSWER No.6:** Yes, please refer to ISD Division 1, General Requirements, Article 1.07 D. Page 42 of 47.

**QUESTION No.7:** Is there any permit allowance.

**ANSWER No.7:** No. Please refer to Special Provisions, Article 1.01. Permit to be included as part of the bid quantity.

**QUESTION No.8:** Is the 7% sales tax applicable? Or the County will provide their exempt tax certificate?

**ANSWER No.8:** Sale tax is applicable; the County will not provide a tax exemption certificate. Tax to be included as part of the bid quantity

**QUESTION No.9:** As per Special Provisions D. Above Ground Lift Installation “No Substitution”: Contractor will provide and fully install a Rotary Brand SPOA10—Trio SW shockwave equipped power above ground Asymmetrical Lift model # SPOA10U8G5BL (blue colored lift) or latest model replacing this unit (proper documentation from Rotary will be required) “No Substitution” with all standard equipment. The lift is to be equipped with three (3) stage arms with round adapters for all arms and the following additional optional items:  
a. Rotary Door Defender guard for each column.  
b. Rotary Truck Adapters part # T110564.  
c. Rotary Truck Adapter Extensions # T100273.  
d. Rotary Mounting Rack for Truck Adapters and Extension.  
e. Rotary Spot dish.  
The new model is SPOA10U20M5BL. Attached brochure. Please confirm is approved.  
SPOA10U20M5B comes standard with truck adapters, adapter extensions, mounting rack and spot dish.

**Does the end user want (1) additional of each: truck adapters, adapter extensions, mounting rack, and spot dish?**

**ANSWER No.9:** **A)** The proposed model SPOA10U20M5BL may be considered, however bidder should be mindful of roof height and voltage requirements.  
**B)** ISD is requesting one of each item listed in the scope of work (Sections A-E in the optional items list). If the lift set comes with the adapters, mounting, etc. then please disregard and use the items that come with the lift. We will still need the door defender guard or equivalent for each column.

**QUESTION No.10:** Requested lift is battery operated, please confirm there is 110v available in the shop for the battery charger

**ANSWER No.10:** 110V is available in the shop for the battery charger, however, relocation/rerouting/new install might be required. No additional compensation will be made for electrical relocation.

**Email from Mr. Tamara Ferrer, from Jobbers Equipment Warehouse; on July 25, 2024, at 12:10 PM (Email Attached).**

**QUESTION No.1:** Please confirm there will not be any liquid damages to be paid related to this project.

**ANSWER No.1:** Liquidated damages apply to this project. Please refer to Invitation to bid, second page, and Article 1.13 of the Supplementary Conditions. Liquidated damages are \$638.00 per day.

**END OF REQUEST FOR INFORMATION No. X**

Sincerely,



Alfredo E. Munoz, P.E.  
Program Management Manager, Fleet Management Division  
Internal Services Department (ISD)

AM:fp

cc:

Frances Perez-TeXidor, ISD	Caesar Suarez, SBD
Chris DiGiacomo, ISD	Pete Moolah
Laurie Johnson, ISD	Clerk of the Board
Project File	

**From:** [solutions.jobbersmiami.com](mailto:solutions.jobbersmiami.com)  
**To:** [Muñoz, Alfredo \(ISD\)](#)  
**Cc:** [Perez Texidor, Frances \(ISD\)](#); [Clerk of the Board \(COC\)](#); [Perez Texidor, Frances \(ISD\)](#)  
**Subject:** RE: RPQ ID 0000000645 R Bay 2 Car Lift Replacement  
**Date:** Thursday, July 25, 2024 12:10:15 PM

---

EMAIL RECEIVED FROM EXTERNAL  
SOURCE

Good morning,

Please add to the RFI

1. Please confirm there will not be any liquid damages to be paid related to this project

Thanks & Regards

\*\*\*PLEASE REPLY ALL\*\*\*

Tamara Ferrer, Sales Assistant  
Jobbers Equipment Warehouse  
5440 NW 78 Avenue  
Miami, FL 33166  
Office: 305 592-8730  
Fax: 305 592-6571

---

**From:** solutions.jobbersmiami.com  
**Sent:** Tuesday, July 23, 2024 3:19 PM  
**To:** Muñoz, Alfredo (DTPW) <Alfredo.Munoz@miamidade.gov>  
**Cc:** Perez Texidor, Frances (ISD) <Frances.PerezTexidor@miamidade.gov>; Clerk of the Board (COC) <Clerk.Board@miamidade.gov>  
**Subject:** RPQ ID 0000000645 R Bay 2 Car Lift Replacement

Good afternoon, Alfredo

Please see RFI below regarding RPQ ID 0000000645 R Bay 2 Car Lift Replacement

1. This solicitation does not have SBW Requirements, but the Certificate of Assurance is listed in Section 2 Solicitation Forms.  
Please confirm we do not have to submit the Certificate of Assurance.
2. Do we have to provide the Insurance Certificates with the bid submittal?
3. Please confirm a State of Florida Mechanical Contractor License meets the requirement

indicated at bullet point 1.08 CONTRACTOR QUALIFICATION REQUIREMENTS A.  
Certificate of Competency Requirement

4. Please confirm the requested Collusion Affidavit does not require notarization.
5. Please confirm partial payments are allowed.
6. Will be any retainage or fee apply to the payments.?
7. Is there any permit allowance?
8. Is the 7% sales tax applicable? Or the County will provide their exempt tax certificate?
9. As per Special Provisions D. Above Ground Lift Installation “No Substitution” :  
The Contractor will provide and fully install a Rotary Brand SPOA10—Trio SW shockwave equipped power above ground Asymmetrical Lift model # SPOA10U8G5BL (blue colored lift) or latest model replacing this unit (proper documentation from Rotary will be required) “No Substitution” with all standard equipment. The lift is to be equipped with three (3) stage arms with round adapters for all arms and the following additional optional items:
  - a. Rotary Door Defender guard for each column.
  - b. Rotary Truck Adapters part # T110564.
  - c. Rotary Truck Adapter Extensions # T100273.
  - d. Rotary Mounting Rack for Truck Adapters and Extension.
  - e. Rotary Spot dish.

The new model is **SPOA10U20M5BL** . Attached brochure. Please confirm is approved.

**SPOA10U20M5B** comes standard with truck adapters, adapter extensions , mounting rack and spot dish.

Does the end user want (1) additional of each : truck adapters, adapter extensions, mounting rack, and spot dish?

10. Requested lift is battery operated, please confirm there is 110v available in the shop for the battery charger.

Kindly acknowledge receipt of this email.

Thanks & Regards

\*\*\*PLEASE REPLY ALL\*\*\*

Tamara Ferrer, Sales Assistant  
Jobbers Equipment Warehouse  
5440 NW 78 Avenue  
Miami, FL 33166  
Office: 305 592-8730  
Fax: 305 592-6571



# SPOA10-AV

WITH ALL-VEHICLE  
(AV) LIFT ARMS

INTRODUCING THE ONE LIFT  
**TO SERVICE  
THEM ALL.**



MODEL SHOWN:  
SPOA10N20M0BL



MODEL SHOWN:  
SPOA10N20M0RD

The next evolution in  
vehicle lift technology is here.



The industry's original & best-selling asymmetrical lift now  
features Rotary's patent-pending, revolutionary **ALL-VEHICLE LIFT ARMS.**



10,000 lbs. capacity AV arms lift and  
service practically all roadgoing vehicles  
on ONE LIFT, including:\*

- Battery Electric
- Exotic Low Profile
- Truck Frame
- Unibody Cars & SUVs

\*Within the lift's rated capacity

# SIMPLY. LIFTING. EVERYTHING.

## ULTIMATE LIFTING VERSATILITY

With the shortest arm retraction and largest pickup range of any two-post lift, Rotary's AV lift arms simplify your shop and give technicians the flexibility and clearance needed to service any vehicle.

## EASY SPOTTING & POSITIONING

Rotary's new AV Arms allow you to properly lift any vehicle on recommended OEM pickup points. Get more vehicles in the shop and on the lift faster with easy spotting and superior lifting capabilities.



**You won't have to turn away business with Rotary's new, revolutionary AV Arm design!**



SCAN TO VIEW  
PRODUCT VIDEO

## THE HIGHEST CAPACITY LOW-PROFILE LIFT AVAILABLE

With the industry's lowest profile arm height available of any 10,000 lb. capacity two-post lift, technicians can easily spot lower profile vehicles without worry.

## THE LOWEST ADAPTER HEIGHT IN THE INDUSTRY

The outer arm and adapter height are the same measurement reducing any possibility the arm makes contact with vehicle underbodies.

The adjustable, low adapter height allows the needed reach to easily spot, lift and repair unibody, exotic and battery electric vehicles.



Reach small, specific pick-up points on EVs with the needed clearance to remove propulsion batteries.



# THE ONLY LIFT YOU NEED.

## 20% MORE REACH

THAN 3-STAGE ARMS WITH THREAD-UP ADAPTERS

**Shortest arm retraction in the market by up to 9"**


### PATENT-PENDING ALL-VEHICLE ARMS

Innovative design streamlines the arm for a simpler fine adjustment of the adapter while maintaining maximum reach and retraction. Engineered, high-strength tapered arm design allows for easier, faster positioning of adapters compared to traditional arm designs.



## 30% LARGER ARM SWEEP

THAN CONVENTIONAL 2-STAGE ARMS WITH FLIP-UP ADAPTERS



**Largest pick up area range in the market**

Substantial maximum reach for lifting trucks and other frame vehicles

## Comes standard with adjustable round, truck & stackable adapter extensions

Include two sets (four each) of 3 1/2" and 5 1/4" stackable adapter extensions with storage rack.



### ROUND ADAPTERS

For lifting unibody and battery electric vehicles.

Set of four polymer pad round adapters thread-up to allow protection of vehicle underbody components or undercoating for no metal on metal contact.



### TRUCK ADAPTERS

For use on framed vehicles.

Set of four adjustable thread-up adapters with rubber pads for protection of underbody vehicle components or undercoating.





MODEL SHOWN:  
SPOA10N20M0BL



**FEATURES & SPECIFICATIONS**  
ACCOMMODATE ALL VEHICLE TYPES UNDER 10,000 LBS.

**True asymmetrical rotated column design**

Service a broader range of vehicles with one innovative ALL-VEHICLE arm design!

- NEW All-Vehicle Arms
- Original "Double S" column design
- Performance tested to 20K lift cycles
- Nationwide support

Customize SPOA10-AV series lifts to fit the needs of your shop with:

- Lift height
- Power option
- Lift accessories

**AVAILABLE WITH SHOCKWAVE™ POWER**

Supercharged SHOCKWAVE™ Equipped Rotary Lifts:  
The World's Fastest Lifts – only available from Rotary!

Twice as fast than any other standard service lift, Shockwave-equipped lifts help achieve your goals of greater technician productivity and higher profits.

Designed specifically for service speed, Shockwave helps you keep step with the ever changing demands in the vehicle service industry.

Watch your productivity increase, the number of service orders increase and be shocked at the increase in revenue!



WATCH THIS TESTIMONIAL TO LEARN MORE!

**SPECIFICATIONS**

BL = Blue / RD = Red

**LIFT MODELS**

**ALL-VEHICLE ARMS**

Standard with round & truck adapters

**STANDARD POWER**

SPOA10N20M0BL  
SPOA10N20M0RD

**SHOCKWAVE EQUIPPED**

SPOA10U20M5BL  
SPOA10U20M5RD

<b>MAX RISE*</b>	<b>STANDARD SHOCKWAVE</b>	81 1/2" <b>84 1/2"</b>
<b>Overall Height</b>		11' 11 1/2" <b>With SHOCKWAVE Power: 12' 5 1/2"</b>
<b>Overall Width</b>		11' 5 1/2"
<b>Drive-Thru Clearance</b>		95 1/4"
<b>Inside Columns</b>		107 1/4"
<b>Front Arm Reach: Min/Max</b>		18 1/2" / 41"
<b>Rear Arm Reach: Min/Max</b>		27 5/8" / 58 1/4"
<b>Min Adapter Height</b>		3 3/8"
<b>Speed of Rise</b>		Standard Power: 45 seconds <b>With SHOCKWAVE Power: 25 seconds**</b>
<b>Speed of Descent</b>		Standard Power: 40 seconds <b>With SHOCKWAVE Power: 19 seconds**</b>
<b>Ceiling Height Minimum</b>		12' / 12' 6" <b>with SHOCKWAVE Power</b>
<b>Min. Bay Size</b>		12' x 24'

\* Rise measures the highest position of the adjustable adapters with use of supplied adapter extensions from floor to full cylinder stroke.

\*\*Actual rise and descent times vary depending on vehicle weight. Heights and widths reflect standard settings.

2 post lift colors come standard with your choice of red, blue or black.

**LT33A** Rotary

**AIR-HYDRAULIC LIFT TABLE**  
3,300 lb. Capacity

**SERVICE ELECTRIC VEHICLES SAFELY**

Rotary's NEW LT33A lift table is designed to service batteries on hybrid and electric vehicles. Give your service options a lift!



SCAN TO VIEW PRODUCT VIDEO



Rotary is the world leader in service bay solutions offering a broad range of equipment and accessories to make any service bay safer and more productive.

For a complete guide to our product offering or to contact your local distributor, visit us at [www.RotarySolutions.com](http://www.RotarySolutions.com) today.

If you need assistance or have questions, we're here to help:

800.445.5438 / Sales: [insidesales@vsgdover.com](mailto:insidesales@vsgdover.com) / Support: [technicalsupport@rotarylift.com](mailto:technicalsupport@rotarylift.com)



**ROTARY**

2700 Lanier Drive  
Madison, IN 47250, U.S.A.

Lit# SPOA10AV SERIES Brochure.2023.10

©2023 VEHICLE SERVICE GROUP  
All Rights Reserved. Unless otherwise indicated, ROTARY, VEHICLE SERVICE GROUP, DOVER and all other trademarks are property of Dover Corporation and its affiliates. Printed in U.S.A.

Product specifications, part numbers, images and component descriptions are subject to change without notice or liability.