Water and Sewer 3071 SW 38 Avenue DOUGLAS BUILDING Miami FI 33146



 MIAMI-DADE COUNTY, FLORIDA

 REQUEST FOR PRICE QUOTATION (RPQ)

 Contract No:
 MCC 7360 Plan

 RPQ No:
 P16061

INVITATION TO BID

A RPQ has been issued for the work identified below. If you are interested in submitting a bid for this project, please submit your bid via Electronic Bidding, attention to JOSE VILABOY at no later than 3/18/2025 at 10:00 AM. If you have any questions, contact Jose Vilaboy at 786-552-8056.

This RPQ is issued under the terms and conditions of the Miscellaneous Construction Contracts (MCC) Program MCC 7360 Plan. RPQ DETAILED BREAKDOWN

Bid Due Date:	2/10/2025	Time Due: 10:00 AM	Submitted Via: Electronic Bidding					
	3/18/2025	1						
Estimated Value:	\$831,283	(excluding Contingenc	es and Dedicated Allowances)					
Project Name:	HIALEAH PRESTON WTP MISCELLANEOUS IMPROVEMENTS							
Project Location:	1100 WEST	2ND AVENUE, HIALEA	FL 33010					
icense Requirements:	Primary:	General Building Contr						
	Sub:		ir Conditioning Unlimited					
Cono of Work:								
Scope of Work:	DESCRIPTIC SCADA Serv. Radiator Car generally coo of a new fire does not sup house in the The HVAC ir a 100% bac installation c equipment w system shall with existing system must Conduit from suppression dampers bef installed fire SCADA serv. h. The windt new ducts a system. C. \ deck at 9-0° Radiators; th along the lor wide towards November 21 on both side below. 3. Pr East side of Any part of 1 any part of normally req satisfactorily req satisf	ON OF PROJECT: This ver Room Fire Suppress twalk Addition. Volume nsists of implementing in a suppression systema a oply an even temperature room needs to be mair mprovements under this k up. b. Associated me of a new HVAC system ston WTP Miscellaneous to. C091297/W01768 2 SAPPHIRE Clean Ager vithout causing harm to include fire detection s g site fire alarm system to be designed as a Class n the SCADA server roor system to shutdown \$ fore release of clean age suppression system to shutdown B generally con 'above the existing Radiator fire the existing Radiator fire so fithe Catwalk, mounter is of the Catwalk, mounter is the West Hialeah Press 2024 Page 4 of 9 ER No. es. This extended floor ovide and install the Ne the Catwalk; another ne the work which is not m shown on the Plans bu juried as a part of such and legally operable, sh' WASD, as if fully desc reof shall be included in tarwalk will be built in con any with dimensions, m its response. D. This S of the extent of the word the work which is not me shown on the Plans bu juried as a part of such and legally operable, sh' UNASD, as if fully desc reof shall be included in tarwalk will be built in con any with dimensions, m its response. D. This S of the extent of the word the such of a part of such and part for all colities and services need this Contract. The proj installation of a new 1-i p. 2. Pump A (Dischar located on the upstrean 20mp B (Suction) – requ pe on the suction side of pipe tap and 1-in gate va ston WTP Miscellaneous	Il permits prior to performing any work). roroject consists of 3 volumes. Volume A is the Preston 1 c) is the Pipe Tap Installation at Hialeah WTP. B. Volur provements to the existing SCADA room by the install and a backup HVAC system since the existing HVAC sy in the entire space, and the temperature for the electri- tianed at the same range in all locations within the roo project will include: a. Redundant HVAC split DX system chanical, electrical, and plumbing upgrades to suppor c. Associated electrical and instrumentation and con Improvements 01 11 00 Issue for Bid November 2024 I The fire suppression improvements under this projec System that quickly suppresses fires and protects sem- beople or the environment. b. Clean Agent fire suppres- stem and clean agent releasing control panel and inte by relaying general alarm signals. c. The fire suppres- restem and clean agent releasing control panel and inter by relaying general alarm signals. c. The fire suppres- restem and clean agent releasing control panel and inter by relaying general alarm signals. c. The fire suppres- stem and clean agent releasing control panel and inter by relaying general alarm signals. c. The fire suppres- stem and clean agent releasing control panel and inter by relaying the suppression vendor to provide trainin SCADA and Plant staff. g. The door at the entrance of d with a 2-hour rated door or an appropriately rated fire - room must be airtight and impact resistant. i. Installation floor deck, approximately 1-0" below the top of exi sist of steel floor gratiors #1 and #2 approximately on VTP Miscellaneous Improvements 01 11 00 Issue for C091297/W01768 Wall of the Generator Building, with ri- eck shall support the new inclined stair in the design w inclined steel stair between Radiators #1 and #2 opproximately por WTP Miscellaneous Improvements 01 11 00 Issue for C091297/W01768 Wall of the Generator Building, with ri- eck shall support the rew inclined stair in the design w inclined steel stair bet	WTP A ation with the second statement of the second s				
Document Pickup:	5 of 9 ER No tap and 1-ir (Discharge) pipe on the o in pipe tap (Discharge) upstream sio required. E. this Project a necessary to	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new side of pipe on the suction side of Pump 3. 8. Pump 3. of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps partment to obtain a complete and working installation u upipment or materials which may reasonably be assume all be supplied whether or not they are specifically show	valve on of pp B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as				
Document Pickup:	5 of 9 ER No tap and 1-ir (Discharge) - pipe on the o (Discharge) - upstream sio required. E. this Project a necessary to the Plans or	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e a accomplish this end sh	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new side of pipe on the suction side of Pump 3. 8. Pump 3. of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps partment to obtain a complete and working installation u upipment or materials which may reasonably be assume all be supplied whether or not they are specifically show	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as wn on				
· · · · · · · · · · · · · · · · · · ·	5 of 9 ER No tap and 1-ir (Discharge) - pipe on the of in pipe tap (Discharge) - upstream sic required. E. this Project a necessary to the Plans or Contact: Location:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein.	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new nof a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps partment to obtain a complete and working installation u upipment or materials which may reasonably be assume all be supplied whether or not they are specifically show	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on 1/1/1900				
· · · · · · · · · · · · · · · · · · ·	5 of 9 ER No. tap and 1-in (Discharge) - pipe on the of in pipe tap (Discharge) - upstream sid required. E. this Project a necessary to the Plans or Contact: Location: YES	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein.	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or tz. 7. Pump 3 (Suction) – requires the installation of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation upipement or materials which may reasonably be assume all be supplied whether or not they are specifically show Phone No: Date: 218/2025 Time:	valve on of np B. Page pipe np 1 op of ew 1- mp 3 n the s are under ed as wn on				
	5 of 9 ER No tap and 1-ir (Discharge) - pipe on the of in pipe tap (Discharge) - upstream sic required. E. this Project a necessary to the Plans or Contact: Location:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE 1100 WEST 2ND A	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or tz. 7. Pump 3 (Suction) – requires the installation of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation upipement or materials which may reasonably be assume all be supplied whether or not they are specifically show Phone No: Date: 218/2025 Time:	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
re-Bid Meeting::	5 of 9 ER No. tap and 1-in (Discharge) - pipe on the of in pipe tap (Discharge) - upstream sid required. E. this Project a necessary to the Plans or Contact: Location: YES	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein.	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or tz. 7. Pump 3 (Suction) – requires the installation of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation upipement or materials which may reasonably be assume all be supplied whether or not they are specifically show Phone No: Date: 218/2025 Time:	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
re-Bid Meeting::	5 of 9 ER No tap and 1-in (Discharge) - pipe on the o in pipe tap (Discharge) - upstream sion required. E. this Project a necessary to the Plans or Contact: Location: YES Location: No	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE 1100 WEST 2ND A	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation of a new upinemt or materials which may reasonably be assume Ib e supplied whether or not they are specifically show Phone No: Date: b Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are inder ed as vn on				
re-Bid Meeting:: ite Meeting:	5 of 9 ER No tap and 1-in (Discharge) - pipe on the o in pipe tap (Discharge) - upstream sic required. E this Project a necessary to the Plans or Contact: Location: YES Location: No Location:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE: 1100 WEST 2ND A Mandatory: No	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation of a new upinemt or materials which may reasonably be assume Ib e supplied whether or not they are specifically show Phone No: Date: b Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
re-Bid Meeting:: ite Meeting:	5 of 9 ER No tap and 1-in (Discharge) - pipe on the o in pipe tap (Discharge) - upstream sic required. E this Project a necessary to the Plans or Contact: Location: YES Location: No Location:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE 1100 WEST 2ND A	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation of a new upinemt or materials which may reasonably be assume Ib e supplied whether or not they are specifically show Phone No: Date: b Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
re-Bid Meeting:: ite Meeting:	5 of 9 ER No tap and 1-in (Discharge) - pipe on the o in pipe tap (Discharge) - upstream sic required. E this Project a necessary to the Plans or Contact: Location: YES Location: No Location:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE: 1100 WEST 2ND A Mandatory: No	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aritment to obtain a complete and working installation of a new upinemt or materials which may reasonably be assume Ib e supplied whether or not they are specifically show Phone No: Date: b Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
re-Bid Meeting:: Site Meeting:	5 of 9 ER No tap and 1-in (Discharge) pipe on the o in pipe tap (Discharge) upstream sio required. E. this Project a necessary to the Plans or Contact: Location: YES Location: No Location: : Contact: Address:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve on – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE: 1100 WEST 2ND A Mandatory: NO JOSE VILABOY 3071 SW 38TH AVE	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aratment to obtain a complete and working installation upipment or materials which may reasonably be assumed Phone No: Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are inder ed as vn on				
Pre-Bid Meeting:: Site Meeting:	5 of 9 ER No tap and 1-in (Discharge) - pipe on the o in pipe tap (Discharge) - upstream sic required. E. this Project a necessary to the Plans or Contact: Location: YES Location: No Location: : Contact:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE: 1100 WEST 2ND A Mandatory: No UOSE VILABOY	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aratment to obtain a complete and working installation upipment or materials which may reasonably be assumed Phone No: Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of np B. Page pipe mp 1 op of ew 1- mp 3 n the s are under ed as vn on				
Document Pickup: Pre-Bid Meeting:: Site Meeting: Bid shall be submitted to	5 of 9 ER No tap and 1-in (Discharge) pipe on the o in pipe tap (Discharge) upstream sio required. E. this Project a necessary to the Plans or Contact: Location: YES Location: No Location: : Contact: Address:	n gate valve on side o – requires the installatio discharge side of Pump and 1-in gate valve or – requires the installatio de of the hydraulic contr It is the intent of the De and any items of labor, e accomplish this end sh stated herein. Mandatory: YE: 1100 WEST 2ND A Mandatory: No UOSE VILABOY 3071 SW 38TH AVE JUI@MIAMIDADE.GO	ump 1 (Suction) – requires the installation of a new 1-in top of pipe on the suction side of Pump 1. 6. Pur of a new 1-in pipe tap and 1-in gate valve on side or t 2. 7. Pump 3 (Suction) – requires the installation of a new n of a new 1-in gate valve at the existing tap located or ol valve on the discharge of Pump 3. No new pipe taps aratment to obtain a complete and working installation upipment or materials which may reasonably be assumed Phone No: Date: 2/18/2025 Time: 10: VE, HIALEAH FL	valve on of n pB. Page pipe mp 1 op of mp 3 n the s are under ad as on on 1/1/190 00 AM				

Additional Insurance Required:		NO			If Yes - Minimum Coverage:								
Performance & Payment Bond	quired: YES			Bid Bond Required: YES									
Davis Bacon: NO	Mair	tenance Wages:	NO		AIPP: N	10	Am	ount:					
DBE Participation:	NO	Percentage:	0.00%			DBE	Subcon	tractor Fo	rms Required	: NO			
SBE-S Requirements	YES	Percentage:	100.00%										
SBE-G Requirements	NO	Percentage:	0.00%										
Liquidated Damages:	YES	\$\$ Per Day:	\$1,000.00										
For RPQ's less than \$10,000, if no LD rate is specified, the County reserves the right to assess actual damages in lieu of LDs.													
Design Drawing Included:	NO	Shop Draw	ing Included	l: N	NO Specifications Included: NO								
Anticipated Start Date:	4/7/202	5		С	alendar Da	ys for Pr	oject Co	mpletion:	315				
	4/7/2025 Calendar Days for Project Completion: [315] Pursuant to Section 2-8.10 of the Code of Miami-Dade County, this Contract is subject to a user access fee under the County's User Access Program (UAP) in the amount of two percent (2%). All construction services provided under this contract care subject to the 2% UAP. This fee applies to all Contract usage whether by County Departments or by any other governmental, quasi-governmental or not-for-profit entity. From every payment made to the Contractor under this contract (including the payment of retainage), the County will deduct the two percent (2%) UAP fee provided in the ordinance and the Contractor will accept such reduced amount as full compensation for any and all deliverables under the contract. The County shall retain the 2% UAP fue sub y the County to help defray the cost of its procurement program. Contractor participation in this pay request reduction portion of the UAP is mandatory. Provided, however, UAP shall not be applicable for total contract values, inclusive of contingency and allowance accounts, of less than five hundred thousand dollars (\$500,000.00). Nothing in this RFP shall in any way be utilized to request documentation relating to or authorizing consideration of a proposer's social, political, or ideological interests when determining if the proposer is a responsible vendor or give a preference to a proposer based on the proposer's social, political, or ideological interests.												

DISCLOSURE:

• Contractor shall indemnify and hold harmless the County and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the County or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the Contractor or its employees, agents, servants, partners principals or subcontractors. Contractor shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the County, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees which may issue thereon. Contractor expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the Contractor shall in no way limit the responsibility to indemnify, keep and save harmless and defend the County or its officers, sagents and instrumentalities as herein provided.

The Contractor shall furnish to Water and Sewer, 3071 SW 38 Avenue, DOUGLAS BUILDING, Miami FI 33146, Certificate(s) of Insurance which indicate that insurance coverage has been obtained which meets the requirements as outlined below:

A. Worker's Compensation Insurance for all employees of the Contractor as required by Florida Statute 440. a. If applicable should include coverage required under the U.S. Longshoremen and Harbor Workers' Act (USL&H) and/or Jones Act for any activities on or about navigable water.

B. Commercial General Liability in an amount not less than \$300,000 per occurrence, and \$600,000 in the aggregate. Miami-Dade County must be shown as an additional insured with respect to this coverage.

C. Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$300,000 combined single limit per occurrence for bodily injury and property damage.

*Under no circumstances are Contractors permitted on the Aviation Department, Aircraft Operating Airside (A.O.A) at Miami International Airport without increasing automobile coverage to \$5 million. Only vehicles owned or leased by a company will be authorized. \$1 million limit applies at all other airports.

VERIFICATION OF EMPLOYMENT ELIGIBILITY (E-VERIFY):

By entering the Contract, the Awarded Bidder becomes obligated to comply with the provisions of Section 448.095, Florida Statute, titled "Verification of Employment Eligibility." This includes but is not limited to utilization of the U.S. Department of Homeland Security's E-Verify System to verify the employment eligibility of all newly hired employees by the Awarded Bidder effective, January 1, 2021, and requiring all Subcontractors to provide an affidavit attesting that the Subcontractor does not employ, contract with, or subcontract with, an unauthorized alien. Failure to comply may lead to termination of this Awarded Bidder, or if a Subcontractor knowingly violates the statute, the subcontract must be terminated immediately. Any challenge to termination under this provision must be filed in the Circuit Court no later than twenty (20) calendar days after the date of termination. If this Contract is terminated for a violation of the statute by the Awarded Bidder, may be liable for any additional costs incurred by the County resulting from the termination, and the Awarded Bidder may not be awarded a public contract of by the county resulting from the termination in the Cortract. Public and private employers must enroll in the E-Verify System (http://www.uscis.gov/e-verify) and retain the 1-9 Forms for inspection.