

**Water and Sewer**  
 3071 SW 38 Avenue  
 Douglas Building  
 Miami Fl 33146



**MIAMI-DADE COUNTY, FLORIDA**  
**REQUEST FOR PRICE QUOTATION (RPQ)**  
 Contract No: MCC 7360 Plan  
 RPQ No: P16116

**INVITATION TO BID**

A RPQ has been issued for the work identified below. If you are interested in submitting a bid for this project, please submit your bid via Electronic Bidding, attention to Mike Hernandez at no later than 6/25/2026 at 10:00 AM. If you have any questions, contact Miguel Hernandez at 786552-8803.

This RPQ is issued under the terms and conditions of the Miscellaneous Construction Contracts (MCC) Program MCC 7360 Plan.

**RPQ DETAILED BREAKDOWN**

Bid Due Date:	6/25/2026	Time Due:	10:00 AM	Submitted Via:	Electronic Bidding		
Estimated Value:	\$1,371,170 (excluding Contingencies and Dedicated Allowances)						
Project Name:	UPGRADE PUMP STATION No. 1044 SUBMERSIBLE PUMPING STATION WITHOUT EMERGENCY GENERATOR						
Project Location:	17598 SW 142 AVE, Miami Florida, 33177						
License Requirements:	Primary:	Building Contractor; General Building Contractor; Pipe Lines; Pipelines Engineering Contractor; Underground Utility / Excavation; General Engineering					
Scope of Work:	<p>(Contractor must obtain and submit all permits prior to performing any work).          The project consists of furnishing all materials (except those listed in Section 4.00 "Materials and Equipment Furnished by The Department"), labor, equipment, tools and other facilities and services necessary for proper execution, testing, and completion of the work required to Upgrade Sewage Pump Station No. 1044. This includes, but is not limited to, site preparation, demolition work, installation of new structures, installation of mechanical and electrical equipment, and restoration of impacted areas. Site preparation may require clearing and grubbing prior to demolition and construction work. The Contractor shall provide uninterrupted by-pass pumping capabilities to have a flow and head capacity equal to or greater than the proposed pumps for the existing pump station flows during all construction time and until the new pump station is completely operational, tested, and accepted by the Owner and regulatory agencies (see by-pass requirements on Section 8.00 "Measurement and Payment"). The Contractor shall also be required to design, obtain approval, implement, and maintain a Maintenance of Traffic Plan (MOT) during construction activities, as required. Demolition includes, but is not limited to: remove and properly dispose of all internal components on the existing wet well and dry well, including but not limited to pumps, piping, valves, fittings, ladders, metal platform, electrical equipment's exhaust fan, sump pump and miscellaneous items; Contractor to remove the existing SCADA/RTU Panel and Antenna as identified on plans. Coordinate with Miami-Dade Water and Sewer Department (MDWASD) for the salvage of any other material and/or equipment in addition to the mentioned above. Contractor shall make arrangements with FPL to install a temporary service, coordinate to install new underground service, and relocate transformer; demolition of existing pump station control panels and other electrical equipment, as for example the meter base, disconnect devices, pullout and junction boxes, and all related conduits and wiring inside and outside the structure; demolition of existing above ground access structure (including exhaust) on top of the dry well and the wet well; demolition of existing wet well and dry well top slab; demolition of intermediate metal platform inside the dry well, including railing, grating and ladder; demolition of approximately 20 linear feet of an</p>						

existing 8-inch ductile iron pipe (DIP) force main; removal of existing pump station appurtenances, such as the backflow preventer and emergency pump off (EPO) by-pass; sod/grass, and all other items deemed necessary to be removed for the successful installation of the new proposed pump station. The Contractor shall perform various cores on the existing structure for the new piping and electrical conduits as identified on plans. The Contractor shall perform asbestos testing. If asbestos material is encountered legally remove and dispose. The asbestos related work activity must be performed by a Florida Licensed Asbestos Contractor in compliance with OSHA 29 CFR 1926.1101. The Contractor shall furnish and install new equipment and materials such as: partially fill the existing dry well with flowable fill to be converted to new valve vault; new extended walls, concrete top slab, and access hatch (double leaf) for new valve vault and new extended walls and concrete top slab for new wet well with heavy-duty aluminum access (water resistant) hatch (double leaf); new concrete slab and steps with guard railing surrounding wet well and valve vault; concrete protective coating on all interior surfaces of the wet well; new duplex 45 HP submersible pumps and related equipment as specified on plans, all piping, valves, fittings and appurtenances for new pump station discharge and EPO connection; new 6-inch ductile iron pipe (DIP) EPO piping (approximately 4.5 LF), new 8-inch ductile iron pipe (DIP) discharge piping (approximately 44 LF), new 8-inch ductile iron pipe (DIP) discharge piping (approximately 32 LF) connecting it to the existing 8-inch force main on site; new sump pump and its discharge piping at the valve vault; new concrete slab for electrical controls, facilities, and electrical connection boxes; new backflow preventer and installation of new backflow preventer; new water line connection (approximately 2 LF); new control panel, new misc. load transformer, electrical service, electric meter, main disconnect, motor connection box, new SCADA/remote terminal unit (RTU) Panel and antenna, including mounting structures; New SCADA enclosure; Contractor shall coordinate the installation of the electrical meter with FPL. new concrete slab for relocated transformer (coordinate with FPL). new electrical conduits and wiring for power, controls and grounding, including grounding rods; new asphalt driveway; site re-grading and reconditioning and adapting the existing wet well's interior. The Contractor shall restore sod/grass and all other areas and surfaces impacted during construction (as required) to maintain the site in equal or better condition as the existing (see construction drawing C-5 for approximate dimensions and appendix O for the landscape improvements). In addition, the Contractor shall provide start up and testing of the new facilities, and other appurtenant and miscellaneous items, services and work for a complete, satisfactory and functional installation. This may include dewatering and disposal of product water as needed. Pumping Station 1044 is located at 17598 SW 142nd Avenue, Miami, FL 33177, in Section 34, Township 55, Range 39, Miami-Dade County, Florida. The pump station easement is located within Miami-Dade County. The contractor shall coordinate with Miami-Dade County prior to proceeding any work within the pump station easement. Contractor shall conform to Miami-Dade County rules and regulations.

Document Pickup:	Contact:	Phone No:	Date:	1/1/1900
	Location:			

Pre-Bid Meeting::	YES	Mandatory:	YES	Date:	6/3/2026	Time:	10:00 AM
	Location:	17598 SW 142 AVE, Miami Florida, 33177					
Site Meeting:	YES	Mandatory:	YES	Date:	6/3/2026	Time:	10:00 AM
	Location:	17598 SW 142 AVE, Miami Florida, 33177					
Bid shall be submitted to:	Contact:	Mike Hernandez					
	Address:	3071 SW 38 Ave					
	Email:	mighern@miamidade.gov	FAX # :	786-552-8803			
Type of Contract:	Single Trade		Method of Award:	Lowest Responsible Bidder			
Method of Payment:	Scheduled Monthly Payments		Insurance Required:	YES			
Additional Insurance Required:	NO		If Yes - Minimum Coverage:				
Performance & Payment Bond Required:	YES		Bid Bond Required:	YES			
Davis Bacon:	NO	Maintenance Wages:	NO	AIPP:	NO	Amount:	
DBE Participation:	NO	Percentage:	0.00%	DBE Subcontractor Forms Required:	NO		
SBE-S Requirements	NO	Percentage:	0.00%				
SBE-Services Commodity Set-Aside	NO	If Yes, Service =					
SBE-G Requirements	NO	Percentage:	0.00%				
SBE-Goods Commodity Set-Aside	NO	If Yes, Goods =					
Liquidated Damages:	YES	\$\$ Per Day:	\$1,000.00				
For RPQ's less than \$10,000, if no LD rate is specified, the County reserves the right to assess actual damages in lieu of LDs.							
Design Drawing Included:	NO	Shop Drawing Included:	NO	Specifications Included:	NO		
Anticipated Start Date:	10/1/2026		Calendar Days for Project Completion:	270			
Comments:	<p>Pursuant to Section 2-8.10 of the Code of Miami-Dade County, this Contract is subject to a user access fee under the County's User Access Program (UAP) in the amount of two percent (2%). All construction services provided under this contract are subject to the 2% UAP. This fee applies to all Contract usage whether by County Departments or by any other governmental, quasi-governmental or not-for-profit entity. From every payment made to the Contractor under this contract (including the payment of retainage), the County will deduct the two percent (2%) UAP fee provided in the ordinance and the Contractor will accept such reduced amount as full compensation for any and all deliverables under the contract. The County shall retain the 2% UAP for use by the County to help defray the cost of its procurement program. Contractor participation in this pay request reduction portion of the UAP is mandatory.</p> <p>Provided, however, UAP shall not be applicable for total contract values, inclusive of contingency and allowance accounts, of less than five hundred thousand dollars (\$500,000.00).</p> <p><b>1.01 MINIMUM REQUIREMENTS OF THE BIDDER</b></p> <p><b>A. License Requirements</b></p> <p>1. At the time of Bid and pursuant to the requirements of Section 10-3 of the Code of Miami-Dade County, Florida and these Solicitation and Contract Documents, the Bidder must hold a valid, current, and active:</p> <p>a. Certificate of Competency from the County's Construction Trades Qualifying Board as a General Engineering Contractor or as a Pipeline Engineering Contractor. The Pipeline Engineering Contractor shall subcontract with a qualified contractor any work which is incidental to the pipeline specialty but is specified in the aforementioned Code as being the work of other than that of the Engineering Specialty for which certified;</p> <p>or</p> <p>b. Certification, as a General Contractor or as an Underground Utility and Excavation Contractor, provided by the State of Florida Construction Industry Licensing Board, pursuant to the provisions of Florida Statutes Chapter 489.115.</p> <p><b>B. Experience</b></p> <p>1. In addition to the license requirements in Section 1.01, A above, the Bidder must have a minimum of three (3) years of experience, under its current business name (which can include the experience of key supervisory employees that</p>						

would man the project), in the public right-of-way construction, installation, repair, and replacement of main water distribution systems or main sanitary sewer collection systems, or both, and maintenance of vehicular traffic, supported by references for three (3) projects completed within the past five (5) years. Submitted reference Projects must demonstrate that the Bidder served as the Prime Contractor for the referenced Projects provided.

2. The Bidder must demonstrate that it has full-time personnel with the necessary experience to perform the Project's Scope of Work. This experience shall include work in successfully completed projects performed by the identified personnel whose bulk of work performed in the public right-of-way is similar in detail to the Project's Scope of Work described in these Solicitation Documents.

Demonstrate the experience requirement by:

a. Providing a detailed description of at least three (3) projects similar in detail to the Project's Scope of Work described in these Solicitation Documents and in which the Bidder's identified personnel is currently engaged or has completed within the past five (5) years. List and describe the aforementioned projects and state whether the work was performed for the County, other government clients, or private entities. For each project listed, the construction and completion of the new pump station including installation of mechanical and electrical equipment shall have been completed and accepted by the project owner prior to the bid submittal date.

The description must identify for each project:

- 1) The identified personnel and their assigned role and responsibilities for the listed project
- 2) The client name and address including a contact person and phone number for reference
- 3) Description of work
- 4) Total dollar value of the contract
- 5) Contract duration
- 6) Statement or notation of whether Bidder's referenced personnel is/was employed by the prime contractor or subcontractor, and
- 7) For completed projects, provide letters of certification of final acceptance or similar project closure documentation issued by the client and available Contractor's performance evaluations.

3. The County reserves the right to request additional information and/or contact listed persons pertaining to bidder's experience.

SPD department will process it as a "No Measure" ( no SBE Measure), as no applicable service was identified.

## **DISCLOSURE:**

- Contractor shall indemnify and hold harmless the County and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the County or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the Contractor or its employees, agents, servants, partners principals or subcontractors. Contractor shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the County, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees which may issue thereon. Contractor expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the Contractor shall in no way limit the responsibility to indemnify, keep and save harmless and defend the County or its officers, employees, agents and instrumentalities as herein provided.

The Contractor shall furnish to **Water and Sewer, 3071 SW 38 Avenue, Douglas Building, Miami FL 33146**, Certificate(s) of Insurance which indicate that insurance coverage has been obtained which meets the requirements as outlined below:

- A.** Worker's Compensation Insurance for all employees of the Contractor as required by Florida Statute 440.
  - a. If applicable should include coverage required under the U.S. Longshoremen and Harbor Workers' Act (USL&H) and/or Jones Act for any activities on or about navigable water.
- B.** Commercial General Liability in an amount not less than \$1,000,000 per occurrence, and \$2,000,000 in the aggregate. Miami-Dade County must be shown as an additional insured with respect to this coverage.
- C.** Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage.

\*Under no circumstances are Contractors permitted on the Aviation Department, Aircraft Operating Airside (A.O.A) at Miami International Airport without increasing automobile coverage to \$5 million. Only vehicles owned or leased by a company will be authorized. \$1 million limit applies at all other airports.

## **VERIFICATION OF EMPLOYMENT ELIGIBILITY (E-VERIFY):**

By entering the Contract, the Awarded Bidder becomes obligated to comply with the provisions of Section 448.095, Florida Statute, titled "Verification of Employment Eligibility." This includes but is not limited to utilization of the U.S. Department of Homeland Security's E-Verify System to verify the employment eligibility of all newly hired employees by the Awarded Bidder effective, January 1, 2021, and requiring all Subcontractors to provide an affidavit attesting that the Subcontractor does not employ, contract with, or subcontract with, an unauthorized alien. Failure to comply may lead to termination of this Awarded Bidder, or if a Subcontractor knowingly violates the statute, the subcontract must be terminated immediately. Any challenge to termination under this provision must be filed in the Circuit Court no later than twenty (20) calendar days after the date of termination. If this Contract is terminated for a violation of the statute by the Awarded Bidder, the Awarded Bidder may not be awarded a public contract for a period of one year after the date of termination, and the Awarded Bidder may be liable for any additional costs incurred by the County resulting from the termination of the Contract. Public and private employers must enroll in the E-Verify System (<http://www.uscis.gov/e-verify>) and retain the I-9 Forms for inspection.