

Department of Transportation and
Public Works
111 NW 1st Street, Suite 1410
Miami, FL 33128



MIAMI-DADE COUNTY, FLORIDA
REQUEST FOR PRICE QUOTATION (RPQ)
Contract No: MCC 7040 Plan - CICC 7040-0/07
RPQ No: TP-0000014679

RPQ ADDENDUM No.2

Addendum	1	Date	9/22/2023
No: RPQ No:	TP-0000014679	Bid Due	10/11/2023
Project No:	TP-0000014679	Date Project	Kitchen Remodeling in the Breakroom of Palmetto Station
		Title	
Project Location:	7701 NW 79 Ave. Miami, FL 33166	Project Manager	Laura Hernandez
Site Meeting Date:	9/21/2023	Site Meeting	10:00 AM
Prebid Meeting	9/21/2023	Time: Prebid	After Site Visit
Date:		Meeting	
Project Duration:	120 Days	Time:	

MODIFICATIONS:

CHANGES TO THE SOLICITATION AND CONTRACT DOCUMENTS:

1. Add the following sheet of plans to the Solicitation and Contract Documents:
 - Palmetto Station Electrical Plan 4
 - Palmetto Station Electrical Plan 5
 - Palmetto Station Electrical Plan 6
2. Add Otey Metal Ice Maker Box Technical Specifications under KITCHEN SPECIFICATION.

END OF ADDENDUM NO. 2

Sincerely,

Alfredo E. Muñoz, P.E.
Chief, Capital Improvements Division
Department of Transportation and Public Works (DTPW)

Cc: Laura Hernandez, DTPW
Katherine Fernandez, DTPW
Antonio Chahine, DTPW
Clerk of the Board
Project File

This document must be signed and returned as part of your RPQ response. Failure to return this document signed may result in your RPQ Response being rejected as non-responsive.

Name of Contractor: _____

Name of Individual Authorized to Sign: _____

Title: _____

Signature: _____

Date: _____



ELECTRICAL DATA		480/277V, 3 φ, 4W		PANEL L1		480/277V, 3 φ, 4W		PANEL L3		480/277V, 3 φ, 4W					
PANEL TYPE		GE - AE		MAIN		SURFACE		MAIN		SURFACE					
MOUNTING		SURFACE		125 AMP MLO		14,000		125 AMP MCB		14,000					
				AIC		AIC		AIC		AIC					
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	KVA	IDENTIFICATION
SOUTH PLATFORM LTG	2.5	3/4"	#10	20	1	~	#12	3/4"	20	1	~	#12	3/4"	1.8	SOUTH ENTRANCE LTG
SOUTH PLATFORM LTG	2.5	3/4"	#10	20	3	~	#12	3/4"	20	1	~	#12	3/4"	1.7	SOUTH BUS SHELTER LTG
SOUTH CONCOURSE LTG	2.5	3/4"	#10	20	5	~	#12	3/4"	20	1	~	#12	3/4"	1.7	SOUTH BUS SHELTER LTG
SPARE						~					~			1.4	ANCILLARY/SERVICE CORE
SPARE						~					~			1.2	ANCILLARY/SERVICE CORE
SPARE						~					~			9.0	ANCHOR (3)
TOTAL	7.5													16.8	TOTAL
														TOTAL CONNECTED KVA	24.30


ELECTRICAL DATA		480/277V, 3 φ, 4W		PANEL L3		480/277V, 3 φ, 4W		PANEL L3		480/277V, 3 φ, 4W					
PANEL TYPE		GE - AE		MAIN		SURFACE		MAIN		SURFACE					
MOUNTING		SURFACE		125 AMP MCB		14,000		125 AMP MCB		14,000					
				AIC		AIC		AIC		AIC					
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	KVA	IDENTIFICATION
NORTH STREET LTG	3.2	1"	#8	20	1	~	#10	1"	20	1	~	#10	1"	1.0	SPARE
NORTH STREET LTG	4.0	1"	#8	20	3	~	#10	1"	20	1	~	#10	1"	1.5	TRACK LIGHTS
SOUTH STREET LTG	3.2	1"	#8	20	5	~	#10	1"	20	1	~	#10	1"	1.1	LANDSCAPE UP LTG
SOUTH STREET LTG	2.4	1"	#8	20	7	~	#10	1"	20	1	~	#10	1"	2.0	TRACK LIGHTS
SPARE						~					~			1.5	TRACK LIGHTS
SPARE						~					~				SPARE
TOTAL	12.8													7.2	TOTAL
														TOTAL CONNECTED KVA	20.0

ELECTRICAL DATA		480/277V, 3 φ, 4W		PANEL L2		480/277V, 3 φ, 4W		PANEL L4		480/277V, 3 φ, 4W					
PANEL TYPE		GE - AE		MAIN		SURFACE		MAIN		SURFACE					
MOUNTING		SURFACE		225 AMP MLO		14,000		125 AMP MLO		14,000					
				AIC		AIC		AIC		AIC					
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	KVA	IDENTIFICATION
NORTH ENTRANCE LTG	1.0	3/4"	#12	20	1	~	#12	3/4"	20	1	~	#12	3/4"	3.1	NORTH PLATFORM LTG
NORTH BUS SHELTER LTG	1.0	3/4"	#12	20	3	~	#12	3/4"	20	1	~	#12	3/4"	3.1	NORTH PLATFORM LTG
NORTH BUS SHELTER LTG	1.0	3/4"	#12	20	5	~	#12	3/4"	20	1	~	#12	3/4"	3.1	NORTH CONCOURSE LTG
NORTH BUS SHELTER LTG	0.8	3/4"	#12	20	7	~	#12	3/4"	20	1	~	#12	3/4"		SPARE
NORTH BUS SHELTER LTG	0.8	3/4"	#12	20	9	~	#12	3/4"	20	1	~	#12	3/4"		SPARE
NORTH BUS SHELTER LTG	0.8	3/4"	#12	20	11	~	#12	3/4"	20	1	~	#12	3/4"		SPARE
TOTAL	5.4													9.3	TOTAL
														TOTAL CONNECTED KVA	14.70

ELECTRICAL DATA		480/277V, 3 φ, 4W		PANEL L4		480/277V, 3 φ, 4W		PANEL L4		480/277V, 3 φ, 4W					
PANEL TYPE		GE - AE		MAIN		SURFACE		MAIN		SURFACE					
MOUNTING		SURFACE		125 AMP MLO		14,000		125 AMP MLO		14,000					
				AIC		AIC		AIC		AIC					
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	AMPS TRIP C.B.	CIR NO	PHASE	WIRE SIZE AWG	COND SIZE	KVA	IDENTIFICATION
NORTH STREET LTG	2.8	1"	#10	20	1	~	#10	1"	20	1	~	#10	1"	2.4	SOUTH PARKING LTG
NORTH STREET LTG	2.8	1"	#10	20	3	~	#10	1"	20	1	~	#12	1"	1.0	EXTERIOR WALL DIR. LTG.
SOUTH STREET LTG	2.4	1"	#8	20	5	~	#8	1"	20	1	~	#8	1"	2.5	SPARE
SOUTH STREET LTG	3.2	1"	#8	20	7	~	#8	1"	20	1	~	#8	1"	2.5	SPARE
EXTERIOR WALL LTG.	1.8	3/4"	#12	20	9	~	#12	3/4"	20	1	~	#12	3/4"		SPARE
COLUMN LTG.	0.5	3/4"	#12	20	11	~	#12	3/4"	20	1	~	#12	3/4"		SPARE
SPARE						~					~				SPARE
TOTAL	13.5													8.4	TOTAL
														TOTAL CONNECTED KVA	21.9

8-18-97 Date 8-18-97 Date 6-2-98 Date 6-2-98 Date 6-2-98 Date	Designed SC Drawn TR Checked TR Approved	No. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 77
--	--	--

PLANS FOR ADDENDUM No. 2



RECORD DOCUMENT

ELECTRICAL DATA		208/120V, 3 φ, 4W		PANEL LL1		FULL NEUTRAL			
PANEL TYPE		GE - AE		MAIN 125 AMP MLO		GROUND BUS			
MOUNTING		SURFACE		AIC 10,000 AMPS		HINGE DOOR			
						KEY DOOR LATCH			
						20 POLE 125A BUS			
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	COND SIZE	KVA	IDENTIFICATION
MECH. RM. RECEIPT.	.72	3/4"	#12	20	1	ABC	3/4"	.40	EF-3
TO&C RM.	.72	3/4"	#12	20	3	ABC	3/4"	1.0	JACKET WATER HEATER
BATTERY RM.	.72	3/4"	#12	20	5	ABC	3/4"	.8	PAY PHONE
MAIN ELECT. RM RECEIPT.	.72	3/4"	#12	20	7	ABC	3/4"	.2	BATTERY CHARGER
SPARE	1.0	3/4"	#12	20	9	ABC	3/4"		
SPARE	1.0	3/4"	#12	20	11	ABC	3/4"		
SPARE	1.0	3/4"	#12	20	13	ABC	3/4"		
SPARE	1.0	3/4"	#12	20	15	ABC	3/4"		
SPARE	1.0	3/4"	#12	20	17	ABC	3/4"		
TOTAL	6.88				19			3.0	TOTAL
TOTAL CONNECTED KVA								9.88	

ELECTRICAL DATA		208/120V, 3 φ, 4W		PANEL LL2		FULL NEUTRAL			
PANEL TYPE		GE - AE		MAIN 125 AMP MLO		GROUND BUS			
MOUNTING		SURFACE		AIC 10,000 AMPS		HINGE DOOR			
						KEY DOOR LATCH			
						24 POLE 125A BUS			
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	COND SIZE	KVA	IDENTIFICATION
CONCOURSE RECEIPT.	.72	3/4"	#12	20	1	ABC	3/4"	.72	SERVICE CORE RECEIPT.
PLATFORM RECEIPT.	.54	3/4"	#8	20	3	ABC	3/4"	.72	LOUNGE AREA RECEIPT.
RETRIBUTOR RECEIPT.	.36	3/4"	#8	20	5	ABC	3/4"	.54	SERVICE CORE RECEIPT.
SMALL APPLIANCE	1.5	3/4"	#12	20	7	ABC	3/4"	.80	EWG
GRAPHIC ELEMENT	.9	3/4"	#12	20	9	ABC	3/4"	.80	ATTENDANT'S KIOSK RECEIPT.
SPARE	.9	3/4"	#12	20	11	ABC	3/4"	.60	EF-1, EF-4
SPARE	.9	3/4"	#12	20	13	ABC	3/4"		
SPARE	.9	3/4"	#12	20	15	ABC	3/4"		
RTU-1	1.8	3/4"	#10	15	21	ABC	3/4"	.9	IRRIGATION CONTROL PANEL
TOTAL	9.32				23			8.58	TOTAL
TOTAL CONNECTED KVA								17.90	

ELECTRICAL DATA		208/120V, 3 φ, 4W		PANEL LL3		FULL NEUTRAL			
PANEL TYPE		GE - AE		MAIN 225 AMPS MLO		GROUND BUS			
MOUNTING		SURFACE		AIC 10,000		HINGE DOOR			
						KEY DOOR LATCH			
						30 POLE 225A BUS			
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	COND SIZE	KVA	IDENTIFICATION
TURNSTILE	1.0	3/4"	#10	20	1	ABC	3/4"	1.0	TURNSTILE
TURNSTILE	1.0	3/4"	#10	20	3	ABC	3/4"	1.0	TURNSTILE
TURNSTILE	1.0	3/4"	#10	20	5	ABC	3/4"	1.0	TURNSTILE
TURNSTILE	1.0	3/4"	#10	20	7	ABC	3/4"	1.0	TURNSTILE
HANDICAPPED GATE	1.0	3/4"	#10	20	9	ABC	3/4"	1.0	HANDICAPPED GATE
BILL CHANGER	.5	3/4"	#12	20	11	ABC	3/4"	.5	TRANSFER DISPENSER
BILL CHANGER	.5	3/4"	#12	20	13	ABC	3/4"	.5	TRANSFER DISPENSER
BILL CHANGER	.5	3/4"	#12	20	15	ABC	3/4"	.5	TRANSFER DISPENSER
BILL CHANGER	.5	3/4"	#12	20	17	ABC	3/4"	.5	TRANSFER DISPENSER
SPARE	.5	3/4"	#12	20	19	ABC	3/4"	1.0	PARK MASTER
SPARE	.5	3/4"	#12	20	21	ABC	3/4"	1.0	PARK MASTER
SPARE	.5	3/4"	#12	20	23	ABC	3/4"	1.0	PARK MASTER
SPARE	.5	3/4"	#12	20	25	ABC	3/4"	1.0	PARK MASTER
SPARE	.5	3/4"	#12	20	27	ABC	3/4"	1.0	PARK MASTER
SPARE	.5	3/4"	#12	20	29	ABC	3/4"	1.5	SPARE
SPARE	.5	3/4"	#12	20	31	ABC	3/4"	1.2	SPARE
TOTAL	9.8				31			13.7	TOTAL
TOTAL CONNECTED KVA								23.5	

ELECTRICAL DATA		208/120V, 3 φ, 4W		PANEL LL4		FULL NEUTRAL			
PANEL TYPE		GE - AE		MAIN 225 AMPS MCB		GROUND BUS			
MOUNTING		SURFACE		AIC 10,000		HINGE DOOR			
						KEY DOOR LATCH			
						42 POLE 225A BUS			
IDENTIFICATION	KVA	COND SIZE	WIRE SIZE AWG	AMPS TRIP C.B.	CIR NO	PHASE	COND SIZE	KVA	IDENTIFICATION
SPARE	1.0	3/4"	#10	20	1	ABC	3/4"	1.79	SPARE
SPARE	1.0	3/4"	#10	20	3	ABC	3/4"	4.8	RTU-2
SPARE	.8	3/4"	#10	20	5	ABC	3/4"	4.8	RTU-2
SPARE	.8	3/4"	#10	20	7	ABC	3/4"	4.8	RTU-2
EF-5	.6	3/4"	#14	20	9	ABC	3/4"	1.79	CU-1
SF-1	.8	3/4"	#14	20	11	ABC	3/4"	1.79	CU-1
LL1	8.68				19			4.8	AHU-1
LL2	17.9				23			4.8	AHU-1
LL3	24.50				27			4.8	AHU-1
TOTAL	55.08				41			13.18	TOTAL
TOTAL CONNECTED KVA								68.26	

IC Designed Date 8-18-97	SC Drawn Date 8-18-97	TR Checked Date 6-2-98	TR Approved Date 6-2-98	ISSUED FOR CONSTRUCTION SCH LL1, CIR #4 & #8, TOTAL-ADD #3 DATE REVISED	Revisions	App. Date	By	Chk
<p>METRO-RAIL EXTENSION to the PALMETTO EXPRESSWAY and MULTI-MODAL FACILITY</p> <p>STATION</p> <p>ELECTRICAL SCHEDULES</p>				<p>Frederic R. Harris, Inc. 6625 Miami Lakes Drive East Suite 200 Miami, FL 33014 (305) 826-0506</p>		<p>DATE: 6-2-98</p>		<p>SCALE: NONE</p>
<p>APPROVED: TR</p>				<p>DATE: 6-2-98</p>		<p>DRAWING: EERL-1</p>		<p>SHEET: 165</p>



METAL ICE MAKER BOX TECHNICAL SPECIFICATION

Job Name _____	Item # _____
Location _____	
Engineer _____	Contractor _____
PO # _____	Tag _____
Representative _____	

SPECIFICATIONS

Oatey Metal Ice Maker Outlet Boxes can be used in applications requiring supply valves recessed into a wall. Unit shall allow for the mounting of supply lines from top or bottom on the left or right side. Unit shall be available with ¼ turn brass ball valves in configurations with and without water hammer arrestors.

APPROVALS & LISTINGS

Valves	ASME A112.18.1/NSF Standard 61, Section 9
Water Hammer Arrestors	ASSE 1010
Boxes	IAPMO-Listed, PS-54



FEATURES & MATERIALS

Outlet Box	20 Gauge Steel
Faceplate	28 Gauge Steel


PRODUCT SELECTOR

METAL ICE MAKER BOX			
✓	Product Number	Description	Ctn. Qty.
	38687	Plain Box – No Valves – Standard Pack	1
	38689	¼" Turn Brass Ball Valve – Copper Sweat – Standard Pack	1
	38688	¼" Turn Brass Ball Hammer Valve – Copper Sweat – Standard Pack	1
	39141	Metal ¼" Turn, Copper, Low Lead-Standard Pack	1
	39140	Metal ¼" Turn, Copper, Hammer, Low Lead – Standard Pack	1
ACCESSORIES			
	38686	Metal Faceplate for Metal IMB	1

Data is subject to manufacturing tolerances.

DIMENSIONS

[A]:	Box Width	7.16"	[E]:	Box Depth	2.50"
[B]:	Box Height	5.15"	[F]:	Faceplate Width	6.75"
[C]:	Box Opening Width	4.91"	[G]:	Faceplate Height	6.75"
[D]:	Box Opening Height	5.04"			



Access BIM/Revit content through www.oatey.com