IMPORTANT NOTICE TO APPLICANT:

THIS APPLICATION CONSISTS OF TWO (2) PAGES, BOTH PAGES MUST BE COMPLETED AND SUBMITTED IN ORDER TO PROCESS

Submittal deadline for this application and all associated documentation is Monday, 9:00AM. The fee amount will be calculated once this application is received and processed. In order for this item to be placed on the next available Plat Committee Agenda, the full correct fee must be paid no later than the following day, Tuesday, noon time. Failure to submit this form and fees by the aforementioned deadlines will result in this item not being placed on the next available Plat Committee agenda.

FOR	OFFICIAL		
Agend	a Date:		
Waiver	No. D	 	
Receiv	ed Date:		

APPLICATION FOR WAIVER OF PLAT

M	unicipality: Sec.: Twp.: S. Rge.: E. / Sec.: Twp.: S. Rge.: E.
1.	Owner's Name: MIAMI DADE COUNTY - MIAMI DADE HOUSING AGONCY Phone: 786-469-2153
	Address: 701 NW 1 CT - 14TH FLOOR City: MIALI State: FC Zip Code: 33136
	Owner's Email Address: MARIA RODRIGUEZ - POUTO @ HEIAHI DADE . GOV
2.	Surveyor's Name: BEW & BEW LAND SURVEYING Phone: 305-251-6057
	Address: 12230 SW 13) AUENUE City: NIAUI State: FL Zip Code: 33186
	Surveyor's Email Address: ODALYS @ BELLOLAND . COM
3.	Legal Description of Cutout Tract: (SEE ARTACHED)
4.	Folio No(s):: 30-3128-013-0110 / 30-3128-013-0120 /
5.	Legal Description of Parent Tract: (SEE ATTACHED)
6.	Street Boundaries: NW 33 ST & NW 30 AUE NUE
7.	Present Zoning: Zoning Hearing No.:
	Proposed use of Property: Single Family Res.(Units), Duplex(_2Units), Apartments(Units), Industrial/Warehouse(Square .Ft.), Business(Sq. Ft.), Office(Sq. Ft.), Restaurant(Sq. Ft. & No. Seats), Other (Sq. Ft. & No. of Units Does the property contain contamination? YES: \(\cdot \) NO: \(\cdot \)

NOTE: Attach list of all plat restrictions zoning conditions or any other declarations, restrictions, covenants that might affect this Tentative Plat.

Any soil groundwater or surface water contaminants exceeding standards or criteria outlined in local, state, and/or federal law, shall be disclosed. Futhermore, any portion of the of the property to be conveyed (including right-of-way) must be identified, and the receiving entity must be made aware of the contamination and accept the conveyance. Documentation of acceptance from each entity shall be provided with the plat application.

Be advised that Miami-Dade County will not accept the conveyance of contaminated property for right-of-way: right-of-way areas must be fully restored to applicable local, state, and/or federal standards or criteria.

Please note nothing stated herein may be interpreted to limit or restrict an engineer's or other professional's responsibility to prepare plans accurately and completely for proposed right-of-way as well as any other projects or plans. For proposed dedications of non-right-of-way properties, any soil, groundwater or surface water contaminants must be disclosed to the County Department at the earliest stage possible. The presence of any such contamination or delay in disclosure of such contamination could result in the County declining the acceptance of the proposed dedication, the need for the developer to reconfigure or change previously approved site plans, or conduct changes to the proposed development may be required. The applicant may contact the DERM Environmental Monitoring and Restoration Division at 305-372-6700 for additional information.

THIS APPLICATION CONSISTS OF TWO (2) PAGES. BOTH PAGES MUST BE COMPLETED AND SUBMITTED IN ORDER TO PROCESS

I HEREBY CERTIFY that I am the owner of the parcel(s) described in Item 5 and that the information contained in this application is true and correct to the best of my knowledge and belief. If applicable, attached is a list of all the restrictions/ restrictive covenants and declarations in favor of Miami-Dade County. Attached is a copy of the recorded deed showing my acquisition of this land. In addition, I agree to furnish additional items as may be necessary such as abstract or Opinion of Title to determine accurate ownership information. Furthermore, I am aware that the use of a public water supply and/or public sewer system may be required for this development. If so required, I recognize that engineering drawings for the extension of these utilities must be approved by the appropriate utility entity and by D.R.E.R. prior to the approval of the final plat.

Pursuant to Florida Statutes 837.06, whoever knowingly makes a false statement in writing with the intent to mislead a public servant in the performance of his duty shall be guilty of a misdemeanor of the second degree, punishable as provided in FS. 775.082 or FS. 775.083.

		/
STATE OF FLORIDA)	And	MAX
SS:	Signature of Owner:	, , ,
COUNTY OF MIAMI-DADE)	Tangue Cl	Ante
	(Print name & Title here):	ech
BEFORE ME, personally appeared langue	C. White this Bhday of Docember, 20	A.D. and (he/she)
acknowledged to and before me that (he/she) ex	recuted the same for the purposed therein. Personally	known or produce
	n and who did (not) take an oath.	
WITNESS my hand and seal in the County and	tate last aforesaid this 18 th day of Pecen ber	1 , 2024 A.D.
Notary Public State of Florida		la late
Miriam Sabeta My Commission HH 304826	Signature of Notary Public:	pe net a
Expires 8/24/2026	(Print, Type name here: Wirtaw	Sabeta 1
		1111 2010 21
	8/24/26	HH 304826
(NOTARY SEAL)	(Commission Expires)	(Commission Number)
Note: The reverse side of this sheet may be used for a	a statement of additional items you may wish considered.	



LEGAL DESCRIPTION of PARENT TRACT:

Parcel 1: Lots 23 and 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida.

AND

Parcel 2: Lot 24, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida.

LEGAL DESCRIPTION of CUT OUT PARCEL "A":

Lot 22 and the West half of Lot 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida. Said lands containing 10,322.44 Sq.Ft, more or less and lying and being in the NE 1/4 Section 28, Township 53 South, Range 41 East, Miami-Dade County, Florida.

LEGAL DESCRIPTION of CUT OUT PARCEL "B":

Lot 24 and the East half of the Lot 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida. Said lands containing 10,118.88.75 Sq.Ft, more or less and lying and being in the NE 1/4 Section 28, Township 53 South, Range 41 East, Miami-Dade County, Florida.

SURVEYOR CERTIFICATION

I certify that the attached Waiver of Plat, and legal descriptions associated therewith, comply with all applicable requirements of Chapter 28, Subdivision Code of Miami-Dade County, Florida.

Certified this 2nd day of October, A.D., 2024


Odalys C. Bello-Iznaga

Professional Surveyor and Mapper LS6169 State of Florida Bello & Bello Land Surveying Corp LB 7262 12230 SW 131 Avenue, Suite 201, Miami, FL 33186 P: 305.251.9606

- WAIVER OF PLAT -

MAP OF BOUNDARY AND TOPOGRAPHIC SURVEY

A REPLAT OF LOTS 22, 23 AND 24, BLOCK 41, MELROSE HEIGHTS 4TH SECTION, PLAT BOOK 17, PAGE 21, MIAMI-DADE COUNTY, FLORIDA, LYING AND BEING IN THE NE 1/4 OF SECTION 28, TOWNSHIP 53 SOUTH, RANGE 41 EAST, MIAMI-DADE COUNTY, FLORIDA.



A portion of NE 1/4 of Section 28, Township 53 South, Range 41 East, Miami-Dade County, Florida.

Owner of record: Miami-Dade County, Miami-Dade Housing Agency, 665 SW 8th Street, Miami, FL 33130 701 NW 1 Ct 14th Floor. Miami 33136

Contact info/Owner's Rep.:

Dulce Conde. SD Collaborative 11410 N Kendall Drive, Suite 208 Miami. FL 33176 Tel: Office 305 740 6948 Mobile 305 522 4907 email: s@sdcollaborative.com

Surveyor: Odalys C. Bello, PSM. LS#6169 Bello & Bello Land Surveying Corp. 12230 SW 131 Avenue. Suite 201. Miami Florida 33186

Tel: 305-251-9606

email: info@belloland.com. www.bellolandsurveying.com

DEVELOPMENT INFORMATION:

Parent Tract: +/- 20, 510.62 Sq Ft. (+/- 0.47 Ac. - Net) Current Zoning District: RU-2 (Two Family Residential District)

Proposed Use: Two (2) Duplexes (Four (4) Units) Current Number of Parcels: Two (2)

Proposed Number of Parcels:Two (2) Proposed Cut Out Parcel A Net Area: +/- 10, 320,26 Sq Ft Proposed Cut Out Parcel B Net Area: +/- 10, 190.36 Sq.Ft.

Floodplain Information:

As scaled from FEMA Federal Insurance Rate Map (FIRM) of Community No. 120635 (Miami- Dade County Unincorporated Areas), Panel 0311, Suffix L, revised on Sept 11th, 2009, this real property falls in Zone "AE" with Base Flood Elevation 8

Miami-Dade County Flood Criteria Map (as per Miami-Dade County Plat Book 120, Page 13,): ± 7.52 feet (NGVD29)

PROPERTY ADDRESS:

30XX N.W. 33rd Street, Miami, Florida 33142

PARCELS FOLIO No.: Parcel 1: 30-3128-013-0110 Parcel 2: 30-3128-013-0120

LEGAL DESCRIPTION of PARENT TRACT:

Parcel 1: Lots 22 and 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida.

Parcel 2: Lot 24, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida.

LEGAL DESCRIPTION of CUT OUT PARCEL "A":
Lot 22 and the West 25.02 feet of Lot 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida. Said lands containing 10, 320.26 Sq.Ft, more or less and lying and being in the NE 1/4 Section 28, Township 53 South, Range 41 East, Miami-Dade

LEGAL DESCRIPTION of CUT OUT PARCEL "B":

Lot 24 and the East 25.02 feet of Lot 23, Block 41, MELROSE HEIGHTS 4TH SECTION, according to the plat thereof, as recorded in Plat Book 17, Page 21 of the Public Records of Miami-Dade County, Florida. Said lands containing 10, 190.36 Sq.Ft, more or less and lying and being in the NE 1/4 Section 28, Township 53 South, Range 41 East, Miami-Dade

SURVEYOR'S REPORT AND GENERAL NOTES

(Not valid without the attached Survey Map)

I HEREBY CERTIFY TO:

Odalys C. Bello-Iznaga

- Legal Description of parent Tract has been provided by the client.
 References to "Deed", "Record" or "Plat" refer to documents and instruments of record as part of the pertinent information used for this survey work. Measured distances.
- directions and angles along boundary lines are in consistency with corresponding values from records, unless otherwise shown.

 3. These lands are subject to additional restrictions of record that were not furnished to the undersigning registered surveyor. In preparation of this survey I have reviewed and examined the exceptions listed on Schedule B-II listed on certain Commitment for Title Insurance issued by Title Search Report issued by National Title and Abstract Company, Search Number 22-92562, with a search between August 15, 1946, to May 3, 2022 at 2:30 PM.
- 4. North arrow direction is based on an assumed Meridian. Bearings are based on an assumed meridian on a well-established line, said line is being noted as BR on the Survey
- 5. Only above ground improvements are shown herein. Foundations, underground features and utilities have not been located
- Trees shown had been located and measured by the surveyor. Tree identification has not been based on a Certified Arborist Report.
 This Survey Map is intended to be displayed at the scale shown hereon. Data is expressed in U.S. Survey Foot.

That this Waiver Plat and this Survey is accurate and correct to the best of my knowledge and belief.

Digitally signed by Odalys C Bello DN: c=US, o=Bello and Bello Land

Surveying Corp., dnQualifier=A01410C000001884E3B

67E8000DD40A, cn=Odalys C Bello

Professional Surveyor and Mapper LS6169 State of Florida Original Field Work Date: 06/14/2022

Survey Update and Waiver of Plat preparation: 08/07/2024 Survey Update and Waiver of Plat: 09/09/2024
Waiver of Plat Revised: 06/06/2025 (Plat Committee Comments)

Field Work Update (Locate New Fence): 08/21/2025

side of intersection NW 28 Street (70' South of C/L) and NW 27 Avenue (5' West of C/L).

- 8. HORIZONTAL ACCURACY: The accuracy obtained thru redundant measurements and calculations resulted from field occupation of survey points and control monuments, has been found satisfactory for the expected use of and the type of survey produced herein.
- 9. VERTICAL CONTROL AND ACCURACY: The elevations as shown are referred to the National Geodetic Vertical Datum of 1929 (NGVD 1929). The closure in feet, as computed, meets the standard of plus or minus 0.05 feet times the squared root of the loop distance in miles. Elevation are based on a level loop from and to the following official Bench Marks:

Bench Mark # 1: Miami-Dade County Public Works Department Bench Mark N-3031 Flevation = 9.13 feet NGVD'29. A PK nail and brass washer concrete sidewalk. SE come. Bench Mark # 2: Miami-Dade County Public Works Department Bench Mark N-3030 Elevation = 10.18 feet, NGVD/29. A PK nail and brass wasner concrete such as a concrete s

This map Waiver of Plat of the hereon described property is a true and correct representation of a Survey made under my direction and complies with the Standard for Practice Requeriments as Set Forth in Rules 5J-17.051 and 5J-17.052, adopted by Florida Board of Professional Surveyors and Mappers Pursant to Chapter 472.027, Florida Statutes.

LEGEND & ABBREVIATIONS

- = PAVERS
- STONE X = CHAIN LINK FENCE (CLF)

- WM)
- = WATER METER (WM) = CONC. LIGHT POLE (LP)
- ф (6) = WELL
- = STREET SIGN S = SANITARY MANHOLE Õ = DRAINAGE MANHOLE
- Õ = MANHOLE (MH) = FIRE HYDRANT
- = CABLE BOX (CATV) FPL TRANSFORMER = CATCH BASIN OR INLET
- EXISTING ELEVATION = PERMANENT REFERENCE MONUMENT (PRM)
- = PROPERTY CORNER PERMANENT CONTROL POINT (PCP)
- = POINT OF TANGENCY = POINT OF CURVATURE
- = POINT OF COMPOUND CURVE = POINT OF REVERSE CURVE = BENCH MARK = BEARING REFERENCE

- = TEMPORARY BENCH MARK = PROPERTY LINE
- = CENTER LINE
- = CALCULATED
- = FIELD MEASURED
- (P) = PFR PI ΔT
- (R) = RECORD
 PSM = PROFESSIONAL SURVEYOR AND
- A/C = AIR CONDITIONER PAD
- FF ELEV= FINISHED FLOOR ELEVATION (XX-XX) = DENOTES PLAT BOOK XX PAGE
- ORB = OFFICIAL RECORD BOOK
 CBS = CONCRETE BLOCK STRUCTURE
 R/W = RIGHT OF WAY
- = ELEVATION = SECTION = TOWNSHIP
- = RANGE = LATERAL
- ELEV. = ELEVATION
 INV. = INVERT
 N&D = NAIL & DISC

ID SURVEYING E 201 • MIAMI FL 33186 06 • Fax: 305.251.6057

BELLO & BELLO LAND S 12230 SW 131 AVENUE · SUITE 201 LB#7262 · Phone: 305.251.9606 · e-mail: info@belloland.com · www.bell

D-25213

Page 1 of 2


Additions and deletions to this Survey Map are prohibited. This Survey Map and Report are not valid without the signature and original raised seal or without the authenticated electron signature and seal of the undersigning Florida licensed Surveyor and Mapper.

- WAIVER OF PLAT -

MAP OF BOUNDARY AND TOPOGRAPHIC SURVEY

A REPLAT OF LOTS 22, 23 AND 24, BLOCK 41, MELROSE HEIGHTS 4TH SECTION, PLAT BOOK 17, PAGE 21, MIAMI-DADE COUNTY, FLORIDA, LYING AND BEING IN THE NE 1/4 OF SECTION 28, TOWNSHIP 53 SOUTH, RANGE 41 EAST, MIAMI-DADE COUNTY, FLORIDA.





Note: Tree Location Survey has not been performed based on a Certified Arborist Report, Common names and scientific names were determined to the best our knowledge.

TREE CHART						
Tree #	Common Name	Scientific Name	Trunk Diameter at Breast Height DBH(in)(+/-)	Approximate Height (ft)(+/-)	Approximate Canopy (ft)(+/-)	
1	Locust	Robinia pseudoacacia	24	40	30	
2	Locust	Robinia pseudoacacia	15	35	30	
3	Locust	Robinia pseudoacacia	18	30	30	
4	Locust	Robinia pseudoacacia	15	30	25	
5	Locust	Robinia pseudoacacia	18	30	30	
6	Locust	Robinia pseudoacacia	18	30	30	
7	Locust	Robinia pseudoacacia	12	25	20	
8	Locust	Robinia pseudoacacia	15	25	25	
9	Locust	Robinia pseudoacacia	18	30	25	
10	Locust	Robinia pseudoacacia	36	50	50	
11	Palm	Unknown	12	60	10	
12	Palm	Arecaceae	15	25	12	
13	Palm	Arecaceae	12	60	10	
14	Oak	Quercus Virginiana	12	35	25	
15	Ficus	Ficus benjamina	36	50	50	

LEGEND & ABBREVIATIONS

1000000000	=	CONCRETE	(CONC.)
7777	=	CONCRETE	BLOCK	WALL

= COVERED AREA = COVERED AREA = ASPHALT = TILE = PAVERS = STONE

= STONE

— = CHAIN LINK FENCE (CLF)

— = WOOD FENCE (WF)

— — = WOOD FENCE (WF)

— — = OVERHEAD WIRES

— = WATER VALVE (WV)

— = OWER POLE (PP)

WP = GUY ANCHOR

= WATER METER (WH)

= WATER METER (WM)

= CONC. LIGHT POLE (LP)

= WELL

= STREET SIGN
S = SANITARY MANHOLE
D = DRAINAGE MANHOLE

= MANHOLE = CABLE BOX (CATV)

TX = FPL TRANSFORMER

= CATCH BASIN OR INLET = EXISTING ELEVATION

PERMANENT REFERENCE
 MONUMENT (PRM)

= PROPERTY CORNER

PERMANENT CONTROL POINT (PCP)

= POINT OF TANGENCY

PT = POINT OF TANGENCY
PC = POINT OF CURVATURE
PCC = POINT OF COMPOUND CURVE
PRC = POINT OF REVERSE CURVE
BM = BEARING REFERENCE
TBM = TEMPORARY SENCE MARK
PC = ROPERTY LINE
CC = CALCULATED
(M) = FIELD MEASURED
(P) = PER PLAT
(G) = SEFCORD

(R) = RECORD
PSM = PROFESSIONAL SURVEYOR AND
MAPPER
A/C = AIR CONDITIONER PAD

AVC - AIR GOOD THORSE TO THE CONTROL OF THE CONTROL

BELLO & BELLO LAND SURVEYING 12230 SW 131 AVENUE · SUITE 201 · MIAMI FL 33186 LB#7262 · Phone: 305.251.9606 · Fax: 305.251.6057 e-mail: info@belloland.com · www.bellolandsurveying.com

D-25213

Additions and deletions to this Survey Map are prohibited. This Survey Map and Report are not valid without the signature and original raised seal or without the authenticated electronic signature and seal of the undersigning Florida licensed Surveyor and Mapper.

Project No. 25079