



CHECKLIST #0100 FOR THE APPROVAL OF: ASPHALTIC SHINGLES

- Basic Requirements Checklist.
- One set of the manufacturer's 'approval document' including:
 - Details of all sections with dimensions and thickness,
 - Assembly details including all installations conditions,
 - Profile drawings of all shingles submitted for approval,
 - Listing of all products, including manufacturers name used in the system,
 - Detailed installation instructions for each shingle, including valley, hip and ridges, and roof penetration details, and
 - Detail drawings of shingle showing actual dimension and self-adhesive strip placing and size, and installation drawing showing fastener placing and staggering pattern. Both drawings to be part of approval document.
- List of the manufacturing location(s) of product seeking approval.
- One set of manufacturer's design drawings marked and verified by the testing laboratory.

The following current laboratory tests and reports in compliance with protocol TAS 301.

- Physical Properties per ASTM D 3462
- Shingles surfaced with Mineral Granules ASTM D 3018
- Fire Resistance per ASTM E 108
- Wind Uplift Resistance per TAS 107
- Wind and Wind Driven Rain Resistance per TAS 100

Notes:

- 1) If multiple manufacturing locations for the product being approved are to be included in the approval document, then testing must be performed and submitted for the manufactured product from each location.

