



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786)315-2590 F (786) 31525-99

www.miamidade.gov/economy

SOPREMA, Inc.
310 Quadral Drive
Wadsworth, OH 44281

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (in Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: SOPREMA Liquid Applied Roofing Membranes and Accessories

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5.

The submitted documentation was reviewed by Jorge L. Acebo.



NOA No.: 20-0908.05
Expiration Date: 08/04/27
Approval Date: 08/04/22
Page 1 of 5

ROOFING COMPONENT APPROVAL

<u>Category:</u>	Roofing
<u>Sub-Category:</u>	Roofing Membranes and Accessories
<u>Material:</u>	Liquid Applied Roofing

SCOPE:

This approves SOPREMA Liquid Applied Roofing Membranes and Accessories as roofing components, as described in this Notice of Acceptance, designed to comply with the Florida Building Code and the High Velocity Hurricanes Zone. Please refer to "Limitations" herein for limits of use.

PRODUCT DESCRIPTION:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
ALSAN RS 230 Field <i>Manufacturing location #1, 11</i>	Various	Proprietary	A two component, rapid curing, PMMA liquid membrane.
ALSAN TRAFIK RS 730 FIELD <i>Manufacturing location #1, 11</i>	Various	Proprietary	A two component, rapid curing, PMMA liquid membrane.
ALSAN RS 230 Flash <i>Manufacturing location #1, 11</i>	Various	Proprietary	A two component, rapid curing, PMMA liquid membrane.
ALSAN RS 730 FLASH <i>Manufacturing location #1, 11</i>	Various	Proprietary	A two component, rapid curing, PMMA liquid membrane.
ALSAN RS 260 LO FIELD <i>Manufacturing location #1, 11</i>	Various	Proprietary	Low odor, rapid curing, PMMA liquid membrane.
ALSAN RS 260 LO FLASH <i>Manufacturing location #1, 11</i>	Various	Proprietary	Low odor, rapid curing, PMMA liquid membrane.
COLPHENE H <i>Manufacturing location #2</i>	35 lbs. boxes	CGSB 37.50-M89	Single component hot-applied rubberized asphalt compound for reinforced or non-reinforced applications.
COLPHENE H-EV <i>Manufacturing location #3</i>	35 lbs. boxes	CGSB 37.50-M89	Single component hot-applied rubberized asphalt compound for reinforced or non-reinforced applications.
COLPHENE LM BARR <i>Manufacturing location #4</i>	5 gallon pail	ASTM C836	Single component, moisture curing elastomeric waterproofing membrane.
COLPHENE LM BARR Spray <i>Manufacturing location #4</i>	5 gallon pail	ASTM C836	Single component, moisture curing elastomeric waterproofing membrane.



LIQUID APPLIED ROOFING ACCESSORIES:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
ALSAN RS 222 Primer <i>Manufacturing location #1, 11</i>	Various	Proprietary	Two-component, rapid curing PMMA acrylic primer
ALSAN RS 233 Self-Leveling Mortar <i>Manufacturing location #1, 5, 11</i>	Various	Proprietary	Two-component surfacing composed of Alsan RS 223 Powder and Alsan RS 210 Low Odor Resin.
ALSAN RS 276 Primer <i>Manufacturing location #1, 11</i>	Various	Proprietary	Two-component, rapid curing PMMA acrylic primer
POLYFLEECE <i>Manufacturing location #12</i>	Various	Proprietary	Proprietary weave polyester reinforcement
ALSAN RS 281 Finish <i>Manufacturing location #1, 11</i>	Various	Proprietary	Two-component, rapid curing, PMMA acrylic clear finish resin.
ALSAN RS 287 Color Finish Base <i>Manufacturing location #1, 11</i>	Various	Proprietary	Rapid curing, PMMA base resin.
ALSAN RS 289 Textured Base <i>Manufacturing location #1, 11</i>	Various	Proprietary	Rapid curing, PMMA aggregated trafficable surface finish resin.
ALSAN Coating AC 401 <i>Manufacturing location #13</i>	Various	Proprietary	Single component, plasticizer-free, water-based, acrylic elastomeric roof coating and protective barrier
ALSAN RS Deco Chips <i>Manufacturing location #6</i>	Various	Proprietary	Polymer flat, pigmented, flakes used as a textured and decorative surfacing finish.
ALSAN RS Fleece <i>Manufacturing location #7, 10</i>	Various	Proprietary	Non-woven, needle-punched polyester fabric reinforcement used as fabric reinforcement in Alsan RS systems
VAPORTIGHT COAT-SG2 <i>Manufacturing location #14</i>	Various	Proprietary	Vapor Barrier Coating
VAPORTIGHT COAT-SG3 <i>Manufacturing location #14</i>	Various	Proprietary	Vapor Barrier Coating
VAPORTIGHT COAT-SG4 <i>Manufacturing location #14</i>	Various	Proprietary	Vapor Barrier Coating
SOPRADRAIN ECO-2 <i>Manufacturing location #8</i>	39" x 61.5" (2 sq.)	Proprietary	Polypropylene roof drain.
Sopraflash-R <i>Manufacturing location #9</i>	36" x 180'	Proprietary	A polyester/nylon composite mat.
ALSAN RS Paste <i>Manufacturing location #1</i>	Various	Proprietary	Rapid-setting PMMA heavy paste
ALSAN RS Detailer <i>Manufacturing location #1</i>	Various	Proprietary	Micro-fiber enhanced rapid-setting PMMA flashing resin



MANUFACTURING LOCATION:

1. Drummondville, CA
2. Chandler, AZ
3. Chicago, IL
4. Schoolcraft, MI
5. New Rochelle, NY
6. Pine Brook, NJ
7. Charlotte, NC
8. Cleveland, OH
9. Enka, NC
10. Quebec, CA
11. Wadsworth, OH
12. Fort Mill, SC
13. Houston, TX
14. Elkton, MD

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
NEMO ETC LLC	4S-SOP-18-002.02.19	Physical Properties	02/04/19
	4p-SOP-19-SSLAP-04.A	Physical Properties	11/06/19
	4p-SOP-20-SSLAP-03.C	Physical Properties	03/09/21
	4m-SOP-19-SSWRB-01.A	Physical Properties	03/04/20
Trinity ERD	SOPC-S42600.08.15-R2	Physical Properties	08/03/15
	SC5490.04.14-2	CGSB 37.50-M89	04/01/14
	SC6780.09.14	Physical Properties	09/08/14
Momentum Technologies International	TX17D4A	CGSB-37.50-M89	06/18/15
PRI Construction Materials Technologies, LLC	SOP-136-02-02	ASTM C836	06/19/18
	SOP-071-02-01	Physical Properties	02/12/16
	EVST-003-02-01	ASTM D6083	07/12/19
	817T0002	ASTM C836	08/21/19
UL LLC	R11436	UL 790	06/09/22



LABELING:

All membranes and accessories or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city and state of manufacturing facility, and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. SOPREMA Liquid Applied Roofing Membranes and Accessories are designed for use as specified within approved roofing system NOA assemblies.
3. This acceptance establishes the required physical properties testing and traceability of roofing membrane and accessory components listed in approved roofing applications. Minimum deck requirements shall be in compliance with applicable building code. SOPREMA Liquid Applied Roofing Membranes and Accessories shall be installed in strict compliance with applicable Building Codes, Product Approvals and Manufacturers' specifications and guidelines.
4. Change in materials or manufacturing process or location of any of the products listed herein shall be cause for termination of this Notice of Acceptance.
5. SOPREMA Liquid Applied Roofing Membranes and Accessories may be used with any approved Roof Assembly Notice of Acceptance listing SOPREMA Liquid Applied Roofing Membranes and Accessories as a component part of an assembly in the Notice of Acceptance. If SOPREMA Liquid Applied Roofing Membranes and Accessories are not listed; a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.
6. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

END OF THIS ACCEPTANCE

