



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Viva Railing, LLC
151 W. Vista Ridge Mall Dr.
Lewisville, TX 75067

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Viva Glass Railing SHOE System - LMI

APPROVAL DOCUMENT: Drawing No. Phase No:1, titled "NOA for Shoe Glass Railing", sheets 1 through 4 of 4, prepared by Viva Railings, LLC, signed and sealed by Venkata P. Nadakuditi, P.E., on April 22, 2026, bearing Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and the approval date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. The structural adequacy of the supporting structures is not part of this approval & shall be reviewed by the corresponding Building Dept.

This NOA consists of this page 1, evidence submitted page E-1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Helmy A. Makar, P.E., M.S.**



Helmy A. Makar
04/30/2026

NOA No. 23-0830.02
Expiration Date: 04/30/2031
Approval Date: 04/30/2026

Viva Railing, LLC

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. *Drawing No. Phase No:1, titled “ NOA for Shoe Glass Railing ”, sheets 1 through 4 of 4, prepared by Viva Railings, LLC, signed and sealed by Venkata P. Nadakuditi, P.E., on April 22, 2026.*

B. TESTS

1. *Test Report No. 29502.01-106-23-R1, by Molimo Architectural Product Testing, revision 2 dated 11/14/2025, per TAS 202-94, TAS 201-94, Distributed Loads @ 50 lb/ft, Concentrated Loads @ 200 lb, and ANSI Z97.1, on 1” Lami Glass w/0.060 SGP, report signed and sealed by Michael D. Stremmel, P.E.*
2. *Test Report No. 29502.02-106-23-R1, by Molimo Architectural Product Testing, revision 2 dated 11/14/2025, per TAS 202-94, TAS 201-94, Distributed Loads @ 50 lb/ft, Concentrated Loads @ 200 lb, and ANSI Z97.1, on 3/4” Lami Glass w/0.060 SGP, report signed and sealed by Michael D. Stremmel, P.E.*

C. CALCULATIONS

1. *Calculation titled “Design calculations for Shoe Glass Railing Systems for NOA”, 26 sheets, dated 08/25/2025, prepared by Viva Railings, LLC, signed and sealed by Venkata P. Nadakuditi, P.E., on 09/01/2025.*

D. QUALITY ASSURANCE

1. *By Miami-Dade County Department of Regulatory and Economic Resources.*

E. MATERIAL CERTIFICATIONS

1. *None.*

F. OTHERS

1. *Florida Building Code, 2023 Edition, compliance letter, dated 06/29/2023, prepared by Viva Railings, LLC, signed and sealed by Venkata P. Nadakuditi, P.E., on 06/29/2023.*



Helmy A. Makar, P.E., M.S.
Product Control Section Supervisor
NOA No. 23-0830.02
Expiration Date: 04/30/2031
Approval Date: 04/30/2026



PROJECT: NOA FOR SHOE GLASS RAILING		DESCRIPTION: NOA DOCUMENTATION FOR FLORIDA STATE	
LOCATION: FLORIDA		CLIENT NAME: MIAMI DADE COUNTY	
DATE DRAWN: 06/07/24			
DRAWN BY: CS		CHECKED BY: VPN	
PROJECT NUMBER: ---			
PHASE NO: 1			
SHEET NUMBER: 1 OF 4			



VIVA RAILINGS, LLC
431 W. ASTOR BLVD. SUITE 100
LEWISVILLE, TX 75057
P: 972-355-8813
F: 972-355-8813
www.vivarailings.com


REV. DATE: BY: INTERNAL REVISION:

REV. DATE: BY: EXTERNAL REVISION:

PROJECT:	NOA FOR SHOE GLASS RAILING
DESCRIPTION:	NOA DOCUMENTATION FOR FLORIDA STATE
LOCATION:	FLORIDA
CLIENT NAME:	MIAMI DADE COUNTY
DATE DRAWN:	06/07/24
DRAWN BY:	CS
CHECK'D BY:	VPN
PROJECT NUMBER:	1
PHASE NO.1	
SHEET NUMBER:	2 OF 4


VIVA SHOE RAILING, TOP OF SLAB - 3/4" & 1" HEAT STRENGTHENED LAMINATED WITH 0.060" SENTRY GLASS

ELEVATION VIEW




3/4" LAMINATED GLASS
WELDED

DETAILED VIEW





ELEVATION VIEW



1" LAMINATED GLASS
WELDED

DETAILED VIEW



DATE : 04/22/2026
EXP. DATE : 02/28/2027


Approved as complying with the
Florida Building Code
Date 04/30/2026
NOA# 23-0830.02
Miami Dade Product Control
By H. A. Mohr

BILL OF MATERIALS (3/4" THK. GLASS)

ITEM #	PROFILE	DESCRIPTION	MATERIAL	MANUFACTURERS
1	SE-76.2TD-V1	BASE SHOE	ALUM. 6063 T6	VIVA RAILINGS, LLC
2	SE-ARM200-V1	SUPPORT ARM	ALUM. 6063 T6	VIVA RAILINGS, LLC
3	CL800LO	ALUMINUM EXTRUDED CLADDING	ALUM. 6063 T6	VIVA RAILINGS, LLC
4	SE-GA19	SWIVEL GASKET	REINFORCED NYLON	VIVA RAILINGS, LLC
5	SE-LS19	'L' SHIM	REINFORCED NYLON	VIVA RAILINGS, LLC
6	GA-19SH	EDGE GASKET	EPDM	VIVA RAILINGS, LLC
7	CR120DC	'U' CAP	SS304/SS316	VIVA RAILINGS, LLC
8	GAEP120U	U'-CAP GASKET	EPDM	VIVA RAILINGS, LLC
9	WP115SH-V1	WELD BLOCK	SS304/SS316	VIVA RAILINGS, LLC
10	EC01WC-V1	WALL ATTACHMENT END CAP	SS304/SS316	VIVA RAILINGS, LLC
16	FM8X25SS	M8X25mm-1.25mm SET OF SCREW	SS304/SS316	VIVA RAILINGS, LLC
17	FM8NUT	NUT FOR M8	SS304/SS316	VIVA RAILINGS, LLC


Approved as complying with the
 Florida Building Code
 Date 04/30/2026
 NOA# 23-0830.02
 Miami Dade Product Control

By Helga A. Malar




Lawrence


DATE : 04/22/2026
 EXP. DATE : 02/28/2027




① BASE SHOE 144" LONG
 SE-76.2TD-V1 ALUM-6063-T6




② SUPPORT ARM 144" LONG
 SE-ARM200-V1 ALUM-6063-T6




③ ALUMINUM EXTRUDED CLADDING
 CL800LO ALUM-6063-T6




④ SWIVEL GASKET 144" LONG
 SE-GA19 NYLON




⑤ 'L' SHIM 4" LONG
 SE-LS19 NYLON




⑥ EDGE GASKET
 GA-25SH EPDM




⑦ 'U' CAP 144" LONG
 CR120DC SS304/SS316




⑧ 'U' CAP GASKET
 GAEP120U EPDM




⑨ WELD BLOCK
 WP115SH-V1 SS304/SS316



⑩ WALL ATTACHMENT END CAP
 EC01WC-V1 SS304/SS316



⑩ M8X25mm-1.25mm SET OF SCREW
 FM8X25SS SS304/SS316



⑪ M8 NUT
 FM8NUT SS304/SS316




VIVA RAILINGS, LLC
 151 W. VISTA RIDGE PALM DR.
 LEWISVILLE, TX 75067
 P: 972-353-0613
 F: 972-353-0613
 www.vivairailings.com

REV. DATE: BY: INTERNAL REVISION:

REV. DATE: BY: EXTERNAL REVISION:

PROJECT: NOA FOR SHOE GLASS RAILING
 LOCATION: FLORIDA
 DESCRIPTION: NOA DOCUMENTATION FOR FLORIDA STATE
 CLIENT NAME: VIVA RAILINGS
 MIAMI DADE COUNTY
 DATE DRAWN: 06/07/24
 DRAWN BY: CS
 CHECKED BY: VPN
 PROJECT NUMBER: 1
 PHASE NO: 1
 SHEET NUMBER: 3 OF 4

ITEM #	PROFILE	DESCRIPTION	MATERIAL	MANUFACTURERS
1	SE-76.2TD-V1	BASE SHOE	ALUM. 6063 T6	VIVA RAILINGS, LLC
2	SE-ARM200-V1	SUPPORT ARM	ALUM. 6063 T6	VIVA RAILINGS, LLC
3	CL800LO	ALUMINUM EXTRUDED CLADDING	ALUM. 6063 T6	VIVA RAILINGS, LLC
9	WP115SH-V1	WELD BLOCK	SS304/SS316	VIVA RAILINGS, LLC
10	EC01WC-V1	WALL ATTACHMENT END CAP	SS304/SS316	VIVA RAILINGS, LLC
11	SE-GA25	SWIVEL GASKET	REINFORCED NYLON	VIVA RAILINGS, LLC
12	SE-LS25	'L' SHIM	REINFORCED NYLON	VIVA RAILINGS, LLC
13	GA-25SH	EDGE GASKET	EPDM	VIVA RAILINGS, LLC
14	CR121DC	'U' CAP	SS304/SS316	VIVA RAILINGS, LLC
15	GAEP01	'U' CAP GASKET	EPDM	VIVA RAILINGS, LLC
16	FM8X25SS	M8X25mm-1.25mm SET OF SCREW	SS304/SS316	VIVA RAILINGS, LLC
17	FM8NUT	NUT FOR M8	SS304/SS316	VIVA RAILINGS, LLC




Pavan m.




REV	DATE:	BY:	EXTERNAL REVISION:	REV	DATE:	BY:	INTERNAL REVISION:
	11-11-11	1			11-11-11	1	
1	11-11-11	1			11-11-11	1	
2	11-11-11	1			11-11-11	1	
3	11-11-11	1			11-11-11	1	
4	11-11-11	1			11-11-11	1	
5	11-11-11	1			11-11-11	1	
6	11-11-11	1			11-11-11	1	
7	11-11-11	1			11-11-11	1	
8	11-11-11	1			11-11-11	1	
9	11-11-11	1			11-11-11	1	
10	11-11-11	1			11-11-11	1	
11	11-11-11	1			11-11-11	1	
12	11-11-11	1			11-11-11	1	
13	11-11-11	1			11-11-11	1	
14	11-11-11	1			11-11-11	1	
15	11-11-11	1			11-11-11	1	
16	11-11-11	1			11-11-11	1	
17	11-11-11	1			11-11-11	1	
18	11-11-11	1			11-11-11	1	
19	11-11-11	1			11-11-11	1	
20	11-11-11	1			11-11-11	1	
21	11-11-11	1			11-11-11	1	
22	11-11-11	1			11-11-11	1	
23	11-11-11	1			11-11-11	1	
24	11-11-11	1			11-11-11	1	
25	11-11-11	1			11-11-11	1	
26	11-11-11	1			11-11-11	1	
27	11-11-11	1			11-11-11	1	
28	11-11-11	1			11-11-11	1	
29	11-11-11	1			11-11-11	1	
30	11-11-11	1			11-11-11	1	
31	11-11-11	1			11-11-11	1	
32	11-11-11	1			11-11-11	1	
33	11-11-11	1			11-11-11	1	
34	11-11-11	1			11-11-11	1	
35	11-11-11	1			11-11-11	1	
36	11-11-11	1			11-11-11	1	
37	11-11-11	1			11-11-11	1	
38	11-11-11	1			11-11-11	1	
39	11-11-11	1			11-11-11	1	
40	11-11-11	1			11-11-11	1	
41	11-11-11	1			11-11-11	1	
42	11-11-11	1			11-11-11	1	
43	11-11-11	1			11-11-11	1	
44	11-11-11	1			11-11-11	1	
45	11-11-11	1			11-11-11	1	
46	11-11-11	1			11-11-11	1	
47	11-11-11	1			11-11-11	1	
48	11-11-11	1			11-11-11	1	
49	11-11-11	1			11-11-11	1	
50	11-11-11	1			11-11-11	1	
51	11-11-11	1			11-11-11	1	
52	11-11-11	1			11-11-11	1	
53	11-11-11	1			11-11-11	1	
54	11-11-11	1			11-11-11	1	
55	11-11-11	1			11-11-11	1	</


PROJECT: NOA FOR SHOE GLASS RAILING		DESCRIPTION: NOA DOCUMENTATION FOR FLORIDA STATE	
DATE DRAWN: 06/07/24		LOCATION: FLORIDA	CLIENT NAME: MIAMI DADE COUNTY
DRAWN BY: CS	CHKCD BY: VPN		
PROJECT NUMBER: -			
PHASE NO: 1			
SHEET NUMBER: 4 OF 4			




①	BASE SHOE	144" LONG
	SE-76.2TD-V1	ALUM-6063-T6




② **SUPPORT ARM** 144" LONG
SE-ARM200-V1 ALUM-6063-T6




③ ALUMINUM EXTRUDED CLADDING
CL800LO ALUM-6063-T6




11 SWIVEL GASKET 144" LONG
SE-GA25 NYLON




12 'L' SHIM 4" LONG
SE-LS25 NYLON




13	EDGE GASKET	
	GA-25SH	EPDM




14 'U' CAP 144" LONG
CR121DC SS304/SS316




15 'U' CAP GASKET
GAEP01 EPDM




⑨ **WELD BLOCK**
WP115SH-V1 SS304/SS316



10 WALL ATTACHMENT END CAP
EC01WC-V1 SS304/SS316



16 M8X25mm-1.25mm SET OF SCREW
FM8X25SS SS304/SS316



17	M8 NUT	
	FM8NUT	SS304/SS316