

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)

BOARD AND CODE ADMINISTRATION DIVISION

PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599 www.miamidade.gov/economy

MIAMI-DADE COUNTY

NOTICE OF ACCEPTANCE (NOA)

Roatan Mahogany USA, Inc. 7005 N. Waterway Drive, Ste. 302 **Miami, FL 33155**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "Swietenia Direct Set" Wood Fixed Window - L.M.I.

APPROVAL DOCUMENT: Drawing No. 23-161, titled "Swietenia Series Window - Storefront / Direct Set Window", sheets 1 through 5 of 5, dated 09/07/23, prepared by PPMF Inc., signed and sealed by Pedro M. De Figueiredo, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA No. 23-0928.32 and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by Manuel Perez, P.E.

MIAMI-DADE COUNTY

NOA No. 24-1202.03 **Expiration Date: January 23, 2030** Approval Date: December 19, 2024 Page 1

Roatan Mahogany USA, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's

A. DRAWINGS

- 1. Manufacturer's die drawings and sections. (Submitted under NOA No. 19-1210.03)
- 2. Drawing No. 23-161, titled "Swietenia Series Window Storefront / Direct Set Window", sheets 1 through 5 of 5, dated, dated 09/07/23, prepared by PPMF Inc., signed and sealed by Pedro M. De Figueiredo, P.E. (Submitted under NOA No. 23-0928.32)

B. TESTS

- 1. Test reports on: 1) Air Infiltration Test, per FBC TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94
 - 7) Drop Test (400 ft-lb), per FBC 1618.4.6.3, and ANSI Z97.1.

along with marked-up drawings and installation diagram of a series "Swietenia" wood fixed window, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **10736**, dated 09/17/19, signed and sealed by Idalmis Ortega, P.E. (Submitted under NOA No. 19-1210.03)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC 6th Edition (2017), dated 11/14/19, prepared by PPMF, Inc., signed and sealed by Pedro M. De Figueiredo, P.E.

(Submitted under NOA No. 19-1210.03)

2. Glazing complies with ASTM E1300-09/12.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 23-0523.01 issued to Polymer Extrusion Technology, Inc. dba Glasslam for their "Glasslam Safety-Plus II Glass Interlayer" dated 06/15/23, expiring on 08/07/28.

Manuel Perez, P.E. Product Control Examiner NOA No. 24-1202.03

Expiration Date: January 23, 2030 Approval Date: December 19, 2024

Roatan Mahogany USA, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS NOA'S (CONTINUED)

F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 8th Edition (2023)**, and of no financial interest, dated September 07, 2023, issued by PPMF Inc., signed and sealed by Pedro M. De Figueiredo, P.E.

(Submitted under NOA No. 23-0928.32)

G. OTHERS

1. Notice of Acceptance No. **20-1013.16**, issued to Roatan Mahogany USA, Inc. for their Series "Swietenia Direct Set" Wood Fixed Window – L.M.I., approved on 01/07/21 and expiring on 01/23/25.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 24-1202.03

Expiration Date: January 23, 2030 Approval Date: December 19, 2024

Roatan Mahogany USA, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. NEW EVIDENCE SUBMITTED

A. DRAWINGS

1. None.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 24-0611.06 issued to Polymer Extrusion Technology, Inc. dba Glasslam for their "Glasslam Safety-Plus II Glass Interlayer" dated 07/05/24, expiring on 08/07/28.

F. STATEMENTS

- 1. Statement letter of conformance, complying with **FBC 8th Edition (2023)**, and of no financial interest, dated November 29, 2024, issued by PPMF Inc., signed and sealed by Pedro M. De Figueiredo, P.E.
- 2. Letter from manufacturer stating that the product has not changed, dated November 27, 2024, signed by Robert de Leon, President, Roatan Mahogany USA, Inc.

G. OTHERS

1. Notice of Acceptance No. 23-0928.32, issued to Roatan Mahogany USA, Inc. for their Series "Swietenia Direct Set" Wood Fixed Window – L.M.I., approved on 11/16/3 and expiring on 01/23/25.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 24-1202.03
Expiration Date: January 23, 2030

Approval Date: December 19, 2024

GENERAL NOTES:

FLORIDA BUILDING CODE 2023 - 8th EDITION - HVHZ LARGE # SMALL MISSILE IMPACT RATED

- I DEFINITION: THIS PRODUCT IS A FIXED MAHOGANY WINDOW; DESIGNED, CONTRUCTED AND ERECTED TO ENCLOSE AN AREA, PROVIDING PROTECTION FROM HURRICANE FORCE WINDS WITHIN THE ALLOWABLE DESIGNED PRESSURES AND LIMITATIONS STATED IN THIS APPROVAL.
- 2- CODE: THIS PRODUCT HAS BEEN TESTED AND DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE, HIGH VELOCITY HURRICANE ZONES (HVHZ).
- 3- POSTING: A PERMANENT LEGIBLE DECAL SHALL BE PLACED AT A READILY VISIBLE LOCATION STATING THE FOLLOWING:

"ROATAN MAHOGANY USA, INC .- MIAMI - FLORIDA LARGE MISSILE IMPACT RESISTANT SWIETENIA SERIES STOREFRONT / DIRECT SET WINDOW MIAMI-DADE COUNTY PRODUCT APPROVED"

- 4- LOADS: DESIGNED LOAD CALCULATED BASED ON THE ASCE 7-22 AND PROVIDED BY A PROFESSIONAL ARCHITECT OR ENGINEER FOR EACH SPECIFIC PROJECT. THE CALCULATED DESIGNED PRESSURE MUST NOT EXCEED THE ALLOWABLE PRESSURES HERE IN SPECIFIED. THE DESIGN PRESSURES, AS DETERMINED FROM ASCE 7-22, ARE TO BE MULTIPLE BY 0.6.
- 5- MATERIAL: ALL WOOD MATERIAL TO BE FABRICATED FROM KILN DRIED MAHOGANY OR AS NOTED.
- 6- FASTENERS: ASSEMBLY SCREWS AND ANCHORS SHALL BE AS SPECIFIED IN THE CURRENT SET OF DRAWINGS. INSTALLATION AND LOADS AS PER THIS APPROVAL.
- 7- USE: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. ARCHITECT OR ENGINEER OF RECORD TO VERIFY THE FOLLOWING: 7.1- THE STABILITY OF THE STRUCTURE WHERE THE SHUTTER IS TO
- BE ATTACHED INSURING PROPER ANCHORAGE. 7.2- THE SITE SPECIFIC PROJECT CRITERIA, SUCH AS BUT NOT LIMITED TO, WINDLOADS, LOCAL CODE REQUIREMENTS, DESIGNED PRESSURES ETC.
- 7.3- THAT THIS APPROVAL IS ADEQUATE TO THE SPECIFIC PROJECT.

TABLE OF CONTENTS:

SHEET	CONTENTS		
I OF 5	TYPICAL ELEVATIONS, DESIGN RATING, GENERAL NOTES		
2 OF 5	TYPICAL CROSS SECTIONS, CONFIGURATIONS		
3 OF 5	TYPICAL FRAME ANCHORAGE		
4 OF 5	OF 5 PRODUCT COMPONENTS AND BILL OF MATERIALS GLAZING OPTIONS		
5 OF 5	2X6 AND TX6 WOOD BUCK DESIGN		

TYPICAL ELEVATIONS

PRODUCT RENEWED as complying with the Florida Building Code NOA-No. 24-1202-03


Expiration Date: 01/23/2030

By: Manuel Peres Miami-Dade Product Control

DESIGNED PRESSURE RATING $Pd = \pm 70 PSF$

MAXIMUM FRAME SIZES FINISHED WIDTH: FW= 63 1/2" FINISHED HEIGHT: FH= 123 1/2"





LEGEND FH - FINISHED HEIGHT FW - FINISHED WIDTH DLO- DAY LIGHT OPENING

WOOD TYPE: VERNACULAR NAME: GENUINE MAHOGANY SCIENTIFIC NAME: SWIETENIA MACROPHYLLA G. KING FAMILY: MELIACEAE MINIMUM SPECIFIC GRAVITY: 0.45

** WOOD SPECIES WITH GREATER OR EQUAL SPECIFIC GRAVITY THAN 0.45 ARE ACCEPTABLE AS ALTERNATE DOOR MATERIAL

GLASS TYPE (SEE SHEET 4 OF 5): TYPE G I - 9/16" LAMINATED LARGE MISSILE IMPACT TYPE G2 - I 3/16" IG LAMINATED LARGE MISSILE IMPACT

MIAMI-DADE BCCO:

PRODUCT REVISED As complying with the Florida Building Code 23-0928.32 NOA-No. Expiration Date: 01/23/2025

Manuel Jeres

Miami-Dade Product Control

SCALE: NA DATE: 09/07/2023 DRAWING # 23-161

A SERIES WINDOW SET

ENGINEERING SERVICES - CA 3245E 9715 W. BROWARD BLVD. PLANTATION, FL 33324 PPMF@AOL.COM ENGINE

PRODUCT CATEGORY: WINDO PRODUCT MATERIAL: WOOD, IMPACT RATING: LARGE # SM SWIETENIA SERII STOREFRONT / DIRECT S

MAHOGANY USA INC. 7005 N. WATERWAY DR. 302 MIAMI FLORIDA 33155 ROATAN

SHEET 1 OF 5

SEE SHEET 3 FOR ANCHORAGE OPTIONS

GL1 DR GL2

SEE SHEET 3 FOR ANCHORAGE OPTIONS

(69)

EXTERIOR


HEIGHT

FRAME

Ë

DL0-

2 4



OPTIONAL CONFIGURATIONS No. 52609 TO RIDE PE 52609 09/07/2023 2 $\binom{2}{2}$ $\binom{2}{2}$

PRODUCT RENEWED as complying with the Florida Building Code

NOA-No.

Expiration Date: 01/23/2030 By: Manuel Peres

Miami-Dade Product Control

MAXIMUM FRAME SIZES SHALL NOT EXCEED SHORT DIMENSION: A= 63 1/2" LARGE DIMENSION: B= 123 1/2"

PRODUCT REVISED
As complying with the Florida
Building Code 23-0928.32 NOA-No.

Expiration Date: 01/23/2025

Miami-Dade Product Control

By: Manuel Perez

engineering Services - ca 32459 97 I S W. BROWARD BLVD. PLANTATION, FL 33324 PPMF@AOL.COM ENGINEER

PRODUCT CATEGORY: WINDOWS - FIXED
PRODUCT MATERIAL: WOOD / GLASS
IMPACT RATING: LARGE & SMALL MISSILE
SWIETENIA SERIES WINDOW
STOREFRONT / DIRECT SET WINDOW


ROATAN MAHOGANY USA INC. 7005 N. WATERWAY DR. 302 MIAMI FLORIDA 33155

SCALE: NA DATE:


09/07/2023 DRAWING #

> 23-161 SHEET 2 OF 5


TYPICAL FRAME ANCHORAGE



TYPICAL ELEVATIONS ANCHORAGE LAY-OUT



Pedro De Figuriredo ? No. 52609 09/07/2023 STATE OF CORIDA ORIVERSON OR INC. SOUND ONAL VIOLENCE



SUBSTRATE: MASONRY OR CONCRETE 1/4" TAPCONS BY ITW BUILDEX SECURING FRAME INTO SUBSTRATE WITH MAXIMUM 1/4" SHIM THROUGH 1X

1 1/4" MIN. EMBEDMENT INTO HOLLOW MASONRY (JAMBS) 1 3/4" INTO 3000 PSI CONCRETE (JAMBS, HEADER & SILL)

SUBSTRATE: MINIMUM 1/8" METAL STRUCTURES 1/4"-20 PFH SDS GR 5 SECURING FRAME INTO SUBSTRATE WITH MAXIMUM 1/4" SHIM THROUGH 1X

MIN. 3 TREADS PENETRATION INTO 1/8" A36 STEEL OR 1/8" 6063-T6 ALUMINUM

SUBSTRATE: WOOD WITH MINIMUM SG=0.55 1/4" TAPCONS BY ITW BUILDEX SECURING FRAME INTO SUBSTRATE W/ MAXIMUM 1/4" SHIM THROUGH 1X

I 1/2" MIN. EMBEDMENT INTO WOOD OR

I 1/2" MIN. EMBEDMENT INTO WOOD STRUCTURES

(REFER TO ELEVATIONS FOR ANCHORS QTY, AND LAY-OUT)

MIAMI-DADE BCCO:

PRODUCT RENEWED as complying with the Florida Building Code

24-1202.03 NOA-No. Expiration Date: 01/23/2030

Miami-Dade Product Control

PRODUCT REVISED As complying with the Florida Building Code

23-0928.32 NOA-No. Expiration Date: 01/23/2025

Miami-Dade Product Control

By: Manuel Jeres

SCALE: NA DATE: SHEET

SET

CATEGORY: WINDOWS - FIXED
MATERIAL: WOOD / GLASS
ATING: LARGE & SMALL MISSILE
TENIA SERIES WINDOW PRODUCT CATEGORY: WINDC PRODUCT MATERIAL: WOOD, IMPACT RATING: LARGE \$ SM SWIETENIA SERIE STOREFRONT / DIRECT \$

ENGINEERING SERVICES - CA 32459 97 I S W. BROWARD BLVD. PLANTATION, FL 33324 PPMF@AOL.COM ENGINEER

MAHOGANY USA INC. 7005 N. WATERWAY DR. 302 MIAMI FLORIDA 33155

ROATAN

09/07/2023


DRAWING # 23-161

3 OF 5


PRODUCT COMPONENTS AND BILL OF MATERIALS

FRAME PARTS 14 UN-


I - JAMBS AND HEADER



3- INTERIOR GLAZING STOP




4- EXTERIOR GLAZING STOP JAMBS AND HEADER



5- EXTERIOR GLAZING STOP SILL

TYPICAL CORNER FRAMING CONSTRUCTION




NOTE: AFTER FRAMING ASSEMBLAGE


ALL JOINTS ARE TO BE SEALED

WITH DOW 995 SILICONE.

GLAZING OPTIONS



GLI-9/16" IMPACT GLASS COMPOSED OF: 1/4" HS OUTER LITE O. I O" GLASSLAM SAFETY PLUS II INTERLAYER 1/4" HS INNER LITE MINIMUM GLAZING BITE: 3/4"



GL2- I 3/16" IG IMPACT GLASS COMPOSED OF: 1/4" FULLY TEMPERED OUTER LITE 3/8" AIR SPACE WITH LAMATEK SIR SPACER 9/16" LAMINATED GI LAMINATED GLAZING MINIMUM GLAZING BITE: 3/4"

BILL OF MATERIALS

ITEM#	DESCRIPTION	SIZE	REMARKS
1	JAMBS AND HEADER FRAMING	1.75" X 5.50"	** MAHOGANY
2	SILL FRAMING	1.75" X 5.50"	** MAHOGANY
3	INTERIOR GLAZING STOP	1.25" X O.50"	** MAHOGANY
4	EXTERIOR GLAZING STOP	1.00" X 1.00"	** MAHOGANY
5	EXTERIOR GLAZING STOP SILL	1.00" X 1.00"	** MAHOGANY
6	GLAZING TAPE		LAMATEK
7	STRUCTURAL SILICONE		DOW 995
8	BRAD NAILS	18GA X 2"	
GLI	1 3/16" IG IMPACT GLASS	60.5" X 120.5"	GLASSLAM INTERLAYER
GL2	9/16" IMPACT GLASS	60.5" X 120.5"	GLASSLAM INTERLAYER

7- DOW 995 SILICONE

6- 1/8" X 3/8" LAMATEK GLAZING TAPE

8- 18GAX2" BRAD NAILS SPACED AT 3"OC

** GENUINE MAHOGANY, SWIETENIA MACROPHYLLA G. KING OR EQUIVALENT WITH MINIMUM 0.45 5G

PRODUCT RENEWED as complying with the Florida Building Code NOA-No. 24-1202.03

Expiration Date: 01/23/2030

MIAMI-DADE BCCO:

No. 52609

STATE OF LORID ONAL ENG

Podro De Figueiredo

PE52609 09/07/2023

PRODUCT REVISED As complying with the Florida Building Code 23-0928.32 NOA-No. Expiration Date: 01/23/2025

By: Manuel Peres Miami-Dade Product Control PRODUCT CATEGORY: WINDOWS - FIXED PRODUCT MATERIAL: WOOD / GLASS IMPACT RATING: LARGE & SMALL MISSILE SWIETENIA SERIES WINDOW STOREFRONT / DIRECT SET WINDOW

ROATAN MAHOGANY USA INC. 7005 N. WATERWAY DR. 302 MIAMI FLORIDA 33155

SCALE: NA


DATE: 09/07/2023 DRAWING #

23-161 SHEET

4 OF 5

Miami-Dade Product Control

IX6 AND 2X6 WOOD BUCK TYPICAL ANCHORAGE




WOOD WINDOW FRAME SECURED DIRECTLY INTO SUBSTRATE


1/4" TAPCONS BY ITW BUILDEX SECURING IXG WOOD BUCK DIRECTLY INTO HOLLOW CMU - 16" OC

1/4" TAPCONS BY ITW BUILDEX SECURING 1X6 WOOD BUCK DIRECTLY 3000 PSI CONCRETE - 16" OC

1/4" TAPCONS BY ITW BUILDEX SECURING WOOD BUCK DIRECTLY WOOD STRUCTURE (SG<0.55) - 16" OC

1/4"-20 SDS GRADE 5 SECURING WOOD BUCK DIRECTLY METAL STRUCTURE (SG<0.55) - 16" OC





09/07/2023

WOOD WINDOW FRAME SECURED TO 2X6 WOOD BUCK

1/4" TAPCONS BY ITW BUILDEX SECURING WOOD BUCK DIRECTLY INTO HOLLOW CMU - 8" OC

1/4" TAPCONS BY ITW BUILDEX SECURING WOOD BUCK DIRECTLY 3000 PSI CONCRETE - 16" OC

1/4" TAPCONS BY ITW BUILDEX SECURING WOOD BUCK DIRECTLY WOOD STRUCTURE (SG<0.55) - 16" OC

1/4"-20 SDS GRADE 5 SECURING WOOD BUCK DIRECTLY METAL STRUCTURE (SG<0.55) - 16" OC

PRODUCT RENEWED as complying with the Florida Building Code

24-1202.03 NOA-No. Expiration Date: 01/23/2030

By: Manuel Peres

Miami-Dade Product Control

MIAMI-DADE BCCO:

PRODUCT REVISED As complying with the Florida Building Code

23-0928.32 NOA-No.

Expiration Date: 01/23/2025 By: Manuel Peres

Miami-Dade Product Control

SCALE: NA DATE:

09/07/2023 DRAWING #

SHEET 5 OF 5

CATEGORY: WINDOWS - FIXED
MATERIAL: WOOD / GLASS
ATING: LARGE & SMALL MISSILE
TENIA SERIES WINDOW

ENGINEERING SERVICES - CA 32459 97 I S W. BROWARD BLVD. PLANTATION, FL 33324 PPMF@AOL.COM ENGINEER

No. 52609

STATE OF

CORIDA

PRODUCT CATEGORY
PRODUCT MATERIAL:
IMPACT RATING: LAR
SWIETENIA STOREFRONT / DI

ROATAN MAHOGANY USA INC. 7005 N. WATERWAY DR. 302 MIAMI FLORIDA 33155

23-161