

Miami-Dade County, Florida

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES

BOARD AND CODE ADMINISTRATION DIVISION

PRODUCT CONTROL SECTION

Laboratory Certificate



11805 S.W. 26 Street-Room 208
Miami, Florida 33175-2474
T (786) 315-2590 Fax (786) 315-2599

This certifies that Wingerter Laboratories, Inc. located at 1820 NE 144 St., North Miami, FL 33181 is an approved Testing Laboratory in accordance with Miami-Dade County Department of Regulatory and Economic Resources and Protocol TAS301-94, and is Certified to perform the following tests:

- TAS105
- TAS106
- TAS112
- TAS114 Appendix D
- TAS124 (Excludes Bell Chamber Test)
- TAS126 (Nuclear Method Only)
- ASTM C39
- ASTM C67
- ANSI Z97.1 (Impact only)
- Asphalt, Soils, Foundation and Concrete (Internal Service Department) Certification No. 590594442

Results of the above mentioned test shall be properly submitted to the Miami-Dade County Department of Regulatory and Economic Resources per TAS301-94, along with all other documentation required for the approval of products. Approved engineer(s) for this laboratory:

Donald J. Flood, P.E.

This Certification and Registration Approved: February 5, 2026

This Certification and Registration Expires : March 17, 2031

Certification No. : 26-0121.01 Renews: 21-0203.03

Handwritten signature of Helmy A. Makar in blue ink.

*Helmy A. Makar, P.E., M.S.
Product Control Section Supervisor
Product Control Section*

Handwritten signature of Americo Segura in blue ink.

*Americo Segura, M.S. CCGC
Quality Assurance Unit Supervisor
Product Control Section*

The Miami-Dade County Department of Regulatory and Economic Resources reserves the right to remove this certification for non-compliance with rules and regulations as set by Protocol TAS301-94.