



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

Philadelphia Hardware Group, Inc.
6590 Top Gun Street
San Diego, CA 92121

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: PHG Series Advantage 9700 Surface Vertical Rod Panic Exit Devices and Advantage 9500 Rim Exit Device w/ 9000 Steel HD Mullion-Component Approval-Impact

APPROVAL DOCUMENT: Drawing No. "15-03" Rev E, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on JUL 14, 2026, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large Missile Impact Resistant

Limitations:

1. This component is approved to be used as an alternate with an approved outswing single or double Steel doors, having current NOA (Notice of Acceptance). Lowest Design Pressure of doors or the component may control.
2. See respective Design Pressures tables in sheets 2-5 and limitations in sheet 1 of the component approval drawing.
3. Electrical device installation is not part of this approval, such installation to be reviewed by AHJ.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and series and following statement: "Miami-Dade County Product Control Approved", noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises** # 25-0714.01 consists of this page 1 and evidence pages E-1, E-2, E-3, E-4 & E-5, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**




Ishaq I. Chanda

NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED


- 1. Evidence submitted under previous approvals**
 - A. DRAWINGS**
 1. Manufacturer's die drawings and sections (submitted under file below)
 2. Drawing No. **"15-03" Rev A**, titled "Advantage Series Panic Locking Devices", sheets 1 thru 5 of 5 dated 05/12/16, prepared by Al-Farooq Corporation, signed & sealed by Javad Ahmad, P.E.
 - B. TESTS (submitted under file # 15-0629.02)**
 1. Test reports on:
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC, TAS 202-94

along with marked-up drawings and installation diagram of Advantage Series 9100 removable Mullion w/ 9500 Rim Panic exit and Advantage 9700 SVR panic exit, prepared by Fenestration Testing Lab, Test Report No. **FTL 7524**, dated 07/11/14, signed and sealed by Idalmis Ortega, P. E.
Note: This test report has been issued an addendum letter dated April 07, 2016, issued by Fenestration Testing Lab)
 - C. CALCULATIONS**
 1. Anchor verification complying w/FBC 2014 (5th edition), prepared by prepared by Al-Farooq Corporation, dated 05/18/15, signed and sealed by Javad Ahmad, P.E.
 - D. QUALITY ASSURANCE**
 1. Miami Dade Department of Regulatory and Economic Resources (RER).
 - E. MATERIAL CERTIFICATIONS**
 1. None.
 - F. STATEMENTS**
 1. Statement letter of conformance to FBC 2014 (5th Edition), letter of no financial interest dated 05/18/2015, issued by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.
 2. Statement letter dated MAR 03, 2016, issued by Ryder International Co., Ltd, Taiwan, authorizing Philadelphia Hardware Group (PHG) Inc., USA to distribute their Advantage series commercial hardware.
 3. Lab compliance as part of the above referenced test reports.
 - G. OTHER**
 1. Test proposal # 12-1988 dated Jan 04, 2013, approved by RER.
 2. Distribution agreement between Philadelphia Hardware Group (PHG) Inc., USA and Ryder International Co, Ltd, Taiwan, signed by James Uy, manager (PHG) and Chung I. Huang, manager (Ryder Int'l.), respectively on behalf of their companies.
 - 2. Evidence submitted under previous approval.**
 - A. DRAWINGS**
 1. Drawing No. **"15-03" Rev B**, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on May 2, 2018, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E. (Note: This revision consist of editorial FBC 2017 update notes)


Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. Evidence submitted under previous approval (continue).
- B. TESTS
1. None.
- C. CALCULATIONS
1. None.
- D. QUALITY ASSURANCE
1. Miami Dade Department of Regulatory and Economic Resources (RER).
- E. MATERIAL CERTIFICATIONS
1. None.
- F. STATEMENTS
1. Statement letter of conformance to **FBC 6th Edition (2017)** and of no financial interest, prepared by Al Farooq Corporation, dated 05/01/18, signed and sealed by Javad Ahmad, P.E.
2. Statement of lab compliance, as part of test report.
- G. OTHER
1. This NOA revises NOA # 15-0629.02, expiring 05/12/21.
3. Evidence submitted under previous approval
- A. DRAWINGS
1. Drawing No. "15-03" Rev C, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on 11/25/2020, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
- B. TESTS
1. None.
- C. CALCULATIONS
1. Anchor verification complying w/FBC 2020 (7th edition), prepared by prepared by Al-Farooq Corporation, dated 11/25/20, signed and sealed by Jalal Farooq, P.E.
- D. QUALITY ASSURANCE
1. Miami Dade Department of Regulatory and Economic Resources (RER).
- E. MATERIAL CERTIFICATIONS
1. None.
- F. STATEMENTS
1. Statement letter of conformance to FBC 2020 (7th Edition), letter of no financial interest dated 11/25/20, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
2. Statement letter dated MAR 03, 2016, issued by Ryder International Co., Ltd, Taiwan, authorizing Philadelphia Hardware Group (PHG) Inc., USA to distribute their Advantage series commercial hardware (part of previous approval).
3. Statement of lab compliance, as part of test report.
- G. OTHER
1. This NOA revises & renews NOA # 18-0504.09, expiring 05/12/26.



Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

4. Evidence submitted under previous submittal.

A. DRAWINGS

1. Drawing No. "15-03" Rev D, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on SEP 27, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

B. TESTS (submitted under previous approval)

1. None.

C. CALCULATIONS (submitted under previous approval)

1. None.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS


1. None.

F. STATEMENTS

1. Statement letter of conformance to FBC 2020 (8th Edition), dated 09/27/23, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
2. Statement letter of conformance to FBC 2020 (7th Edition), letter of no financial interest dated 11/25/20, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E. (submitted under previous approval).
3. Statement letter dated MAR 03, 2016, issued by Ryder International Co., Ltd, Taiwan, authorizing Philadelphia Hardware Group (PHG) Inc., USA to distribute their Advantage series commercial hardware (submitted under previous approval).


G. OTHER

1. This NOA revises NOA # 18-0504.09 and updates to FBC 2023, expiring 05/12/26.
2. Distribution agreement between Philadelphia Hardware Group (PHG) Inc., USA and Ryder International Co, Ltd, Taiwan, signed by James Uy, manager (PHG) and Chung I. Huang, manager (Ryder Int'l.), respectively on behalf of their companies. (submitted under previous approval).


Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- 5. **Evidence submitted** (submitted under previous approval).
- A. **DRAWINGS**
 - 1. Drawing No. "15-03" Rev D, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on SEP 27, 2023, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
- B. **TESTS** (submitted under previous approval)
 - 1. None.
- C. **CALCULATIONS** (submitted under previous approval)
 - 1. None.
- D. **QUALITY ASSURANCE**
 - 1. Miami Dade Department of Regulatory and Economic Resources (RER).
- E. **MATERIAL CERTIFICATIONS**
 - 1. None.
- F. **STATEMENTS**
 - 1. Statement letter of conformance to FBC 2023 (8th Edition), dated 07/09/25, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.
- G. **OTHER**
 - 1. This NOA **renews** NOA # 23-1012.19, expiring 05/12/31.
 - 2. Distribution agreement dated 08/06/25 between Philadelphia Hardware Group (PHG) Inc., USA distributor and Ryder International Co, Ltd, Taiwan (manufacturer), signed by James Uy, sales manager (PHG) and Hsien-Yei Fang, sales manger (Ryder Int'l.), respectively on behalf of their companies.


Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

6. New Evidence submitted

A. DRAWINGS

1. Drawing No. "15-03" Rev E, titled "Advantage Series Panic Locking Devices", sheets 1 through 5 of 5 dated 03-05-15 and last revised on JUL 14, 2026, prepared by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

B. TESTS (submitted under previous approval)

1. None.

C. CALCULATIONS (submitted under previous approval)

1. None.

D. QUALITY ASSURANCE

1. Miami Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of conformance to FBC 2026 (9th Edition) and FBC 2023 (8th Edition), dated 07/14/26, issued by Al-Farooq Corporation, signed and sealed by Jalal Farooq, P.E.

G. OTHER (item #2, submitted under previous approval)


1. This NOA revises NOA # # 25-0714.01, updates to FBC 2026, expiring 05/12/31.
2. Distribution agreement dated 08/06/25 between Philadelphia Hardware Group (PHG) Inc., USA distributor and Ryder International Co, Ltd, Taiwan (manufacturer), signed by James Uy, sales manager (PHG) and Hsien-Yei Fang, sales manger (Ryder Int'l.), respectively on behalf of their companies.




Ishaq I. Chanda, P.E.
Product Control Unit Supervisor
NOA No. 26-0715.01
Expiration Date: May 12, 2031
Approval Date: August 06, 2026

The following pages in this document were submitted by the manufacturer (third party) to represent the product being approved and establish the limits of use. The pages may include technical drawings, schematics and installation details.


PHG ADVANTAGE SERIES RIM/SVR PANIC EXIT LOCKING DEVICES
(Component Approval)




SECTION A-A




SECTION B-B




SECTION C-C




SECTION D-D



OUTSWING SINGLE STEEL DOOR
UNDER SEPARATE APPROVAL



OUTSWING SINGLE OR DOUBLE STEEL DOOR
UNDER SEPARATE APPROVAL



OUTSWING STEEL DOORS WITH INTERMEDIATE MULLION
UNDER SEPARATE APPROVALS

ADVANTAGE 9500/9500F RIM EXIT DEVICE

ADVANTAGE 9700/9700F SURFACE VERTICAL ROD (SVR) EXIT DEVICE

LIMITATIONS:

- PANIC EXIT LOCKING HARDWARE IS APPROVED TO BE USED AS EQUAL ALTERNATIVE IN STEEL OUTSWING DOORS HOLDING CURRENT NOA. LOWEST DESIGN PRESSURE RATING FROM DOOR, LOCK COMPONENT, MULLION OR PANIC EXIT COMPONENT NOA(S) WILL APPLY.
- DOOR PANEL FACE SHEETS TO BE MIN. 18 GA. (.048" MIN.) Fy MIN.=51.0 KSI STEEL OR BETTER. FRAME JAMBS TO BE MIN. 16 GA. (.060" MIN.) Fy MIN.=49.0 KSI STEEL OR BETTER. MULLION TO BE MIN. 1/8" THK. STEEL OR BETTER UNDER SEPARATE NOA. LEAF SIZES NOT TO EXCEED 36" WIDTH & 84" HEIGHTS OR FRAME SIZES SHOWN.
- ELECTRICAL/ELECTRONIC FUNCTION AND INSTALLATION OTHER THAN SELF CONTAINED ELECTRONIC DEVICE IS NOT PART OF THIS APPROVAL, AND SUCH INSTALLATION MUST BE REVIEWED BY CORRESPONDING BUILDING AUTHORITY.
- EGRESS COMPLIANCE TO BE REVIEWED BY BUILDING OFFICIAL.
- PHG PANIC EXIT DEVICE SHALL BE INSTALLED AS PER MANUF'S INSTALLATION INSTRUCTIONS.
- DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 26-0715-01
Expiration Date 05/12/2031
By Ishag I. Chiriac
Miami Dade Product Control

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2023 (8TH EDITION)/2026 (9TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

FASTENERS AND CONNECTORS (AS APPLICABLE) SHOWN IN THIS APPROVAL MAY NOT MEET CORROSION RESISTANCE REQUIREMENTS FOR COASTAL OR SALT WATER EXPOSURE ZONES. COMPLIANCE WITH THESE CONDITIONS TO BE CHECKED PER FBC 1711.

SEE DOOR/MULLION NOA FOR DOOR CONSTRUCTION, DESIGN LOAD RATING AND INSTALLATION DETAILS

2 X 3 X 1/8" MULLION TUBE
MIN. Fy = 46 KSI
UNDER SEPARATE NOA
TO BE REVIEWED BY AHJ

DOOR LEAF
WITH OR WITHOUT
STIFFENERS SEE
DOOR NOA

LOCK & STRIKE REINFORCEMENTS
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

LOCK & STRIKE REINF.
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

PHG
RIM EXIT

PHG
SVR EXIT

EXTERIOR

EXTERIOR

EXTERIOR

EXTERIOR

EXTERIOR

LOCK & STRIKE REINFORCEMENTS
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

LOCK & STRIKE REINFORCEMENTS
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

LOCK & STRIKE REINFORCEMENTS
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

LOCK & STRIKE REINF.
SEE DOOR NOA & REINF.
REQUIREMENTS LISTED BELOW

40" MAX.
FRAME W.
36" MAX.
DOOR LEAF W.

FULL LENGTH
STEEL CHANNELS
AT TOP & BOTTOM
SEE DOOR NOA

FULL LENGTH
STEEL CHANNELS
SEE DOOR NOA

PHG
9500
9500F
RIM

88" MAX.
FRAME HEIGHT
84" MAX.
DOOR LEAF HEIGHT

STEEL PLATES
ABOVE & BELOW LOCK
SEE DOOR NOA

40"

EXTERIOR ELEV.

76" MAX.
FRAME WIDTH
36" MAX.
DOOR LEAF W.

FULL LENGTH
STEEL CHANNELS
AT TOP & BOTTOM
SEE DOOR NOA

FULL LENGTH
STEEL CHANNELS
SEE DOOR NOA

PHG
9700
9700F
SVR

88" MAX.
FRAME HEIGHT
84" MAX.
DOOR LEAF HEIGHT

STEEL PLATES
ABOVE & BELOW LOCK
SEE DOOR NOA

40"

EXTERIOR ELEV.

76" MAX.
FRAME WIDTH
36" MAX.
DOOR LEAF W.

FULL LENGTH
STEEL CHANNELS
AT TOP & BOTTOM
SEE DOOR NOA

FULL LENGTH
STEEL CHANNELS
SEE DOOR NOA

PHG
9500
9500F
RIM

88" MAX.
FRAME HEIGHT
84" MAX.
DOOR LEAF HEIGHT

STEEL PLATES
ABOVE & BELOW LOCK
SEE DOOR NOA

40"

EXTERIOR ELEV.

76" MAX.
FRAME WIDTH
36" MAX.
DOOR LEAF W.

FULL LENGTH
STEEL CHANNELS
AT TOP & BOTTOM
SEE DOOR NOA

FULL LENGTH
STEEL CHANNELS
SEE DOOR NOA

PHG
9500
9500F
RIM

88" MAX.
FRAME HEIGHT
84" MAX.
DOOR LEAF HEIGHT

STEEL PLATES
ABOVE & BELOW LOCK
SEE DOOR NOA

40"

EXTERIOR ELEV.


PHG
ADVANTAGE
LEVERSET
LOCKS OR
MORTISE LOCK W/
DEAD BOLT UNDER
SEPARATE APPROVAL

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
C.A.N. 3538



ADVANTAGE SERIES PANIC EXIT LOCKING DEVICES
PHILADELPHIA HARDWARE GROUP (PHG)
6590 TOP GUN STREET
SAN DIEGO, CA. 92121
TEL. (800) 545-2309 FAX. (800) 828-0988

no.	date	by	description
A	03.15.16	REV. PER PER COMMENTS	
B	05.01.18	UPDATED TO 2017 FBC	
C	11.12.20	UPDATED TO 2020 FBC	
D	09.21.23	UPDATED TO 2023 FBC	
E	07.07.26	UPDATED TO 2026 FBC	

date: 03-05-15
scale: 3/8" = 1"
dr. by: TARIQ
chk. by:
drawing no.
15-03
sheet 1 of 5




JUL 14 2026



PHG ADVANTAGE 9500 SERIES RIM EXIT DEVICE

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF
(36" X 84" MAX. DOOR LEAF SIZE) - 90.0 PSF
3/4" MIN. ST/ST LATCHBOLT THROW



PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 26-0715-01
Expiration Date 5/12/2031
By [Signature]
Miami Dade Product Control

ITEM NO.	DESCRIPTION	QUANTITY	REMARKS
1	CHASIS ASSEMBLY	1	-
2	PUSH RAIL	1	-
3	MOUNTING RAIL	1	-
4	HEAD COVER	1	-
5	ALLEN WRENCH	1	-
6	SLIDING SHIM	1	-
7	BRACKET	1	-
8	END CAP	1	-
9	STRIKE (9570)	1	-
A	SM4 FLAT HEAD SCREWS	6	-
B	BINDING POST SCREWS	6	-
C	#12 X 1/2" FLAT HEAD SCREWS	1	-
D	#12 X 1/2" ROUND HEAD SCREWS	2	-

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 262-6978 FAX. (305) 262-6978

ADVANTAGE SERIES PANIC EXIT LOCKING DEVICES
PHILADELPHIA HARDWARE GROUP (PHG)
6590 TOP GUN STREET
SAN DIEGO, CA, 92121
TEL. (800) 545-2309 FAX. (800) 828-0988

revisions:	no	date	description
A	03.15.16	REV. PER RER COMMENTS	
B	05.01.18	NO CHANGE THIS SHEET	
C	11.12.20	UPDATED TO 2020 FBC	
D	09.21.23	NO CHANGE THIS SHEET	
E	07.07.26	NO CHANGE THIS SHEET	

date: 03-05-15
scale: -
dr. by: TARIQ
chk. by:



drawing no.
15-03

sheet 2 of 5



JUL 14 2026


LOCKS\15-03PHG




ITEM NO.	DESCRIPTION	QUANTITY	REMARKS
1	CHASIS ASSEMBLY	1	-
2	PUSH RAIL	1	-
3	MOUNTING RAIL	1	-
4	HEAD COVER	1	-
5	SLIDING SHIM	1	-
6	BRACKET	1	-
7	END CAP	1	-
8	STRIKE (9570)	1	-
A	SM4 FLAT HEAD SCREWS	6	-
B	BINDING POST SCREWS	6	1346/2146
C	#12 X 1/2" FLAT HEAD SCREWS	1	-
D	#12 X 1/2" ROUND HEAD SCREWS	2	-

PHG ADVANTAGE 9500F SERIES RIM EXIT DEVICE

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF
(36" X 84" MAX. DOOR LEAF SIZE) - 90.0 PSF
3/4" MIN. ST/ST LATCHBOLT THROW



PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 26-0715-01
Expiration Date 5/12/2031
By: [Signature]
Miami Dade Product Control



JUL 14 2026

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978
(C.A.N. 3538)

ADVANTAGE SERIES PANIC EXIT LOCKING DEVICES
PHILADELPHIA HARDWARE GROUP (PHG)
6590 TOP GUN STREET
SAN DIEGO, CA, 92121
TEL. (800) 545-2309 FAX. (800) 828-0988


revisions:	no.	date	description
A	03.15.16	REV. PER RER COMMENTS	
B	05.01.18	NO CHANGE THIS SHEET	
C	11.12.20	UPDATED TO 2020 FCC	
D	09.21.23	NO CHANGE THIS SHEET	
E	07.07.26	NO CHANGE THIS SHEET	

date: 03-05-15
scale: -
dr. by: TARIQ
chk. by:

drawing no.
15-03

sheet 3 of 5


LOCKS 15-03PHG




ITEM NO.	DESCRIPTION	QUANTITY	REMARKS
1	CHASIS ASSEMBLY	1	-
2	PUSH RAIL	1	-
3	MOUNTING RAIL	1	-
4	HEAD COVER	1	-
5	ALLEN WRENCH	1	-
6	SLIDING SHIM	1	-
7	BRACKET	1	-
8	END CAP	1	-
9	LATCH COVER	2	-
10	ROD GUIDE	2	-
11	TOP ROD	1	-
12	TOP LATCH (ST/ST)	1	-
13	TOP STRIKE (9572) (ST/ST)	1	-
14	BOTTOM ROD	1	-
15	BOTTOM LATCH (ST/ST)	1	-
16	BOTTOM STRIKE (9573 OR 9575) (ST/ST)	1	-
A	SM4 FLAT HEAD SCREWS	14	-
B	#12 X 1/2" ROUND HEAD SCREWS	6	-
C	#12 X 1/2" FLAT HEAD SCREWS	2	-
D	#10 X 5/8" ROUND HEAD SCREWS	4	-
E	#10 X 1-1/2" FLAT HEAD SCREWS	4	-
F	#10 X 1/2" FLAT HEAD SCREWS	2	-
G	#10 X 5/8" ROUND HEAD SCREWS	4	-

PHG ADVANTAGE 9700 SERIES SVR EXIT DEVICE

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF
(36" X 84" MAX. DOOR LEAF SIZE) - 90.0 PSF
19/32" MIN. LATCHBOLT THROW AT TOP
47/64" MIN. DEADBOLT THROW AT BOTTOM



PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 26-0715-01
Expiration Date 5/12/2031
By Ishay I. Chan-Id
Miami Data Product Control



JUL 14 2026

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
9360 SUNSET DRIVE, SUITE 220
MIAMI, FLORIDA 33173
TEL. (305) 264-8100 FAX. (305) 262-6978


af c
LOCK 15-03PHG

ADVANTAGE SERIES PANIC EXIT LOCKING DEVICES
PHILADELPHIA HARDWARE GROUP (PHG)
6590 TOP GUN STREET
SAN DIEGO, CA, 92121
TEL. (800) 545-2309 FAX. (800) 828-0988

revisions:
no. date by description
A 03.15.16 REV. PER REC COMMENTS
B 05.01.18 NO CHANGE THIS SHEET
C 11.12.20 UPDATED TO 2020 FBC
D 09.21.23 NO CHANGE THIS SHEET
E 07.07.26 NO CHANGE THIS SHEET

date: 03-05-15
scale: -
dr. by: TARIQ
chk. by:


drawing no.
15-03
sheet 4 of 5



ITEM NO.	DESCRIPTION	QUANTITY	REMARKS
1	CHASIS ASSEMBLY	1	-
2	PUSH RAIL	1	-
3	MOUNTING RAIL	1	-
4	HEAD COVER	1	-
5	SLIDING SHIM	1	-
6	BRACKET	1	-
7	END CAP	1	-
8	LATCH COVER	2	-
9	ROD GUIDE	2	-
10	TOP ROD	1	-
11	TOP LATCH (ST/ST)	1	-
12	TOP STRIKE (9752) (ST/ST)	1	-
13	BOTTOM ROD	1	-
14	BOTTOM LATCH (ST/ST)	1	-
15	BOTTOM STRIKE (9573 OR 9575) (ST/ST)	1	-
A	SM4 FLAT HEAD SCREWS	14	-
B	SEX BOLTS	10	1310/2110
C	#12 X 1/2" FLAT HEAD SCREWS	2	-
D	#10 X 5/8" ROUND HEAD SCREWS	4	-
E	#10 X 1-1/2" FLAT HEAD SCREWS	4	-
F	#10 X 1/2" FLAT HEAD SCREWS	2	-


PHG ADVANTAGE 9700F SERIES EXIT DEVICE

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF
 (36" X 84" MAX. DOOR LEAF SIZE) - 90.0 PSF
 19/32" MIN. LATCHBOLT THROW AT TOP
 47/64" MIN. DEADBOLT THROW AT BOTTOM



PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 26-0715-01
 Expiration Date 5/12/2031
 By Iskayl. Chumak
 Miami Dade Product Control

JUL 14 2026



AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 9360 SUNSET DRIVE, SUITE 220
 MIAMI, FLORIDA 33173
 TEL. (305) 264-8100 FAX. (305) 262-5978

af c
 LOCKS 15-03PHG

ADVANTAGE SERIES PANIC EXIT LOCKING DEVICES
PHILADELPHIA HARDWARE GROUP (PHG)
 6590 TOP GUN STREET
 SAN DIEGO, CA, 92121
 TEL. (800) 545-2309 FAX. (800) 828-0988

date: 03-05-15
 scale: -
 dr. by: TARIQ
 chk. by:

revisions:

no	date	description	rev.	per	comments
A	03.15.16	NO CHANGE THIS SHEET			
B	05.01.18	NO CHANGE THIS SHEET			
C	11.12.20	UPDATED TO 2020 FBC			
D	09.21.23	NO CHANGE THIS SHEET			
E	07.07.26	NO CHANGE THIS SHEET			

drawing no.
15-03
 sheet 5 of 5