

DORAL FLORIDA FACILITY FIRE

PRELIMINARY AIR MONITORING

SUMMARY

Doral, Florida

07:00 February 22 - 07:00 February 23, 2023 Project #025114

1.0 INTRODUCTION

On February 16, 2023, Covanta Energy requested that CTEH[®], LLC provide air monitoring and air sampling support in response to a fire at a Covanta Energy facility in Doral, Florida. CTEH[®] personnel mobilized to the incident site and began real-time air monitoring in the surrounding community at approximately 0800 Eastern Standard Time (EST) February 22, 2023. This report summarizes the real-time air monitoring data collected from 0700 EST February 22 to 0700 EST February 23, 2023.

2.0 AIR MONITORING AND SAMPLING METHODS

Real-time air monitoring refers to the use of direct-reading instruments to provide a near-instantaneous readout of a chemical concentration in air. CTEH[®] personnel developed and implemented an Air Sampling and Analysis Plan (SAP), which was reviewed by the U.S. EPA Region 4 On-Scene Coordinator (EPA Region 4 OSC) and other members of Incident Command, to characterize the nature and extent of emissions from the fire. During this reporting period, CTEH personnel conducted real-time air monitoring in accordance with the Community Monitoring plan outlined in the SAP. Community Monitoring was conducted in the residential and commercial locations surrounding the incident site, not necessarily occupied by members of the community. All Community Monitoring was conducted at a height representative of the breathing zone.

During this reporting period, CTEH[®] personnel conducted handheld real-time air monitoring for carbon monoxide (CO), hydrogen sulfide (H₂S), hydrogen cyanide (HCN), atmospheric flammability measured as a percentage of the lower explosive limit (%LEL), particulate matter less than 2.5 microns (PM_{2.5}), and volatile organic compounds (VOCs). Real-time air monitoring was conducted using RAE Systems by Honeywell MultiRAE, TSI DustTrak, and TSI SidePak AM520 handheld instruments.

CTEH personnel also deployed stationary radio-telemetering real-time air monitoring instruments (RAE Systems by Honeywell AreaRAE instruments) at four fixed locations. AreaRAE instruments were used to monitor for CO, H₂S, %LEL, HCN, and VOCs every 15 seconds. In addition, four TSI SidePak AM520 instruments were deployed, co-located with AreaRAE instruments, to log PM_{2.5} data.

To supplement real-time air monitoring, analytical air samples were collected at discrete locations around the incident site, co-located with AreaRAE instruments. Samples were collected for asbestos, polynuclear aromatic hydrocarbons, and metals. All samples will be shipped under chain-of-custody to Pace Analytical, an American Industrial Hygiene Association-accredited laboratory for analysis.



3.0 AIR MONITORING RESULTS

A summary of handheld real-time readings by location is provided in **Table 1**. Radio-telemetering AreaRAE data is provided in **Table 2**. Data-logged PM_{2.5} readings are provided in **Table 3**. Real-time air monitoring action level references, selected in coordination with the EPA Region 4 OSC, are provided in **Table 4**. A PM_{2.5} action level sheet provided by the EPA Region 4 OSC is included as **Attachment A**. Maps of the incident location and air monitoring/sampling locations are provided in **Attachment B**. Graphical representations of radio-telemetering AreaRAE data are provided in **Attachment C**. Graphical representations of data-logged PM_{2.5} readings are provided in **Attachment D**.

Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
FRT-001		СО	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
	107 and 66th	H ₂ S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		PM _{2.5}	AM520/DustTrak	16	16	9 - 16 μg/m³	13 μg/m³	See PM2.5 Action Level Sheet
		CO	MultiRAE	4	0	< 1 ppm	< 1 ppm	83 ppm
FRT-002	CVS at 107 and 74	PM _{2.5}	AM520/DustTrak	17	17	10 - 53 μg/m³	18 μg/m³	See PM2.5 Action Level Sheet
		%LEL	MultiRAE	1	0	< 1 %	<1%	10 %
	Ronald Reagan High	СО	MultiRAE	3	0	< 1 ppm	< 1 ppm	83 ppm
FRT-003	School	H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		PM _{2.5}	AM520/DustTrak	17	17	9 - 26 μg/m³	16 μg/m³	See PM2.5 Action Level Sheet
		СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
FRT-004	8400 102nd Ave, Southeast Corner	PM _{2.5}	AM520/DustTrak	18	18	9 - 20 μg/m³	13 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
		%LEL	MultiRAE	2	0	< 1 %	<1%	10 %
	Andrea Castillo	СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
FRT-005	Preparatory Academy	HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520/DustTrak	17	17	10 - 24 μg/m³	15 μg/m³	See PM2.5 Action Level Sheet
	Baptist Health Hospital ER	СО	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
FRT-006		HCN	MultiRAE	4	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520/DustTrak	14	14	9 - 27 μg/m³	14 μg/m³	See PM2.5 Action Level Sheet
	Impact Centre at Doral Entrance	%LEL	MultiRAE	1	0	<1%	<1%	10 %
FRT-007		СО	MultiRAE	3	0	< 1 ppm	< 1 ppm	83 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520/DustTrak	13	13	10 - 27 μg/m³	14 μg/m³	See PM2.5 Action Level Sheet
FRT-008	Aldi Parking lot	CO	MultiRAE	5	0	< 1 ppm	< 1 ppm	83 ppm

Table 1: Community Handheld Real-Time Air Monitoring Results By Location⁺

Preliminary Air Monitoring Summary Doral Florida Facility Fire February 23, 2023

Page | 2



Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
		H ₂ S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		PM _{2.5}	AM520/DustTrak	12	12	9 - 23 μg/m³	14 μg/m³	See PM2.5 Action Level Sheet
		%LEL	MultiRAE	1	0	< 1 %	<1%	10 %
FRT-009	Side of 58th, Next to Golf Course.	СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		PM _{2.5}	AM520/DustTrak	12	12	10 - 15 μg/m³	13 μg/m³	See PM2.5 Action Level Sheet
Station 1	South Fenceline	PM _{2.5}	AM520/DustTrak	11	11	12 - 143 μg/m³	47 μg/m³	See PM2.5 Action Level Sheet
Station 2	Southeast Corner of Stack	PM _{2.5}	AM520/DustTrak	14	14	11 - 42 μg/m³	18 μg/m³	See PM2.5 Action Level Sheet
Station 3	West Fenceline	PM _{2.5}	AM520/DustTrak	25	25	9 - 19 μg/m³	12 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 4	North Fenceline	PM _{2.5}	AM520/DustTrak	17	17	10 - 37 μg/m³	16 μg/m³	See PM2.5 Action Level Sheet

* Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC)

process and should be considered preliminary at this time.

* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed.

ppm = parts per million; $\mu g/m^3$ = micrograms per cubic mete



Location Code	Location	Analyte	Number of Readings	Number of Detections	Concentration Range*	Period Average*	Action Level
	South Fenceline	%LEL	2,802	0	< 1 %	< 1 %	10 %
		СО	3,645	0	< 1 ppm	< 1 ppm	83 ppm
Station 01		H ₂ S	3,645	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	3,645	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	3,540	216	0.1 - 0.2 ppm	0.02 ppm	1 ppm
	Southeast Corner of Stack	%LEL	3,928	0	< 1 %	< 1 %	10 %
		СО	3,928	0	< 1 ppm	< 1 ppm	83 ppm
Station 02		H_2S	3,928	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	3,928	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	3,928	0	< 0.1 ppm	< 0.1 ppm	1 ppm
	West Fenceline	%LEL	2,107	0	< 1 %	< 1 %	10 %
		СО	2,107	2	4 ppm	0.003 ppm	83 ppm
Station 03		H ₂ S	2,107	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	2,107	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	2,080	255	0.1 - 0.3 ppm	0.04 ppm	1 ppm
	North Fenceline	%LEL	4,322	0	< 1 %	< 1 %	10 %
Station 04		СО	4,322	3	2 - 4 ppm	0.002 ppm	83 ppm
		H ₂ S	4,322	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	4,322	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	4,322	0	< 0.1 ppm	< 0.1 ppm	1 ppm

Table 2: Radio-Telemetering Air Monitoring Results⁺

*Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed ppm = parts per million

Table 3: Data-Logged PM_{2.5} Real-Time Air Monitoring Results⁺

Location Code	Location Description	Number of Readings	Concentration Range	Period Average*	Action Level
Station 1	South Fenceline	60,061	1 - 143 μg/m³	10 μg/m³	See PM2.5 Action Level Sheet
Station 2	Southeast Corner of Stack	60,307	2 - 1400 μg/m³	32 μg/m³	See PM2.5 Action Level Sheet
Station 3	West Fenceline	38,058	1 - 760 μg/m³	33 μg/m³	See PM2.5 Action Level Sheet
Station 4	North Fenceline	56,913	4 - 1240 μg/m³	29 µg/m³	See PM2.5 Action Level Sheet

⁺ Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

* Data collected from 07:00 February 22 to 04:16 on February 23, 2023

 $\mu g/m^3$ = micrograms per cubic meter



Table 4: Action Level References⁺

Definition	Action Level Reference				
Volatile Organic Compounds	Temporary Emergency Exposure Limit (TEEL-0) for Benzene				
Carbon Monoxide	Acute Exposure Guideline Level (AEGL-2) 1-hr				
Hydrogen Sulfide	AEGL-1, 1 hr				
Lower Explosive Limit	29 CFR 1910.146, Confined Spaces				
Hydrogen Cyanide	AEGL-1, 1 hr				
Particulate Matter < 2.5 Microns	See PM2.5 Action Level Sheet				
	Volatile Organic Compounds Carbon Monoxide Hydrogen Sulfide Lower Explosive Limit Hydrogen Cyanide				

⁺ Action levels selected in coordination with EPA Region 4 OSC

4.0 METEOROLOGICAL CONDITIONS

Attachment E contains a wind rose depicting wind speed and direction for this reporting period. Wind data is obtained from publicly available information collected at the Miami International Airport.



Attachment A

PM_{2.5} Action Level Sheet

Provided by EPA Region 4 OSC




PM _{2.5} (Particulate Matter ≤ 2.5 microns) Community Action Threshold Levels							
1-Hour Average (μg/m³)	Average Average Level of Health Concern		Meaning	Action			
0.0 - 40.0	0.0-12.0	Good	Air Quality is considered satisfactory, and air pollution poses little or no risk.	Implement communication plan.			
40.1 - 80.0	12.1 - 35.4	Moderate	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually senstive to air pollution.	Issue public announcement about health effects. Stay out of areas with visible smoke.			
80.1 - 175.0	35.5 - 55.4	Unhealthy for Sensitive Groups	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Recommend evacuation or shelter-in- place for sensitive populations.			
175.1 - 300.0	55.5 - 150.4	Unhealthy	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.	Consider closing schools and cancelling outdoor events. Recommend shelter-in- place for affected neighborhoods.			
300.1 - 500.0	150.5 - 250.4	Very Unhealthy	Health warnings of emergency conditions. The entire population is more likely to be affected.	Consider closing schools and cancel all outdoor events. Recommend shelter-in- place and/or evacuation for affected neighborhoods.			
> 500.0	> 250.5	Hazardous	Health alert: everyone may experience more serious health effects.	Recommend closing schools & cancel outdoor events. Recommend closing workplaces and evacuating affected neighborhoods.			

Attachment B

Maps










* Handheld Real-Time Air Monitoring Locations | Community Monitoring

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade






[®] Handheld Real-Time Air Monitoring Locations | Community Monitoring | PM_{2.5}

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade






Fixed Real-Time Air Monitoring and Analytical Sampling Locations



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade

Doral Florida Facility Fire



Projection: WGS 1984 UTM Zone 17N

Datum: WGS 1984

Updated at 2023-02-09 09:12

Attachment C


AreaRAE Graphs



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/22/2023 07:00 to 02/23/2023 06:57 | Analyte: %LEL



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/22/2023 07:00 to 02/23/2023 06:57 | Analyte: CO (ppm)




Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/22/2023 07:00 to 02/23/2023 06:57 | Analyte: H2S (ppm)



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/22/2023 07:00 to 02/23/2023 06:57 | Analyte: HCN (ppm)



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/22/2023 07:00 to 02/23/2023 06:57 | Analyte: VOCs (ppm)




Attachment D

AM520 Graphs



Datalogged PM2.5 Air Monitoring Results PROJ-025114 | Doral Florida Facility Fire | Doral, FL 2/22/2023 07:00:00 to 2/23/2023 04:16:34



Attachment E

Meteorological Conditions



