



**DORAL FLORIDA FACILITY FIRE**

**PRELIMINARY AIR MONITORING**

**SUMMARY**

---

Doral, Florida

07:00 March 2 - 07:00 March 3, 2023

Project #025114

## 1.0 INTRODUCTION

On February 16, 2023, Covanta Energy requested that CTEH®, LLC provide air monitoring and air sampling support in response to a fire at a Covanta Energy facility in Doral, Florida. CTEH® personnel mobilized to the incident site and began real-time air monitoring in the surrounding community at approximately 0800 Eastern Standard Time (EST) February 17, 2023. This report summarizes the real-time air monitoring data collected from 0700 EST March 2 to 0700 EST March 3, 2023.

## 2.0 AIR MONITORING AND SAMPLING METHODS

Real-time air monitoring refers to the use of direct-reading instruments to provide a near-instantaneous readout of a chemical concentration in air. CTEH® personnel developed and implemented an Air Sampling and Analysis Plan (SAP), which was reviewed by the U.S. EPA Region 4 On-Scene Coordinator (EPA Region 4 OSC) and other members of Incident Command, to characterize the nature and extent of emissions from the fire. During this reporting period, CTEH personnel conducted real-time air monitoring in accordance with the Community Monitoring plan outlined in the SAP. Community Monitoring was conducted in the residential and commercial locations surrounding the incident site, not necessarily occupied by members of the community. All Community Monitoring was conducted at a height representative of the breathing zone.

During this reporting period, CTEH® personnel conducted handheld real-time air monitoring for carbon monoxide (CO), hydrogen sulfide (H<sub>2</sub>S), hydrogen cyanide (HCN), atmospheric flammability measured as a percentage of the lower explosive limit (%LEL), particulate matter less than 2.5 microns (PM<sub>2.5</sub>), and volatile organic compounds (VOCs). Real-time air monitoring was conducted using RAE Systems by Honeywell MultiRAE, TSI DustTrak, and TSI SidePak AM520 handheld instruments.

CTEH personnel also deployed stationary radio-telemetering real-time air monitoring instruments (RAE Systems by Honeywell AreaRAE instruments) at four fixed locations. AreaRAE instruments were used to monitor for CO, H<sub>2</sub>S, %LEL, HCN, and VOCs every 15 seconds. In addition, four TSI SidePak AM520 instruments were deployed, co-located with AreaRAE instruments, to log PM<sub>2.5</sub> data.

*Please note that, in addition to fire smoke, automobile exhaust is another source of particulate matter that is detectable on PM<sub>2.5</sub> instrumentation. PM<sub>2.5</sub> in exhaust from cars and trucks onsite during response activities and on nearby roads may be associated with momentary elevated PM<sub>2.5</sub> readings. PM<sub>2.5</sub> instruments can also overstate PM<sub>2.5</sub> levels during humid weather conditions.*

To supplement real-time air monitoring, analytical air samples were collected at discrete locations around the incident site, co-located with AreaRAE instruments. Samples were collected for asbestos, polynuclear

aromatic hydrocarbons, and metals. All samples will be shipped under chain-of-custody to Pace Analytical, an American Industrial Hygiene Association-accredited laboratory for analysis.

### 3.0 AIR MONITORING RESULTS

A summary of handheld real-time readings by location is provided in **Table 1**. Radio-telemetering AreaRAE data is provided in **Table 2**. Data-logged PM<sub>2.5</sub> readings are provided in **Table 3**. Real-time air monitoring action level references, selected in coordination with the EPA Region 4 OSC, are provided in **Table 4**. A PM<sub>2.5</sub> action level sheet provided by the EPA Region 4 OSC is included as **Attachment A**. Maps of the incident location and air monitoring/sampling locations are provided in **Attachment B**. Graphical representations of radio-telemetering AreaRAE data are provided in **Attachment C**. Graphical representations of data-logged PM<sub>2.5</sub> readings are provided in **Attachment D**.

**Table 1: Community Handheld Real-Time Air Monitoring Results By Location<sup>†</sup>**

Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
FRT-001	107 and 66th	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	3	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	21	21	9 - 23 µg/m <sup>3</sup>	15 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-002	CVS at 107 and 74	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	21	21	9 - 23 µg/m <sup>3</sup>	14 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-003	Ronald Reagan High School	%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	20	20	11 - 27 µg/m <sup>3</sup>	15 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-004	8400 102nd Ave, Southeast Corner	%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm

Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
FRT-005	Andrea Castillo Preparatory Academy	PM <sub>2.5</sub>	AM520/DustTrak	22	21	9 - 26 µg/m <sup>3</sup>	15 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
		%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	20	20	12 - 22 µg/m <sup>3</sup>	16 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-006	Baptist Health Hospital ER	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	21	21	12 - 25 µg/m <sup>3</sup>	16 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-007	Impact Centre at Doral Entrance	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	21	21	11 - 29 µg/m <sup>3</sup>	16 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-008	Aldi Parking lot	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	21	21	11 - 26 µg/m <sup>3</sup>	16 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
FRT-009	Side of 58th, Next to Golf Course.	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		CO	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H <sub>2</sub> S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM <sub>2.5</sub>	AM520/DustTrak	19	19	12 - 28 µg/m <sup>3</sup>	19 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 1	South Fenceline	PM <sub>2.5</sub>	AM520/DustTrak	6	6	11 - 34 µg/m <sup>3</sup>	25 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
Station 2	Southeast Corner	PM <sub>2.5</sub>	AM520/DustTrak	4	4	17 - 38 µg/m <sup>3</sup>	32 µg/m <sup>3</sup>	See PM2.5 Action

Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
	of Stack							Level Sheet
Station 3	West Fenceline	PM <sub>2.5</sub>	AM520/DustTrak	1	0	4 - 24 µg/m <sup>3</sup>	14 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 4	North Fenceline	PM <sub>2.5</sub>	AM520/DustTrak	8	8	25 - 47 µg/m <sup>3</sup>	31 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet

\* Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

\* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed.

ppm = parts per million; µg/m<sup>3</sup> = micrograms per cubic meter

**Table 2: Radio-Telemetering Air Monitoring Results<sup>†</sup>**

Location Code	Location	Analyte	Number of Readings	Number of Detections	Concentration Range*	Period Average*	Action Level
Station 01	South Fenceline	%LEL	3,966	0	< 1 %	< 1 %	10 %
		CO	3,966	43	2 - 6 ppm	0.05 ppm	83 ppm
		H <sub>2</sub> S	3,966	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	3,966	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	3,966	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 02	Southeast Corner of Stack	%LEL	3,924	0	< 1 %	< 1 %	10 %
		CO	3,924	3	3 ppm	0.002 ppm	83 ppm
		H <sub>2</sub> S	3,924	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	3,924	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	3,924	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 03	West Fenceline	%LEL	814	0	< 1 %	< 1 %	10 %
		CO	814	17	3 - 5 ppm	0.08 ppm	83 ppm
		H <sub>2</sub> S	814	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	814	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	815	2	0.1 - 0.6 ppm	0.01 ppm	1 ppm
Station 04	North Fenceline	%LEL	4,389	0	< 1 %	< 1 %	10 %
		CO	4,389	19	2 - 17 ppm	0.02 ppm	83 ppm
		H <sub>2</sub> S	4,389	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	4,388	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	4,389	418	0.1 ppm	0.03 ppm	1 ppm

\* Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

\* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed

ppm = parts per million

**Table 3: Data-Logged PM<sub>2.5</sub> Real-Time Air Monitoring Results<sup>†</sup>**

Location Code	Location Description	Number of Readings	Concentration Range*	Period Average*	Action Level
Station 1	South Fenceline	75,386	4 - 550 µg/m <sup>3</sup>	33 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
Station 2	Southeast Corner of Stack	21,388	19 - 332 µg/m <sup>3</sup>	53 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
Station 3	West Fenceline	42,139	1 - 700 µg/m <sup>3</sup>	38 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet
Station 4	North Fenceline	42,090	4 - 1410 µg/m <sup>3</sup>	42 µg/m <sup>3</sup>	See PM2.5 Action Level Sheet

<sup>†</sup> Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time. PM<sub>2.5</sub> in exhaust from cars and trucks onsite during response activities and on nearby roads may be associated with momentary elevated PM<sub>2.5</sub> readings. PM<sub>2.5</sub> instruments can also overstate PM<sub>2.5</sub> levels during humid weather conditions.

\* Data collected from 07:00 March 2 to 06:31 on March 3, 2023. Due to an instrument malfunction, data from Station 2 were not logged until approximately 18:20.

µg/m<sup>3</sup> = micrograms per cubic meter

**Table 4: Action Level References<sup>†</sup>**

Analyte	Definition	Action Level Reference
VOCs	Volatile Organic Compounds	Temporary Emergency Exposure Limit (TEEL-0) for Benzene
CO	Carbon Monoxide	Acute Exposure Guideline Level (AEGL-2) 1-hr
H <sub>2</sub> S	Hydrogen Sulfide	AEGL-1, 1 hr
%LEL	Lower Explosive Limit	29 CFR 1910.146, Confined Spaces
HCN	Hydrogen Cyanide	AEGL-1, 1 hr
PM <sub>2.5</sub>	Particulate Matter < 2.5 Microns	See PM2.5 Action Level Sheet

<sup>†</sup> Action levels selected in coordination with EPA Region 4 OSC

## 4.0 METEOROLOGICAL CONDITIONS

**Attachment E** contains a wind rose depicting wind speed and direction for this reporting period. Wind data is obtained from publicly available information collected at the Miami International Airport.

# Attachment A

---

## PM<sub>2.5</sub> Action Level Sheet

Provided by EPA Region 4 OSC

## PM<sub>2.5</sub> (Particulate Matter ≤ 2.5 microns) Community Action Threshold Levels

1-Hour Average (µg/m <sup>3</sup> )	24-Hour Average (µg/m <sup>3</sup> )	Level of Health Concern	Meaning	Action
0.0 - 40.0	0.0-12.0	<b>Good</b>	Air Quality is considered satisfactory, and air pollution poses little or no risk.	Implement communication plan.
40.1 - 80.0	12.1 - 35.4	<b>Moderate</b>	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.	Issue public announcement about health effects. Stay out of areas with visible smoke.
80.1 - 175.0	35.5 - 55.4	<b>Unhealthy for Sensitive Groups</b>	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Recommend evacuation or shelter-in-place for sensitive populations.
175.1 - 300.0	55.5 - 150.4	<b>Unhealthy</b>	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.	Consider closing schools and cancelling outdoor events. Recommend shelter-in-place for affected neighborhoods.
300.1 - 500.0	150.5 - 250.4	<b>Very Unhealthy</b>	Health warnings of emergency conditions. The entire population is more likely to be affected.	Consider closing schools and cancel all outdoor events. Recommend shelter-in-place and/or evacuation for affected neighborhoods.
> 500.0	> 250.5	<b>Hazardous</b>	Health alert: everyone may experience more serious health effects.	Recommend closing schools & cancel outdoor events. Recommend closing workplaces and evacuating affected neighborhoods.



# Attachment B

---

## Maps




## Doral Florida Facility Fire

Incident Location

Doral, FL | Miami-Dade County


PROJ-025114




Incident Location

Updated At: 2/18/2023 8:51 AM


Projection: GCS WGS 1984


















# Attachment C


---

## AreaRAE Graphs

# Preliminary Remote-telemetered Real-time Air Monitoring Readings

PROJ-025114 | Doral Florida Facility Fire | Doral, FL


03/02/2023 07:00 to 03/03/2023 06:37 | **Analyte: %LEL**



# Preliminary Remote-telemetered Real-time Air Monitoring Readings

PROJ-025114 | Doral Florida Facility Fire | Doral, FL


03/02/2023 07:00 to 03/03/2023 06:37 | Analyte: CO (ppm)





# Preliminary Remote-telemetered Real-time Air Monitoring Readings

PROJ-025114 | Doral Florida Facility Fire | Doral, FL  
03/02/2023 07:00 to 03/03/2023 06:37 | Analyte: H2S (ppm)



# Preliminary Remote-telemetered Real-time Air Monitoring Readings

PROJ-025114 | Doral Florida Facility Fire | Doral, FL

03/02/2023 07:00 to 03/03/2023 06:37 | Analyte: HCN (ppm)



03/02/2023 11:00 03/02/2023 15:00 03/02/2023 19:00 03/02/2023 23:00 03/03/2023 03:00

# Preliminary Remote-telemetered Real-time Air Monitoring Readings

PROJ-025114 | Doral Florida Facility Fire | Doral, FL

03/02/2023 07:00 to 03/03/2023 06:37 | Analyte: VOCs (ppm)



# Attachment D


---

## AM520 Graphs

# Datalogged PM2.5 Air Monitoring Results\*

PROJ-025114 | Doral Florida Facility Fire | Doral, FL

3/2/2023 07:00:00 to 3/3/2023 06:31:16



\*Due to an instrument malfunction, data from Station 2 were not collected until approximately 18:20

# Attachment E

---

## Meteorological Conditions

Weather Station: MIAMI INTL AIRPORT  
03/02/2023 07:00 TO 03/03/2023 07:00

